

Grouts Bibliography  
February 10, 2009

Afridi, Musarrat Ullah Khan, Yoshihiko Ohama, Katsunori Demura, and M. Zafar Iqbal. 1993. A note on the formation of Ca (OH)2 crystals in polymer-modified mortars. *Cement and Concrete Research* 23(2): 484-85.

Alberti, Livia, Francesco Mannuccia, Laura Tartaglia, and Sebastiano Tusa. 2004. Conservazione e restauro musivo a Mozia, Salemi e Mazara del Vallo . In *Apparati musivi antichi nell'area del Mediterraneo: Conservazione programmata e recupero: Contributi analitici alla carta del rischio: Atti del I. Convegno internazionale di studi, La materia e i segni della storia, Piazza Armerina 9-13 aprile 2003*, ed. Guido Meli, 212-36. Palermo: D. Flaccovio, Regione Siciliana.

Alberti, Livia, and Ambra Tomeucci. 1990. Intervento di restauro sui mosaici dell'arco di ingresso al presbiterio in S. Vitale a Ravenna. In *Restauri ai mosaici nella basilica di S. Vitale a Ravenna: L'Arco presbiteriale*, ed. Cesare Fiori, and Cetty Muscolino, 90-130. Faenza: Irtec, Italy.

Anagnostopoulos, Costas A., and Augoustinos C. Anagnostopoulos. 2002. Polymer-cement mortars for repairing ancient masonries mechanical properties. *Construction and Building Materials* 16(7): 379-84.

Ashall, G., R. N. Butlin, J. M. Teutonico, and W. Martin. 1996. Development of lime mortar formulations for use in historic buildings. In *Durability of Building Materials and Components 7: Proceedings of the Seventh International Conference on Durability of Building Materials and Components, 7 DBMC: Stockholm, Sweden 19-23 May 1996*, ed. Christer Sjöström, 352-60. London: E. and F.N. Spon.

Ashurst, John, and Nicola Ashurst. 1988. *Practical Building Conservation, Volume 2: Brick, Terracotta and Earth*. New York: Halsted Press.

Aslam, M. 2004. Characterization of ancient mortar: Taj Mahal, a case study. In *Studies in Art and Archaeological Conservation: Dr. B.B. Lal Commemoration Volume*, ed. A. S Bisht, and S. P. Singh, 101-25. Delhi: Agam Kala Prakashan.

Asp, Misa. 2001. Tests of injectable mortars in laboratory and field. In *Conservation of Mural Paintings*, ed. Ulf Lindborg, 39-44. Stockholm: National Heritage Board.

Asthana, K. K., and Rajni Lakhani. 2004. Strategies for the restoration of heritage building with innovative compatible materials. In *Studies in Art and Archaeological Conservation: Dr. B.B. Lal Commemoration Volume*, ed. A. S Bisht, and S. P. Singh, 9-26. Delhi : Agam Kala Prakashan.

Atkinson, R. H., and M. P. Schuller. 1998. Injection grouting for repair of brick masonry. In *Conservation of Historic Brick Structures: Case Studies and Reports of Research: Proceedings of the 6th Expert Meeting, Williamsburg, 28-31 October 1992*, ed. N. S. Baer, S. Fitz, and R. A. Livingston, 131-38. Shaftesbury, Dorset: Donhead.

Atzeni, C., L. Massidda, and U. Sanna. 1993. Technological properties of earth-based construction materials treated with hydraulic cement or acrylic polymer. In *Terra 93: 7a Conferência Internacional sobre o Estudo e Conservação da Arquitectura de Terra: Silves, Portugal, 24 a 29 de Outubro, 1993 = 7th International*

*Conference on the Study and Conservation of Earthen Architecture: Silves, Portugal 24—29 October, 1993 = 7ème conférence internationale pour l'étude et la conservation de l'architecture de terre: Silves, Portugal, 24 au 29 Octobre, 1993*, ed. M. Alçada, ICCROM, and CRATerre-EAG, 564-74. Lisboa: Direcção Geral Dos Edifícios e Monumentos Nacionais.

Atzeni, Cirillo, Maria Grazia Cabiddu, Luigi Massidda, and Ulrico Sanna. 1996. The use of stabilized earth in the conservation of megalithic monuments. *Conservation and Management of Archaeological Sites* 1(3): 161-68.

Baatz, Wolfgang, and Rudolfine Seeber. 1988. Haftung von Neuputz auf Altputz ohne Klebezusatz. In *Zum Thema Wandmalerei, Sgraffito, Stuck*, ed. Manfred Koller, and Rainer Prandstetten, 75-77. Wien: Österreichische Sektion des IIC.

Baglioni, P., L. Dei, Francesca Piqué, G. Sarti, and E. Ferroni. 1997. New autogenous lime-based grouts used in the conservation of lime-based wall paintings. *Studies in Conservation* 42(1): 43-54.

Bakirtzis, Charalambos, ed. 2005. *8o Synedrio Diethnous Epitropes gia te Synterese ton Psephidoton (ICCM): Entoichia kai epidapedia psephidota: Synterese, diaterese, parousiase: Thessalonike, 29 Oktovriou-3 Noemvriou 2002 praktika = VIIIf Conference of the International Committee for the Conservation of Mosaics (ICCM): Wall and Floor Mosaics, Conservation, Maintenance, Presentation. Thessaloniki, 29 October-3 November 2002: Proceedings*. Thessaloniki: Europaiko Kentro Vyzantinon kai Metavyzantinon Mnemeion.

Baldi, Pio. 1982. Tharros (Oristano, Sardinia): Preservation of the Punic ditch: Methodological consideration. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 249-53. Rome: ICCROM.

Ballantyne, Anne. 1996. Stabilising the substrate: Grouting: The options. Anne Ballantyne's contribution on 28th October 1995. *Conservation News* 60: 43-45.

Baradan, Bülent. 1993. Preservation of adobe walls. In *Terra 93: 7a Conferência Internacional sobre o Estudo e Conservação da Arquitectura de Terra: Silves, Portugal, 24 a 29 de Outubro, 1993 = 7th International Conference on the Study and Conservation of Earthen Architecture: Silves, Portugal 24—29 October, 1993 = 7ème conférence internationale pour l'étude et la conservation de l'architecture de terre: Silves, Portugal, 24 au 29 Octobre, 1993*, ed. M. Alçada, ICCROM, and CRATerre-EAG, 429-38. Lisboa: Direcção Geral Dos Edifícios e Monumentos Nacionais.

Barcellona, S., U. Santamaria, E. Borrelli, and M. Laurenzi Tabasso. 1993. Evaluation of injection grouting for structural strengthening of ancient buildings. In *Proceedings of the International RILEM/UNESCO Congress "Conservation of Stone and Other Materials: Research-Industry-Media," Held at UNESCO Headquarters, Paris, June 29 - July 1, 1993*, 1st ed., ed. M. J. Thiel, Vol. 2, 637-43. RILEM Proceedings no. 21. London: E & FN Spon.

Barker, A. P., N. H. Brett, and J. H. Sharp. 1987. Influence of organic additives on the morphology and x-ray diffraction line profiles of synthetic calcium hydroxide. *Journal of Materials Science* 22: 3253-60.

Bartolomé, A., A. Miralles, P. Pablo, and L. Pérez. 1995. Restauración de las pinturas murales de San Felices de Castilleria (Palencia) [Restoration of the mural paintings of San Felices de Castilleria (Palencia)]. *Pátina*

2(7): 4-9.

- Bass, Angelyn. 1998. Design and Evaluation of Hydraulic Lime Grouts for In Situ Reattachment of Lime Plaster to Earthen Walls. Master's thesis, University of Pennsylvania.
- Beas Guerrero de Luna, Maria Isabel. 1993. Consolidation of traditional plasters: A laboratory research. In *Terra 93: 7a Conferência Internacional sobre o Estudo e Conservação da Arquitectura de Terra: Silves, Portugal, 24 a 29 de Outubro, 1993 = 7th International Conference on the Study and Conservation of Earthen Architecture: Silves, Portugal 24—29 October, 1993 = 7ème conférence internationale pour l'étude et la conservation de l'architecture de terre: Silves, Portugal, 24 au 29 Octobre, 1993*, ed. M. Alçada, 410-416. Lisboa: Direcção Geral Dos Edifícios e Monumentos Nacionais.
- Berlucchi, N., and R. Ginanni Corradini. 1995. Experimentation of a chemical-physical methodology for the reconstruction of historic mortars. In *Methods of Evaluating Products for the Conservation of Porous Building Materials in Monuments: International Colloquium, Rome, 19-21 June, 1995: Preprints*, 1-13. Rome: ICCROM.
- Bettini, C., and T. Carunchio. 1991. Interventi di restauro per il recupero del ninfeo della Villa di Giulio III a Roma. In *Convegno di studi Bressanone: Superfici dell'architettura: Le finiture: Atti del convegno di studi, Bressanone 26-29 giugno 1990*, ed. Guido Biscontin, and Stefano Volpin, 377-93. Padova: Libreria Progetto Editore.
- Binda, Luigia, Mario Berra, Giulia Baronio, and Alberto Fontana. 1990. Repair of masonry by injection technique: Effectiveness, bond and durability problems. In *Structural Conservation of Stone Masonry: International Technical Conference, Athens, 31.X.-3.XI.1989 = Conservation structurelle de la maçonnerie en pierre: Conférence internationale technique, 31.X.-3.XI.1989, Athènes*, 431-41. Rome: ICCROM.
- Blanco, M. T., F. Puertas, A. Palomo, and F. Acción. 1991. Infrared spectroscopy as a complementary technique to identify inorganic salts in ancient deteriorated mortars, grouts and plasters. In *Science, Technology, and European Cultural Heritage: Proceedings of the European Symposium, 13-16 June 1989, Bologna, Italy*, ed. N. S. Baer, C. Sabbioni, and André I. Sors, 601-6. Oxford: Butterworth-Heinemann Publishers.
- Blanco, M. T., F. Puertas, A. Palomo, and F. Gomez. 1991. Alteration of mortars, grouts and plasters in Toledo's cathedral due to humidity. In *Science, Technology, and European Cultural Heritage: Proceedings of the European Symposium, 13-16 June 1989, Bologna, Italy*, ed. N. S. Baer, C. Sabbioni, and A. I. Sors, 951-57. Oxford: Butterworth-Heinemann Publishers.
- Bläuer Böhm, Christine. 1996. Assessment of quantitative salt analysis by the water extraction method on lime mortars. In *Proceedings of the 8th International Congress on Deterioration and Conservation of Stone, 30 Sept.- 4 October 1996, Berlin*, ed. Josef Riederer, 1505-19. Berlin: Möller Druck and Verlag.
- Bonora, Giuseppe, Giacomo Chiari, Maria Laura Santarelli, and Giorgio Torraca. 2003. Analisis di malte antiche: Confronto fra tecniche di indagine. *Materiali e strutture* 1(1): 39-67.
- Botticelli, Guido, Mauro Matteini, Arcangelo Moles, and Giancarlo Lanterna. 1986. A mineral expansive material for readhesion operations on mural paintings. In *Scientific Methodologies Applied to Works of Art. Proceedings of the Symposium, Florence, Italy, 2-5 May 1984*, ed. Paolo L. Parrini, 177-79, 241. Milan: Montedison Progetto Cultura.



- Bouineau, A. 1985. Renforcement des maçonneries par injection de coulis. In *Ve congrès international sur l'altération et la conservation de la pierre: Actes, Lausanne, 25-27.9.1985 = Vth International Congress on Deterioration and Conservation of Stone: Proceedings, Lausanne, 25-27.9.1985*, ed. G. Félix, Vol. 2, 939-47. Lausanne, Suisse: Presses Polytechniques Romandes.
- Brull, L., and K. Komlos. 1981. Investigation of early shrinkage of cement mortars. In *Building Materials: Proceedings of the 1980 European Conference*, ed. V. M. Bhatnagar, 13-18. Lancaster: Construction Press.
- Bryagin, D. E. 1975. Some experiments on strengthening of ancient wall painting supports with lime-casein solution. In *Preprints: ICOM Committee for Conservation 4th Triennial Meeting: Venice, 13-16 October 1975*, Vol. 1, 75-1/12-1 to 75-1/12-9. Paris: International Council of Museums.
- Böttger, K. G., and D. Knöfel. 1993. Development and testing of injection mortars of high sulfate resistance. In *Conservation of Stone and Other Materials: Proceedings of the International RILEM/UNESCO Congress "Conservation of Stone and Other Materials: Research-Industry-Media", Held at UNESCO Headquarters, Paris, June 29-July 1, 1993*, ed. M.-J. Thiel, Vol. 2, 629-36. London: E. and F.N. Spon.
- Callebaut, K., J. Elsen, K. Van Balen, and W. Viaene. 2001. Nineteenth century hydraulic restoration mortars in the Saint Michael's Church (Leuven, Belgium): Natural hydraulic lime or cement? *Cement and Concrete Research* 31(3): 397-403.
- Cancino Borge, Claudia N. 2001. Assessment of Grouting Methods for Cracks and Large Scale Detachment Repair at Casa Grande: Casa Grande Ruins National Monument. Master's thesis, University of Pennsylvania.
- Carretti, Emiliano, and Luigi Dei. 2004. Physicochemical characterization of acrylic polymeric resins coating porous materials of artistic interest. *Progress in Organic Coatings* 49(3): 282-89.
- Carturan, Giovanni, Gian Domenico Sorarù, and Fabiano Vulcan. 1993. Relazione tecnica sulle malte PLM-A, PLM-AL, PLM-I, PLM-M, PLM-SM e sul legante per stuccature PLM-S della ditta C.T.S. s.a.s Altavilla Vicentina (VI). Technical report, Università Degli Studi di Trento, Dipartimento di Ingegneria dei Materiali.
- Cazalla, O., E. Sebastian, G. Cultrone, M. Nechar, and M. G. Bagur. 1999. Three-way ANOVA interaction analysis and ultrasonic testing to evaluate air lime mortars used in cultural heritage conservation projects. *Cement and Concrete Research* 29(11): 1749-52.
- Conti, Cinzia, Antonio Rava, Giorgio Torraca, and Sabina Vedovello. 1986. Il consolidamento della pietra nella dimensione del grande cantiere: Metodi inorganici ed organici su superfici marmoree. In *Manutenzione e conservazione del costruito fra tradizione ed innovazione: Atti del convegno di studi, Bressanone 24-27 giugno 1986*, ed. Guido Biscontin, 765-76. Padova: Libreria Progetto Editore.
- Croci, Giorgio. 2001. Restoring the basilica of St. Francis of Assisi. *CRM* 24(8): 26-29.
- David, Paola Rafaella. 1997. The restoration of the recinto Piranesiano in the square of the Knights of Malta in Rome. In *International Symposium on the Conservation of Monuments in the Mediterranean Basin: Proceedings 4th International Symposium on the Conservation of Monuments in the Mediterranean: New Concepts, Technologies and Materials for the Conservation and Management of Historic Cities, Sites and*



*Complexes: Rhodes, 6-11 May 1997*, ed. Antonia I. Moropoulou, F. Zizza, E. Kollias, and I. Papachristodoulou, 581-99. Athens: Technical Chamber of Greece.

Dei, Luigi, Piero Baglioni, Enzo Ferroni, and Marcello Mauro. 1999. Materials for wall paintings conservation: Monitoring and testing physicochemical properties and ageing effects. In *6th International Conference on "Non-Destructive Testing and Microanalysis for the Diagnostics and Conservation of the Cultural and Environmental Heritage": Rome, May 17th-20th 1999: Proceedings*, ed. Maurizio Marabelli, and Concetto Parisi, 543-54. Rome: Agfa.

Demiray, Luca. 1994. Misure preventive di conservazione in situ di mosaici pavimentali durante uno scavo di emergenza = In situ preventive conservation measures of mosaic pavements during an emergency excavation. In *Conservación in situ: Palencia, 1990*, 161-71. Mosaicos. no. 5. Palencia: Excma. Diputación Provincial, Departamento de Cultura.

Di Cosimo, Federica, and Fabiano Ferrucci. 1994. Il restauro di alcune pitture lucane del IV secolo a.C. *Kermes: Arte e Tecnica del Restauro* 7(21): 3-10.

Domaslawski, Wieslaw. 1996. The properties of lime and cement mortars modified by metakaolinite. In *Proceedings of the 8th International Congress on Deterioration and Conservation of Stone, 30 Sept. - 4 October 1996, Berlin*, ed J. Riederer, 1529-34. Berlin: Möller Druck und Verlag.

Dominik, A., U. Meyer, and P. Schubert. 1994. Entwicklung von Schlämmen und Verfugmörteln zur Instandsetzung der Außenfassaden der Matthiaskapelle Kobern-Gondorf [The development of face-grouting and mortar compositions for the restoration of the exterior façades of the Matthias Chapel Kobern-Gondorf]. In *Jahresberichte aus dem Forschungsprogramm Steinzerfall, Steinkonservierung: Ein Förderprojekt des Bundesministers für Forschung und Technologie*, ed. Rolf Snethlage, 135-44. Berlin: Ernst & Sohn.

Edison, M. P. 1991. Custom latex-modified cement repair mortars for masonry. *Concrete Repair Bulletin* 4(4): 7-9, 22.

Edison, Michael P. 2005. Hydrated lime as an ingredient in historic restoration repair materials. In *2005 International Building Lime Symposium Proceedings*, 1-16. Arlington, VA: National Lime Association.

Egloffstein, P., and C. Kenner. 2006. Hinterfüllmörtel für die Konservierung mittelalterlicher Verputze. In *Restaurierungsmörtel in der Denkmalpflege*, ed. Elke Koser, 178-99. Stuttgart: Fraunhofer IRB Verlag.

Elert, Kersin, Carlos Rodriguez-Navarro, Eduardo Sebastian Pardo, Eric Hansen, and Olga Cazalla. 2002. Lime mortars for the conservation of historic buildings. *Studies in Conservation* 47(1): 62-75.

Eriksson, Magnus, Martina Friedrich, and Christoph Vorschulze. 2004. Variations in the rheology and penetrability of cement-based grouts: An experimental study. *Cement and Concrete Research* 34(7): 1111-19.

Ersen, A., M. J. Karagüler, and A. Güleç. 1995. Possible substitutes for Khorasan mortar in Byzantine and Ottoman monuments. In *Methods of Evaluating Products for the Conservation of Porous Building Materials in Monuments: International Colloquium, Rome, 19-21 June, 1995: Preprints*, 15-27. Rome: ICCROM.

Farci, Alessio, Deborah Floris, Luigi Massidda, Paola Meloni, and Ulrico Sanna. 2006. Long-term performance

evaluation of an earthen grouting mortar: The Nuraghic complex of Genna Maria, Sardinia. *Conservation and Management of Archaeological Sites* 7(3): 171-78.

Fassina, Vasco, ed. 2000. *Proceedings of the 9th International Congress on Deterioration and Conservation of Stone, Venice, June 19-24, 2000*. 1st ed. Amsterdam: Elsevier.

Ferragni, D., M. Forti, J. Malliet, P. Mora, J. M. Teutonico, and G. Torraca. 1984. Traitement de peintures murales et de mosaïques par injection de coulis. In *Adhesifs et consolidants, Xe congrès international, Paris, 2-7 September 1984*, ed. N. S. Brommelle, Elizabeth M. Pye, Perry Smith, and Gary Thomson, 114-21. Paris: Section française de l'IIC.

Ferragni, D., M. Forti, J. Malliet, J. M. Teutonico, and G. Torraca. 1985. In situ consolidation of wall and floor mosaics by means of injection grouting techniques. In *Mosaics, No. 3: Conservation in Situ, Aquileia 1983*, 83-101. Rome: ICCROM.

Ferragni, D., M. Forti, J. Malliet, and G. Torraca. 1985. Technique di conservazione degli intonaci. In *L'intonaco, storia, cultura e tecnologia: Atti del convegno di studi Bressanone 24-27 giugno 1985*, ed. Guido Biscontin, 327-38. Padova: Libreria Progetto Editore.

Ferragni, D., J. Malliet, S. Di Martino, M. Forti, A. Alva, and G. Torraca. 1982. Essais de laboratoire sur des coulis à base de ciment. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 185-206. Rome: ICCROM.

Ferragni, Daniela, Massimo Forti, Joseph Malliet, Laura Mora, Paolo Mora, and Giorgio Torraca. 1984. La conservazione degli intonaci sgraffiti: Un esempio: La facciata cinquecentesca in via della Fossa a Roma. *Ricerche di storia dell'arte* 24: 33-43.

Ferragni, Daniela, Massimo Forti, Joseph Malliet, Paolo Mora, Jeanne-Marie Teutonico, and Giorgio Torraca. 1984. Injection grouting of mural paintings and mosaics. In *Adhesives and Consolidants: Preprints of the Contributions to the Paris Congress, 2-8 September 1984*, ed. N. S. Brommelle, Elizabeth M. Pye, Perry Smith, and Gary Thomson, 110-16. London: International Institute for Conservation of Historic and Artistic Works.

Flatt, Robert J., and Fred J. Girardet. 2000. Injectable slurries for the in situ conservation of pavement mosaics. In *Proceedings of the 9th International Congress on Deterioration and Conservation of Stone, Venice, June 19-24, 2000*, 1st ed., ed. Vasco Fassina, Vol. 2, 297-305. Amsterdam: Elsevier.

Fontaine Lyne, Margaret L. Thomson, and Gary T. Suter. 1999. Practice and research: The need for standards for historic mortars. In *The Use of and Need for Preservation Standards in Architectural Conservation*, ed. Lauren B. Sickles-Taves, 158-71. ASTM STP: 1355. West Conshohocken, Penn.: ASTM.

Forster, Alan. 2004. Hot-lime mortars: A current perspective. *Journal of Architectural Conservation* 10(3): 7-27.

Gaetani, Maria Carolina, and Ulderico Santamaria. 1998. I materiali di restauro: Le malte da iniezione. In *Diagnosi e progetto per la conservazione dei materiali dell'architettura*, ed. Anna Maria Pandolfi, and Maria Luigia Stella Stampinato, 357-75. Roma: De Luca.



- Genkinger, Carolin. 2002. Festigung von Wandmalereien mit Celluloseethern und Kieselsäureester: Wirkungsweisen und Möglichkeiten einer Überprüfung [Conservation of wall paintings with cellulose ethers and ethyl silicate: Efficiencies and the possible use of different examination techniques]. Diplomarbeiten, Fachhochschule Potsdam.
- Gibbons, Pat. 1997. Pozzolans for lime mortars. In *Building Conservation Directory, Vol. 1: Stone Masonry*, 5th ed., John Ashurst, and Nicola Ashurst, 25-26. Tisbury, Wiltshire, England: Cathedral Communications.
- Gil, Nuno P. 1996. Grouting as a repair and strengthening technique. *Construction Repair* 10(3): 24-26.
- Giuliani, Raffaella. 2002. Il restauro dell'ipogeo dei Flavi nelle catacombe di Domitilla. In *La conservazione delle pitture nelle catacombe Romane: Acquisizioni e prospettive*, ed. Raffaella Giuliani, 18-37. Citta del Vaticano: Pontificia Commissione di Archeologia Sacra.
- Giusti, Annamaria. 2000. Coretto delle Gerarchie Angeliche. *OPD Restauro: Rivista dell'Opificio delle pietre dure e laboratori di restauro di Firenze* 12: 197, 207-10.
- Goins, Elizabeth. 2000. A standard method for the analysis of historic cementitious materials. *NCPTT Notes* 35: 8-9.
- Griffin, Isobel. 1997. Pozzolanas As Additives for Grouts: An Investigation of Their Use in Wall Painting Conservation. Master's thesis, Courtauld Institute of Art.
- Griffin, Isobel. 1999. Earthen Grouts in Wall Painting Conservation: An Investigation of Their Working Properties and Performance Characteristics. Master's thesis, Courtauld Institute of Art.
- Griffin, Isobel. 2004. Pozzolanas as additives for grouts: An investigation of their working properties and performance characteristics. *Studies in Conservation* 49(1): 23-34.
- Güçhan, Neriman Sahin, Ali Ihsan Unay, Hasan Böke, and Fuat Gökçe. 2005. Diyarbakir kent surlari koruma sorunları = Conservation problems of Diyarbakir city walls. *ODTU Mimarlik Fakultesi dergisi = METU Journal of the Faculty of Architecture* 22(1): 27-55.
- Hammer, Ivo. 1996. Zur konservierung und restaurierung der fassadenmalereien in Forchtenstein und Pöggstall [Conservation and restoration of painted facades in Forchtenstein and Pöggstall]. In *Zum thema fassadenmalerei*, ed. Manfred Koller, and Rainer Prandstetten, 139-60. Klosterneuburg: Mayer & Comp.
- Hanna, S., N. Lee, and G. Foster. 1988. Three Bodhisattvas: The conservation of a fifteenth century Chinese wall painting in the British Museum collection. In *Conservation Today: Papers Presented at the UKIC 30th Anniversary Conference*, ed. V. Todd, 130-34. London: United Kingdom Institute of Conservation.
- Hansen, Eric, Eric Doehne, John Fidler, John Larson, Bill Martin, Mauro Matteini, Carlos Rodríguez-Navarro, Eduardo Sebastián Pardo, Clifford Price, Alberto de Tagle, Jeanne Marie Teutonico, and Norman R. Weiss. 2003. A review of selected inorganic consolidants and protective treatments for porous calcareous materials. *Reviews in Conservation* (4): 13-25.
- Harrison, W. H., and M. E. Gaze. 1989. Laboratory-scale tests of building mortars for durability and related properties. *Masonry International: Journal of the British Masonry Society* 3 : 35-41.
- Hartmann, Andreas. 1996. Investigation on injection grouts to readhere lime mortars to adobe grounds. In

*Proceedings of the 8th International Congress on Deterioration and Conservation of Stone, 30 Sept.- 4 October 1996, Berlin*, ed. J. Riederer, Vol. III, 1535-46. Berlin, Germany: Möller Druck und Verlag.

Hartzler, Robert. 1997. Holding down the forts: The army, adobe and preservation. *CRM* 22(6): 55-58.

Heidingsfeld, Viktor, Petr Kotlík, and Josef Coban. 2003. Lehcené omítkové smesi: 1, Cást smesi s vápenným pojivem [Lightweight plaster: Part 1, Mortar with calcium temper]. *Zprávy Památkové Péce* 63(5): 344-48.

Henriques, F. M. A. 1996 . Testing methods for the evaluation of new mortars for old buildings. *Science and Technology for Cultural Heritage* 5(1): 57-61.

Henriques, Fernando, and Elena Charola. 1996. Comparative study of standard test procedures for mortars. In *Proceedings of the 8th International Congress on Deterioration and Conservation of Stone, 30 Sept.- 4 October 1996, Berlin*, ed. J. Riederer, Vol. III, 1521-28. Berlin, Germany: Möller Druck und Verlag.

Hentschel, Barbara. 2001. Die Wandmalereien von Adolf Quensen in Chor der St. Lorenzkirche in Schöningen: Entwicklung eines Konzepts zur Konservierung/Restaurierung [The wall paintings of Adolf Quensen in the choir of the St. Lorenz Church of Schöningen: Development of a conservation concept and recommendations for further treatment]. Diplomarbeit, Fachhochschule Hildesheim/Holzminden.

Holmström, Ingmar. 1982. Mortars, cements and grouts for conservation and repair: Some urgent needs of research. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 19-24 . Rome: ICCROM.

Honeysett, B. 1995. Common structural defects and failures in cob buildings and their diagnosis and repair. In *Out of Earth II: National Conference on Earth Buildings*, ed. Rex Harries, and Linda Watson, 165-77. Plymouth: University of Plymouth.

Horky, Jan. 1986. Restoration of wall paintings in a small chapel near Fribourg. In *Case Studies in the Conservation of Stone and Wall Paintings: Preprints of the Contributions to the Bologna Congress, 21-26 September 1986*, ed. N. S. Brommelle, and P. Smith, 44-45. London: International Institute for Conservation of Historic and Artistic Works.

Huang Kezhong. 1997. An overview of protection of grottoes in China. In *Conservation of Ancient Sites on the Silk Road: Proceedings of an International Conference on the Conservation of Grotto Sites*, ed. Neville Agnew, 4-11. Los Angeles: Getty Conservation Institute.

Hurd, J. 1995. Conservation of delaminated earth walls. In *Out of Earth II: National Conference on Earth Buildings*, ed. Rex Harries, and Linda Watson, 178-81. Plymouth: University of Plymouth.

Ibrahim, Khaled and Glaftos Papadouris. 1998. Testing of Raw Materials for Historic Mortars. Diploma work, Aristotle University of Thessaloniki.

ICCROM: International Centre for the Study of the Preservation and the Restoration of Cultural Property. 1982. *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*. Rome: ICCROM.

Ignoul, S., D. Van Gemert, and F. Van Rickstal. 2003. Application of mineral grouts for structural consolidation of historical monuments. *Internationale Zeitschrift für Bauinstandsetzen = International Journal for Restoration of Buildings and Monuments* 9(4): 365-82.

Jerome, Pamela, Norman R. Weiss, Michele Risdal-Barnes, Gina Crevello, and Jeffrey Mark Chusid. 2003. Conserving the ruins of a Hellenistic farmhouse in Crimea, Ukraine. *Bulletin: Association for Preservation Technology* 34(2-3): 5-14.

Jinglong Liu. 1993. Composition of chemical grout and the appropriate temperature for treatment of grotto rock. In *International Conference on the Conservation of Grotto Sites: Conservation of Ancient Sites on the Silk Road: October 3-8, 1993, Mogao Grottoes at Dunhuang: Abstract & Programs*, Dunhuang Academy, Getty Conservation Institute, and Chinese National Institute of Cultural Property, 75. Marina del Rey, Calif.: Getty Conservation Institute.

Karatasis, Ioannis, Panagiotis Theoulakis, Belinda Colston, David Watt, Vasilios Lampropoulos, and Vasilis Kilikoglou. 2005. Analytical and microscopic techniques for the study of mortars from the floor mosaics of Thebes, Greece. In *8o Synedrio Diethnous Epitropes gia te Synteres ton Psephidoton (ICCM): Entoichia kai epidapedia psephidota: Synteres, diaterese, parousias: Thessalonike, 29 Oktovriou-3 Noemvriou 2002 praktika = VIIth Conference of the International Committee for the Conservation of Mosaics (ICCM): Wall and Floor Mosaics, Conservation, Maintenance, Presentation. Thessaloniki, 29 October-3 November 2002: Proceedings*, ed. Charalambos Bakirtzis, 209-22. Thessaloniki: Europaiko Kentro Vyzantinon kai Metavyzantinon Mnemeion.

Karatasis, Ioannis, David Watt, and Belinda Colston. 2003. Characterisation and development of mortars for conservation of Byzantine floor mosaics. In *Conservation Science 2002: Papers From the Conference Held in Edinburgh, Scotland, 22-24 May 2002*, ed. Joyce Townsend, Katherine Eremin, and A. Adriaens, 121-26. London: Archetype Publications Ltd.

Karaveziroglou, M. 1986. [Traditional mortars - grouts]. In *Anasteloseis Vyzantinon kai metavyzantinon mnemeion: Praktika tou Diethnous Syposiou Thessalonikes, 11-13 Dek. 1985 = Restoration of Byzantine and Post-Byzantine Monuments: Proceedings of the international symposium of Thessaloniki, 11-13 December 1985*, ed. P. Astrinidou, 403-14. Thessaloniki: [He Ephoreia?].

Karaveziroglou, M., J. Papaianni, and G. Penelis. 1998. Mortars and grouts in restoration of Roman and Byzantine monuments. In *Compatible Materials for the Protection of European Cultural Heritage*, ed. Guido Biscontini, Antonia I. Moropoulou, Mustafa Erdick, and Jose Delgado Rodrigues, Vol. 2, 219-45. PACT. vol. 56, Athens: Technical Chamber of Commerce.

Kasparov, Serguéi, and Svetlana Tamaéva. 1990. Les nouvelles méthodes de refixage par injection dans les supports d'encaustic des peintures murales = The new methods of refixing by injection in the paint layer of wall paintings. In *9th Triennial Meeting: Dresden, German Democratic Republic, 26-31 August, 1990 Preprints: ICOM Committee for Conservation*, ed. Kirsten Grimstad, 513-17. Los Angeles: ICOM Committee for Conservation and Getty Conservation Institute .

Keersmaekers, R., L. Schueremans, D. Van Rickstal, M. Van Gemert, and D. Knapen. 2007. NTD-control of injection of an appropriate grout mixture for the consolidation of the columns foundations of Our Lady's Basilica at Tongeren (B). In *Proceedings of the 5th International Conference [on] Structural Analysis of Historical Constructions: Possibilities of Numerical and Experimental Techniques*, 6-8 November 2006, ed. Paulo B. Lourenço, P. Roca, C. Modena, and S. Agrawal, 553-60. New Delhi: Macmillan.



- Kellner, Claudia. 2000. Konservierungskonzept für den Außenputz der Dorfkirche in Heiligengrabe [Concept for preservation of the plaster of the village church in Heiligengrabe]. Diplomthemen, Fachhochschule Potsdam.
- Kenyon, Corinna. 1996. Stablising the substrate: Grouting: The options. Review of Stone Section Meeting British Museum, 28th October 1995. *Conservation News* 59: 71.
- Kiss, Anja. 2002. Steininjektionsstoffe für Kalkstein: Untersuchungen zu acrylatgebundenen Injektionsstoffen für Schalen an Travertin am Beispiel der Marienkirche Mühlhausen [Investigations for acrylic injection mortar of scales on travertine stone of the Marienkirche in Muehlhausen]. Diplomarbeit, Fachhochschule Köln.
- Klarner, K., and B. Schick. 1998. Foamgrout: A method to treat large detachments of plaster layers carrying wallpaintings. In *Baroque Wallpaintings: Technical Problems and Current Conservation Methods = Barocke Wandmalereien Technische Probleme und aktuelle Konservierungsmethoden*, ed. Gabriela Krist, and Stefanie Winkelbauer, 117-18. Wien, Austria: Bundesdenkmalamt.
- Klarner, Klaus. 2005. Schaummörtel für die Stabilisierung von abgelösten Wandmalereien: Weiterentwicklung eines Gerätes zur Herstellung von Luftporenschaum für den Einsatz in der Wandmalereirestaurierung [Foam mortar to reinforce detached ceiling paintings: Further development of an instrument to produce air-pore foam for the conservation of wall paintings]. *Denkmalpflege Informationen* 92: 26-27.
- Klingspor, M. 1989. Examination of a lime-cement mortar modified with acrylate dispersion. In *VIth International Congress on Deterioration and Conservation of Stone: Torun, 12-14.09.1988*, ed. J. Ciabach, 161-70. Torun: Nicolas Copernicus University, Press Dept.
- Kocankovska, V. and S. Stoyanova. 1998. Influence of the Type of Binder on the Strength Development in Repair Mortars. Diploma work, Aristotle University of Thessaloniki.
- Koser, Elke, ed. 2006. *Restaurierungsmörtel in der Denkmalpflege*. MONUDOCthema, vol. 03. Stuttgart: Fraunhofer IRB Verlag.
- Lal, B. B. 1967. The murals: Their composition and technique. In *Ajanta Murals: An Album of Eighty-Five Reproductions in Colour*, ed. A. Ghosh, 53-55. New Delhi: Archaeological Survey of India.
- . 1967. The murals: Their preservation. In *Ajanta Murals: An Album of Eighty-Five Reproductions in Colour*, ed. A. Ghosh, 56-62. New Delhi: Archaeological Survey of India.
- Lanas, J., R. Sirera, and J. I. Alvarez. 2005. Compositional changes in lime-based mortars exposed to different environments. *Thermochimica Acta* 429(2): 219-26.
- Laurenzi Tabasso, M., and P. Sammuri. 1984. Evaluation of mortars for use in conservation from the standpoint of the release of soluble salts. In *ICOM Committee for Conservation, 7th Triennial Meeting, Copenhagen, 10-14 September 1984: Preprints*, ed. Diana de Froment, Vol. 1, 84.10.8 to 84.10.11. Paris: International Council of Museums in association with the J. Paul Getty Trust.
- Laurenzi Tabasso, Marisa, and Stefan Simon. 2006. Testing methods and criteria for the selection/evaluation of products for the conservation of porous building materials. *Reviews in Conservation* (7): 67-82.
- Lea, F. M. 1970. *The Chemistry of Cement and Concrete*. 3rd ed. London: Edward Arnold.



- Leitner, Heinz. 1997. Brittle and Flexible: The Structural Stabilisation of Painted Plaster on Suspended Wooden Ceilings. Master's thesis, Courtauld Institute of Art: University of London.
- Lemnitz, Henriette. 2002. Kieselsäureestergebundene Ergänzungs- und Injektionsstoffe für engobierte und glasierte Terrakotta [Silicic acid ester bonded plaster and injection materials for engobed and glazed terracotta]. Diplomarbeit, Fachhochschule Potsdam.
- Lithgow, K., and J. Stewart. 2001. Conservation strategies for damp buildings and plaster: Lacock Abbey in Wiltshire. *Journal of Architectural Conservation* 7(2): 7-26.
- Livesey, Paul. 2002. Succeeding with hydraulic lime mortars. *Journal of Architectural Conservation* 8(2): 23-37.
- Lolli-Ghetti, Mario. 1982. Tharros (Oristano, Sardinia): Conservation of the Punic ditch: Diversification of technologies. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 255-66. Rome: ICCROM.
- Luprano, V. A. M., G. Montagna, A. Giardina, and A. Rotella. 2000. Correlation between ultrasonic measurements and mechanical testings: A methodology applied to D'Amico Palace of Milazzo. In *Fifteenth World Conference on Non-Destructive Testing, Rome, 15-21 October 2000*, Brescia, Italy: AIPnD.
- Majdowski, Andrzej. 1983. Zastosowanie metod iniekcjnych w praktyce budowlano-konserwatorskiej = The use of injection techniques in building and conservation practice. *Ochrona Zabytków* 36(3-4): 237-42.
- Malliet, Joseph. Mortars and injection grouts for conservation [Unpublished notes from ICCROM Mural Painting Conservation Course 1993]. ICCROM Shelf A 123 61.
- Maryniak-Piaszczynski, Ewa. 2000. Injektionsmassen auf der basis von dispergiertem kalkhydrat. Einfluss des diespergierens auf die phisiko-mechanischen eigenschaften ausgewählter massen. In *Dispergiertes weisskalkhydrat für die restaurierung und denkmalpflege*, ed. Elizabeth Jagers, 35-52. Petersberg: Michael Imhof Verlag.
- Mastrotisi, G., and A. Segimiro. 1991. Il restauro della Loggia del Vescovo Speciano nel Palazzo Vescovile di Novara [The restoration of the Loggia of Bishop Speciano in the Bishop's Palace of Novara, northern Italy]. In *Convegno di studi Bressanone: Superfici dell'architettura: Le finiture: Atti del convegno di studi, Bressanone 26-29 giugno 1990*, ed. Guido Biscontin, and Stefano Volpin, 457-64. Padova: Libreria Progetto Editore.
- Matero, Frank G. 1995. A programme for the conservation of architectural plasters in earthen ruins in the American Southwest. *Conservation and Management of Archaeological Sites* 1(1): 5-24.
- Matero, Frank G., and Angelyn Bass. 1995. Design and evaluation of hydraulic lime grouts for the reattachment of lime plasters on earthen walls. *Conservation and Management of Archaeological Sites* 1(2): 97-108.
- Mayer, Gabriel. 2000. Überlegungen bei der Restaurierung der Mosaikfußböden: Das Pompejanum in Aschaffenburg [Reflections during the restoration of the mosaic floors: The Pompeianum in Aschaffenburg]. *Restauro* 106(7): 530-533.
- Melbourne, Dawn. 1997. Epoxies, grouts and inscriptions. *CRM* 20(10): 33-34.

- Michoinová, Dagmar. 1998. Konzervace hloubkove korodovaných historických omítek [Conservation of deeply corroded historic plasters]. *Zprávy památkové péče* 58(5): 134-38.
- . 2000. Lime based mortars for restoration of historical mortars especially under wall paintings. In *International RILEM Workshop on Historic Mortars, Characteristics and Tests: Paisley, Scotland, 12th-14th May 1999*, ed. P. Bartos, C. Groot, and J. J. Hughes, 287-95. Cachan, France: RILEM publications.
- Miltiadou Fezans, Androniki, Elizabeth Vintzileou, Eliza Papadopoulou, and Anna Kalagri. 2007. Mechanical properties of three-leaf stone masonry after grouting. In *Proceedings of the 5th International Conference [on] Structural Analysis of Historical Constructions: Possibilities of Numerical and Experimental Techniques, 6-8 November 2006*, ed. Paulo B. Lourenço, P. Roca, C. Modena, and S. Agrawal, 791-98. New Delhi : Macmillan.
- Miltiadou, A., A. M. Pailleire, J. J. Serrano, A. Denis, and N. Musikas. 1990. Formulations de coulis hydrauliques pour l'injection des fissures et cavites des structures en maçonnerie degradees = Formulations of hydraulic grouts in the injection in fissures and cavities in the structure of graduated masonry. In *Structural Conservation of Stone Masonry: International Technical Conference, Athens, 31.X.-3.XI.1989 = Conservation structurelle de la maçonnerie en pierre: Conférence internationale technique, 31.X.-3.XI.1989, Athènes*, 299-312. Rome: ICCROM.
- Miltiadou, A. E., J. Durville, F. Martineau, E. Massieu, and J. Serrano. 1993. Etude mecanique de melanges cailloux-mortier. Influence de l'injection de coulis. *Bulletin de Liaison des laboratoire des ponts et chaussées* 183: 75-84.
- Miltiadou, Androniki, and Charles Abdunur. 1990. Rôle mécanique des coulis d'injection sur le comportement d'un mur en maçonnerie: Une approche numérique. In *Structural Conservation of Stone Masonry: International Technical Conference, Athens, 31.X.-3.XI.1989 = Conservation structurelle de la maçonnerie en pierre: Conférence internationale technique, 31.X.-3.XI.1989, Athènes*, 147-54. Rome: ICCROM.
- Miltiadou, Androniki E. 1991. *Etude des coulis hydrauliques: Pour la réparation et le renforcement des structures et des monuments historiques en maçonnerie*. Paris: Laboratoire Central des Ponts et Chaussées.
- Miltiadou Fezans, A., E. Papakonstantinou, K. Zambas, A. Panou, and K. Frantzikinaki. 2003. Domike apokatastase ton spondylon ton kionon tou opisthonaou tou Parthenonos me ydravlika enemata ypseles dieisdytikotetas: Erevna schediasmos kai epharmoge [Structural conservation of the column of the Parthenon opisthodomos with high-injection hydraulic mortars: Research, design and application]. In *International Meeting for the Restoration of the Acropolis Monuments: 5e Diethnes Synantese gia ten Apokatastase ton Mnemeion Akropoleos, Athena, 4-6 Oktovriou 2002, Neo Kterio tes Dioikesenos tes Ethnikes Trapezas tes Hellados, Amphitheatro Hypourgeiou Politismou: Praktika*, ed. Fani Mallouchou-Tufano, 161-78. Athena: Untimely Books.
- Miltiadou-Fezans, Andoniki. 1998. Criteria for the design of hydraulic grouts injectable into fine cracks and evaluation of their efficiency. In *Compatible Materials for the Protection of European Cultural Heritage*, ed. Guido Biscontini, Antonia I. Moropoulou, Mustafa Erdick, and Jose Delgado Rodrigues, 149-63. PACT. vol. 56, Athens: Technical Chamber of Commerce.
- Mora, Laura, Paolo Mora, Giorgio Torraca, and Virginia Anne Bonito. 1986. A coordinated methodology for the treatment and study of the peristyle garden wall of the House of Menander, Pompeii: An interim report. In



*Case Studies in the Conservation of Stone and Wall Paintings: Preprints of the Contributions to the Bologna Congress, 21-26 September 1986*, ed. N. S. Brommelle, and P. Smith, 38-43. London: International Institute for Conservation of Historic and Artistic Works.

Mora, Paolo, Laura Mora, and Paul Philippot. 1977. *La conservation des peintures murales*. Bologne: Editrice Compositori.

———. 1984. *Conservation of Wall Paintings*. London: Butterworths.

Moropoulou, Antonia, Asterios Bakolas, Eleni Aggelakopoulou, Anastasia Odatzidou, Christos Teas, and Dimitris Papageorgiou. 2005. Estimation of elastic constants of restoration mortars, used on historic masonry restoration interventions, via ultrasonic technique and correlation to their mechanical and microstructure parameters. In *Materials Issues in Art and Archaeology VII: Symposium Held November 30-December 3, 2004, Boston, Massachusetts, U.S.A*, ed. Pamela B. Vandiver, Jennifer L. Mass, and A. Murray, 115-20. Warrendale, Pa.: Materials Research Society.

Moropoulou, Antonia, Asterios Bakolas, and Petros Moundoulas. 2000. Criteria and methodology for restoration mortars compatible to the historic materials and structures. In *Proceedings of the 9th International Congress on Deterioration and Conservation of Stone, Venice, June 19-24, 2000*, 1st ed., ed. Vasco Fassina, Vol. 2, 403-12. Amsterdam : Elsevier Inc.

Moropoulou, Antonia I., A. Bakolas, P. Moundoulas, E. Aggelakopoulou, and S. Anagnostopoulou. 2005. Strength development and lime reaction in mortars for repairing historic masonry: Cement and Concrete Research in Greece. *Cement and Concrete Composites* 27(2): 289-94.

Nehdi, M., and M. A. Rahman. 2004. Estimating rheological properties of cement pastes using various rheological models for different test geometry, gap and surface friction. *Cement and Concrete Research* 34(11): 1993-2007.

Oblög, Piotr. 2000. Badania nad technologią zapraw do wypełniania rys i przyklejania łuszczących się fragmentów kamieni [The investigation into mortar technology of filling cracks and gluing flaking fragments]. In *Materiały II Ogólnopolskiej konferencji naukowej studentów konserwacji zabytków = Proceedings of the 2nd Polish Students Conference on Historical Monuments Conservation, 24-26 February 2000, Toruń, Poland*, ed. T. Korzeniowski, Vol. 2, 181-230. Toruń, Poland: Uniwersytet Mikołaja Kopernika [Nicholas Copernicus University].

Oldenbourg, Christoph. 1996. Stabilising the substrate: Grouting. The options. Christoph Oldenbourg's contribution on 28th October 1995. *Conservation News* 60: 45.

Oliver, Anne. 1997. Pilot conservation at El Morro. *CRM* 20(10): 36-37.

Ontiveros Ortega, Esther. 2003. Programa de normalización, morteros: Aglomerante y agua de amasado = Standardization program, mortars: Binding media and water. *PH: Boletín del Instituto Andaluz del Patrimonio Histórico* 12(45): 90-97.

Paillyere, A. M., and Y. Rizoulieres. 1978. Reparation des structures en béton par injection de polymères: Essais d'injectabilité à la colonne de sable [Repair of concrete structures by polymer injection: Sand column injectability test]. *Bulletin de liaison des laboratoires des ponts et chaussées* 96: 17-23.

- Pailiere, Anne-Marie, and Robert Guinez. 1984. Recherche d'une formulation de coulis à base de liants hydrauliques pour l'injection dans les fines fissures et les cavités [Research on the formulation of a grout composed of hydraulic binders for the injection in fine cracks and cavities]. *Bulletin de Liaison des laboratoire des ponts et chaussées* 130: 51-57.
- Papayanni-Papadopoulou, J., and M. Karaveziroglou-Weber. 1993. Temperature and moisture effects on mortars and grouts used in interventions. In *Structural Repair and Maintenance of Historical Buildings III*, ed. C. A. Brebbia , and R. J. B. Frewer, 285-94. Southampton and Boston: Computational Mechanics Publications.
- Papayianni, I., and K. Theocharidou. 1993. Efflorescence tendency of mortars used in interventions in old masonry. In *Conservation of Stone and Other Materials: Proceedings of the International RILEM/UNESCO Congress "Conservation of Stone and Other Materials: Research-Industry-Media", Held at UNESCO Headquarters, Paris, June 29-July 1, 1993*, 1st ed., ed. M.-J. Thiel, 621-28. London: E & FN Spon.
- Pelter, Richard. 1992. Conservation of the Lyndhurst "Passage of the Hours". *The Picture Restorer: The Journal of the Association of British Picture Restorers* (2): 5-8 .
- Pender, Robyn Jiske. 2004. The behaviour of water in porous building materials and structures. *Reviews in Conservation* (5): 49-62.
- Penelis, G., M. Karaveziroglou, and J. Papayanni. 1989. Grouts for repairing and strengthening old masonry. In *Structural Repair and Maintenance of Historical Buildings*, ed. C. A. Brebbia, 179-88. Southampton: Computational Mechanics.
- Penelis, G., J. Papayanni, and M. Karaveziroglou. 1989. Pozzolanic mortars for repair of masonry structures. In *Structural Repair and Maintenance of Historical Buildings*, ed. C. A. Brebbia, 161-69. Southampton: Computational Mechanics.
- Penoni, Sara, and Maria Rosa Lanfranchi. 2005. Osservazioni su alcune malte da iniezione per la riadesione degli intonaci nelle pitture murali = Remarks on some injection mortars for providing adhesion to plasterwork in mural paintings. In *Sulle pitture murali: Riflessioni, conoscenze, interventi: Atti del convegno di studi, Bressanone 12-15 luglio 2005*, ed. Guido Biscontin, and Guido Driussi, 477-85. Venezia: Arcadia ricerche.
- Peroni, S., C. Tersigni, G. Torraca, S. Cerea, M. Forti, F. Guidobaldi, P. Rossi-Doria, A. De Rege, D. Picchi, F. J. Pietrafitta, and G. Benedetti. 1982. Lime based mortars for the repair of ancient masonry and possible substitutes. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 63-99. Rome: ICCROM.
- Perpignani, P., A. Racagni, and M. Santi. 2000. Consolidamento sperimentale di piccoli e medi distacchi riscontrabili nei mosaici parietali = Experimental consolidation of small- and medium-size detachments observed in wall mosaics. In *Consolidanti e protettivi in uso sui materiali inorganici porosi di interesse artistico ed archeologico: Atti del Convegno: Trento, 25-27 febbraio 1999*, 171-77. Trento: Provincia autonoma di Trento, Servizio beniculturali.
- Perry, Mark. 1996. Review of "Stablising the Substrate: Grouting: The options," held on 28 October 1995 at the



British Museum. *Conservation News* 59: 50.

Phillips, M. W. 1986. Experiences in the uses of acrylic plaster adhesives. In *Case Studies in the Conservation of Stone and Wall Paintings: Preprints of the Contributions to the Bologna Congress, 21-26 September 1986*, ed. N. S. Brommelle, and P. Smith, 34-37. London: International Institute for Conservation of Historic and Artistic Works.

Piana, Mario, and Emanuele Armani. 1982. A research programme on the plaster of historical buildings in Venice. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 385-400. Rome: ICCROM.

Piqué, Francesca, Rachel Burch, Thomas Roby, and Martha Demas. 2008. Learning from the literature: A review of published works on mosaic deterioration and conservation treatments. In *Lessons Learned: Reflecting on the Theory and Practice of Mosaic Conservation: Proceedings of the 9th ICCM Conference, Hammamet, Tunisia, November 29-December 3, 2005 = Leçons retenues: Les enseignements tirés des expériences passées dans le domaine de la conservation des mosaïques: Actes de la 9ème conference de l'ICCM, Hammamet, Tunisie, 29 novembre-3 décembre 2005*, ed. Aïcha Ben Abed, Martha Demas, and Thomas Roby, 33-45. Los Angeles: Getty Conservation Institute.

Quayle, Nicholas. 1991. Grouting. *Conservation News* 46: 36-39.

Ramachandran, V. S. 1984. *Concrete Admixtures Handbook: Properties, Science, and Technology*. Park Ridge, N.J.: Noyes Publications.

Ricci, Roberto, and Rita Vecchiattini. 2004. Decorazioni di pietra artificiale: Ornamento, innovazione e degrado = Decorations in artificial stone: Ornaments, innovation and deterioration. In *Convegno di studi Bressanone: Architettura e materiali del Novecento: Conservazione, restauro, manutenzione: Atti del convegno di studi, Bressanone 13-16 luglio 2004*, ed. Guido Biscontin, and Guido Driussi, 599-608. Venezia: Arcadia Ricerche.

Rinne, Antje, and Bruno Arntz. 2001. Fast ein Fass ohne Boden: Bruchsteinmauerwerk an Barockkirche stellte komplexe Anforderungen [Almost a barrel without soil: Bruchstein masonry in a Baroque church required a complex standards]. *Bautenschutz + Bausanierung* 24(6): 36-39.

Roby, Thomas C. 1994. Consolidation of a floor mosaic during the excavation of a Byzantine Church in Petra, Jordan. In *Fifth Conference of the International Committee for the Conservation of Mosaics: Proceedings = Actas, Faro e Conimbriga, 1993*, ed. Adília Alarcão, Virgílio H. Correia, Carlos Beloto, and Joana Lamas, 31-37. Conimbriga : ICCM.

\_\_\_\_\_. 1995. Site conservation during excavation: Treatment of masonry, wall plaster and floor mosaic remains of a Byzantine church in Petra, Jordan. *Conservation and Management of Archaeological Sites* 1(1): 43-57.

Rocard, Jean, and Alain Bouineau. 1982. Renforcement des maçonneries pour injections de coulis dans la région nord-est de la France = [Reinforcement of masonry by injection of grouts in north east of France]. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 165-84. Rome: ICCROM.

Rocky Mountain Masonry Institute, University of Colorado at Denver, Dept. of Civil Engineering, Atkinson-Noland & Associates, and National Center for Preservation Technology and Training (U.S.). 1999. *Nondestructive Method for Hardness Evaluation of Mortars: Project Report.*, no. 1999-02. Natchitoches, La.: U.S. Dept. of Interior, National Park Service, National Center for Preservation Technology and Training.

Roselund, Nels. 1990. Repair of cracked adobe walls by injection of modified mud. In *6th International Conference on the Conservation of Earthen Architecture: Adobe 90 Preprints: Las Cruces, New Mexico, U.S.A., October 14-19, 1990*, ed. Kirsten Grimstad, 336-41. Los Angeles: Getty Conservation Institute.

Rosquoët, F., A. Alexis, A. Khelidj, and A. Phelipot. 2003. Experimental study of cement grout: Rheological behavior and sedimentation. *Cement and Concrete Research* 33(5): 713-22.

Rossetti, Vito Alunno, and Alessandro Dal Bò. 2004. Restauro e manutenzione dei calcestruzzi nelle architetture del novecento: Valutazione della affidabilità di materiali e sistemi oggi disponibili per il ripristino corticale attraverso lo studio dei parametri di rischio alla fessurazione e rischio al distacco [Restoration and maintenance of concrete in architectural works of the 1900s: Evaluation of the current reliability of materials and systems for cortical restoration through the study of risk parameters regarding cracking and delamination]. In *Convegno di studi Bressanone: Architettura e materiali del Novecento: Conservazione, restauro, manutenzione: Atti del convegno di studi, Bressanone 13-16 luglio 2004*, ed. Guido Biscontin, and Guido Driussi, 211-19. Venezia: Arcadia Ricerche.

Rossi-Doria, P. Rota. 1986. Mortars for restoration: Basic requirements and quality control. *Materiaux et Constructions = Materials and structures* 19(114): 445-48.

Roussel, N., C. Stefani, and R. Leroy. 2005. From mini-cone test to Abrams cone test: Measurement of cement-based materials yield stress using slump tests. *Cement and Concrete Research* 35(5): 817-22.

Roussel, Nicolas, and Robert Le Roy. 2005. The Marsh cone: A test or a rheological apparatus? *Cement and Concrete Research* 35(5): 823-30.

Rousset, Bénédicte, Stéfania Gentile, Julian James, and Barbara Pozzi. 2005. Injection Grouts for Molasse Sandstones: Preliminary Assessments . Web page. Available at [http://www.conservation-science.ch/files/rousset\\_gentile\\_james\\_pozzi\\_2005\\_delft\\_injectiongroutsformolassesandstonespreliminaryassessments.pdf](http://www.conservation-science.ch/files/rousset_gentile_james_pozzi_2005_delft_injectiongroutsformolassesandstonespreliminaryassessments.pdf).

Roznerska, Maria, Zuzanna Rozlucka, and Jolanta Dudala. 1998. Badania nad likwidacją odspojen tynku od podłoga w malowidlach sciennych społwami typu Rhoplex [Investigation on the repair of detachment of plaster from the support in wall paintings using Rhoplex-type adhesives]. *Zabytkoznawstwo i konserwatorstwo* 30(327): 95-115.

Ruggieri, M. GianFranco. 1982. L'obelisque de Place S. Giovanni in Laterano a Rome. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 273-95. Rome: ICCROM.

Salema, Sofia. 2004. (Re)descobrir o zimbório: Uma intervenção de limpeza e conservação [Conservation of the lantern of Évora Cathedral]. *Pedra & Cal: Revista da conservação do património arquitectónico e da reabilitação do edificado* 5(22): 14-15.

Saxton, B., and K. Conventry. 1995. The engineering performance of Cob. In *Out of Earth II: National Conference on Earth Buildings*, ed. Rex Harries, and Linda Watson, 65-77. Plymouth: University of Plymouth.



- Schnable, Lorraine, and Glenn Boornazian. 1992. The conservation of the mudéjar temple at the Royal Monastery of our Lady of Guadalupe, Extremadura (Cáceres), Spain. In *Conservation of the Iberian and Latin American Cultural Heritage: Preprints of the Contributions to the Madrid Congress, 9-12 September 1992*, ed. Henry Hodges, John S. Mills, and Perry Smith, 140-144. London: International Institute for Conservation of Historic and Artistic Works.
- Schorer, Fabian. 1997. *Zur Konservierung der Deckenmalerei im Oratorium des Schlosses zu Brühl: Prüfung und Umsetzung zweier Sicherungsmethoden am Putzsystem*. München: A. Siegl.
- Schwartzbaum, Paul M., Donatella Zari, U Ba Tint, and Lorenzo Lazzarini. 1988. The Conservation of the mural paintings and external stuccoes of the Temples of Paga. In *The Conservation of Far Eastern Art: Preprints of the Contributions to the Kyoto Congress, 19-23 September 1988*, ed. John S. Mills, Perry Smith, and Kazuo Yamasaki, 103-7. London: International Institute for Conservation of Historic and Artistic Works.
- Seebach, Jochen. 1997. The present state of the analysis of the mural painting on the northern wall of the Holy-Ghost hospital in Lübeck. In *Western Medieval Wall Paintings: Studies and Conservation Experience: Sighisoara, Romania, 31 August-3 September 1995*, 67-78. Rome: ICCROM.
- Sengupta, R. 1982. Grouting for strengthening the foundation of the Qutb Minar, Delhi. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 147-63. Rome: ICCROM.
- Sepulcre Aguilar, Alberto. 2003. Tópicos comunes en la elaboración y uso de los morteros de restauración de fábricas [Typical commonplaces in the preparation and use of mortars in masonry restoration]. *Pátina: Revista de la Escuela de conservación y restauración de bienes culturales* (12): 29-39.
- Sharma, R. K., H. O. Gupta, and Y. K. Kanotra. 1995. Evaluation of physical characteristics of 'Mercula' admixed clay for sealing of cracks in mud plaster of monasteries, Ladakh region. In *Methods of Evaluating Products for the Conservation of Porous Building Materials in Monuments: International Colloquium, Rome, 19-21 June, 1995: Preprints*, 41-48. Rome: ICCROM.
- Sickles, Lauren-Brook. 1982. Organics vs. synthetics: Their use as additives in mortars. In *Mortars, Cements and Grouts Used in the Conservation of Historic Buildings = Mortiers, ciments et coulis utilisés dans la conservation des bâtiments historiques: Symposium, 3-6.11.1981, Rome*, 25-52. Rome: ICCROM.
- Sobkowiak, Dorota. 2001. Zaprawy Złoty Wiek firmy Atlas: Badania przydatnosci do prac budowlano-konserwatorskich [The testing of Atlas Golden Age mortars for building and conservation applications]. *Buletyn informacyjny konserwatora w dziedzinie sztuki* 12(2): 58-59.
- Srša, Ivan. 1994-1995. Procelja Župne crkve Blažene Djevice Marije u Remetincu kraj Novog Marofa. Izvještaj o konzervatorsko: Restauratorskim istraživanjima [Façades of the Blessed Virgin Mary's Parochial Church in Remetinec at Novi Marof: Report on conservation and restoration research]. *Godisnjak zastite spomenika kulture Hrvatske* 20-21: 29-45.
- Stec, Mieczyslaw. 1996. Konserwacja sgraffit i wykusza kamienicy "Pod Przepiórczym Koszem" w Legnicy [The conservation of the sgraffito and bay of the "Under the Quail's Nest" house in Legnica]. *Ochrona Zabytków* 49(3): 313-23.



- Stefanidou, M. Estimation of porosity by using different techniques. In *Proceedings of the 8th Euroseminar on Microscopy Applied to Building Material, 4-7 September 2001, Athens*, ed. B. Georgali, and E. Toumbakari, 619-24. Athens, Greece: TITAN Cement company S.A.
- Strötmann, Rochus, and Ewa Maryniak-Piaszczynski. 2000. Dispersed hydrated lime for the preservation and conservation of stone monuments. In *Proceedings of the 9th International Congress on Deterioration and Conservation of Stone, Venice, June 19-24, 2000*, 1st ed., ed. Vasco Fassina, Vol. 2, 477-83. Amsterdam: Elsevier.
- Suardi, G. 1991. Il Castello di Malpaga: Problemi di conservazione e di consolidamento degli intonaci affrescati del cortile = Malpaga Castele: Problems of conservation and consolidation of the frescoes placed in the courtyard. In *Convegno di studi Bressanone: Superfici dell'architettura: Le finiture: Atti del convegno di studi, Bressanone 26-29 giugno 1990*, ed. Guido Biscontin, and Stefano Volpin, 447-56. Padova: Libreria Progetto Editore.
- Subramaniam, Kolluru V., Jaejun Lee, and Bruce J. Christensen. 2005. Monitoring the setting behavior of cementitious materials using one-sided ultrasonic measurements. *Cement and Concrete Research* 35(5): 850-857.
- Sumanov, L., T. Staniseva, V. Trajkoska, D. Danilovski, and V. Sendova. 1995. Lime mortar and lime based mixtures for conservation, restoration, repair and strengthening of Byzantine churches (9th - 14th century) in Republic of Macedonia. In *Methods of Evaluating Products for the Conservation of Porous Building Materials in Monuments: International Colloquium, Rome, 19-21 June, 1995: Preprints*, 49-66. Rome: ICCROM.
- Suneson, Carola. 2001. Hydraulic lime based injectable mortars. In *Conservation of Mural Paintings*, ed. Ulf Lindborg, 45-51. Stockholm: National Heritage Board.
- Suter, Gary T., Margaret L. Thomson, and Lyne Fontaine. 1998. Mortar study of mechanical properties for the repointing of the Canadian Parliament Buildings. *Bulletin: Association for Preservation Technology* 29(2): 51-58.
- Szabó, Zoltán. 1978. The conservation of adobe walls decorated with mural painting and reliefs in Peru. In *Preprints: ICOM Committee for Conservation 5th Triennial Meeting: Zagreb, 1-8 October 1978*, ed. ICOM Committee for Conservation, Vol. 2, 15-7 to 1-7. Paris: International Council of Museums.
- Szczerba, Z., and H. Jedrzejewska. 1988. Standardized tests for lime plasters used in conservation. In *VIth International Congress on Deterioration and Conservation of Stone: Torun, 12-14.09.1988*, ed. J. Ciabach, 303-12. Torun: Nicolas Copernicus University, Press Dept.
- Tael, Mare, and Ruth Tuvike. 2001. Conservation in Muhu Church, Estonia. In *Conservation of Mural Paintings*, ed. Ulf Lindborg, 61-63. Stockholm: National Heritage Board.
- Taylor, Michael Romero. 1990. An evaluation of the New Mexico State Monuments adobe test walls at Fort Selden. In *6th International Conference on the Conservation of Earthen Architecture: Adobe 90 Preprints: Las Cruces, New Mexico, U.S.A., October 14-19, 1990*, ed. Kirsten Grimstad, 383-89. Los Angeles: Getty Conservation Institute.



- Teutonico, Jeanne Marie. 1988. *A Laboratory Manual for Architectural Conservators*. Rome: ICCROM.
- . 1996. The Smeaton Project: Factors affecting the properties of lime-based mortars. In *A Future for the Past: A Joint Conference of English Heritage and the Cathedral Architects Association: 25-26 March 1994*, ed. Jeanne Marie Teutonico, 13-23. London: James & James.
- Teutonico, Jeanne Marie, Geoff Ashall, Elizabeth Garrod, and Tim Yates. 2000. A comparative study of hydraulic lime-based mortars. In *International RILEM Workshop on Historic Mortars, Characteristics and Tests: Paisley, Scotland, 12th-14th May 1999*, ed. P. Bartos, C. Groot, and J. J. Hughes, 339-49. Cachan, France: RILEM publications.
- Teutonico, Jeanne Marie, and John Fidler. 1998. Time for change: An overview of building-materials research for conservation of historic structures. *Bulletin: Association for Preservation Technology* 29(3-4): 45-49.
- Teutonico, Jeanne Marie, Iain McCaig, and John Ashurst. 1994. The Smeaton Project: Factors affecting the properties of lime-based mortars. *Bulletin: Association for Preservation Technology* 25(3-4): 32-49.
- Torraca, G., D. Ferragni, M. Forti, J. Malliet, and J. M. Teutonico. 1983. Casa del Menandro, Pompeii, mission report, research training unit 4. ICCROM Shelf No. A 85 180.
- Toumbakari, E. E., D. Van Gemert, and T. P. Tassios. 2000. Methodology for the design of injection grouts for consolidation of ancient masonry. In *International RILEM Workshop on Historic Mortars, Characteristics and Tests: Paisley, Scotland, 12th-14th May 1999*, ed. P. Bartos, C. Groot, and J. J. Hughes, 395-405. Cachan, France: RILEM publications.
- Toumbakari, E. E., D. Van Gemert, T. P. Tassios, and N. Tenoutasse. 1999. Effect of mixing procedure on injectability of cementitious grouts. *Cement and Concrete Research* 29(6): 867-72.
- Toumbakari, Eleni-Eva, and Dionys Van Gemert . 1997. Lime-pozzolana-cement injection grouts for the repair and strengthening of three-leaf masonry structures. In *Proceedings 4th International Symposium on the Conservation of Monuments in the Mediterranean: New Concepts, Technologies and Materials for the Conservation and Management of Historic Cities, Sites and Complexes: Rhodes, 6-11 May 1997*, ed. Antonia I. Moropoulou, F. Zezza, E. Kollias, and I. Papachristodoulou, 385-94. Athens: Technical Chamber of Greece.
- Toumbakari, Eleni-Eva, Dionys Van Gemert, and Nemat Tenoutasse. 1998. Injection grouts for ancient masonry: Strength properties and microstructural evidence. In *Compatible Materials for the Protection of European Cultural Heritage*, ed. Guido Biscontin, Antonia I. Moropoulou, Mustafa Erdick, and Jose Delgado Rodrigues, Vol. 2, 191-200. PACT. vol. 56, Athens: Technical Chamber of Commerce.
- Turner, Susan D. 2005. Repairing architectural terra cotta: The decorative clay = Réparer la terracotta architecturale: L'argile décorative. *Heritage: The Magazine of the Heritage Canada Foundation* 8(3): 44-49.
- Vallejo Osorno, Francisco, Pedro Sola Casada, José M. Conde, and Salazar Gómez. 1992. Recalce mediante "jet grouting" de la Iglesia de la Milagrosa (Huelva), y el control de los movimientos durante la ejecución de los mismos [Jet grouting reinforcement of the Church of the Miraculous, Huelva, and the monitoring of movements during the execution of the works]. In *Congreso internacional: Rehabilitación del patrimonio*



*arquitectónico y edificación, Canarias del 13 al 18 Julio '92: Ponencias tomo 1, 197-203.* Islas Canarias: Gobierno de Canarias.

- Valluzzi, M. R. Requirements for the choice of mortar and grouts for consolidation of three-leaf stone masonry walls, paper presented at: Programme RILEM Workshop "Repair Mortars for Historic Masonry," Faculty of Civil Engineering and Geosciences, Delft University of Technology, The Netherlands 26–28 January 2005.
- Van Gemert, Dionys, Eleni-Eva Toumbakari, and Luc Schueremans. 1999. Konstruktive Injektion von historischem Mauerwerk mit mineralisch-oder polymergebundenen Mörteln. *Internationale Zeitschrift für Bauinstandsetzen = International Journal for Restoration of Buildings and Monuments* 5(1): 73-97.
- Van Rickstal, F. 2001. Grout injection of masonry, scientific approach and modeling. *Internationale Zeitschrift für Bauinstandsetzen = International Journal for Restoration of Buildings and Monuments* 7(3-4): 407-32.
- Van Rickstal, F., E. E. Toumbakari, S. Ignoul, and D. Van Gemert. 2003. Development of mineral grouts for consolidation injection. In *Consolidation of Masonry*, ed. Dionys Van Gemert, 61-75. Advances in Materials Science and Restoration. vol. 1, Freiburg: AEDIFICATIO Verlag.
- Varandas, João. 2004. Portas de Coimbra: Uma "nova" entrada com quarto séculos = Conservation of the "Gates of Coimbra". *Pedra & Cal: Revista da conservação do património arquitectónico e da reabilitação do edificado* 5(22): 26.
- Veiga, M. Rosário, and Fernanda Carvalho. 2000. Experimental characterisation of lime based rendering and repointing mortars: Definition of relevant laboratorial and in situ tests. In *Compatible Materials Recommendations for the Preservation of European Cultural Heritage*, ed. Antonia I. Moropoulou, Guido Biscontini, Jose Delgado Rodrigues, and Mustafa Erdik, 151-62. PACT. vol. 59, Greece: Association of Civil Engineers of Greece.
- Vintzileou, Elizabeth. 2007. Grouting of three-leaf stone masonry: Types of grouts mechanical properties of masonry before and after grouting. In *Proceedings of the 5th International Conference [on] Structural Analysis of Historical Constructions: Possibilities of Numerical and Experimental Techniques, 6-8 November 2006*, ed. Paulo B. Lourenço, P. Roca, C. Modena, and S. Agrawal, 48-56. New Delhi: Macmillan.
- Wanfu Wang, Zanfeng Ma, Zuixiong Li, Tao Yang, and Youxu Fu. 2006. [Consolidating of detached murals through grouting techniques]. *Wen wu bao hu yu kao gu ke xue = Sciences of Conservation & Archaeology* 18(1): 52-59.
- Warren, John. 1980. The form, life and conservation of mud-brick building. In *Üçüncü Uluslararası Kerpiç Koruma Sempozyumu: 29 Eylül-4 Ekim, 1980, Ankara = Third International Symposium on Mudbrick (Adobe) Preservation: 29 September-4 October, 1980, Ankara*, ed. Okan Üstünkök, and Emre Madran, 9-18. Ankara, Turkey: ICOM/ICOMOS.
- Wittman, F. H., F. Beltzung, and S. J. Meier . 2005. Shrinkage of water repellent treated cement based materials. In *Water Repellent Treatment of Building Materials: Proceedings of Hydrophobe IV, International Conference on Water Repellent Treatment of Building Materials, Swedish Cement and Concrete Research Institute, Stockholm, Sweden, April 12-13, 2005*, ed. Johan Silfwerbrand, 213-22 . Freiburg: Aedificatio.



- Wong, Kelly H. 2006. Assessment of the Grout Used for the Structural Stabilization of the Early Phrygian Citadel Gate at Gordion, Turkey. Master's thesis, University of Pennsylvania.
- Zajadacz, Karina, and Stefan Simon. 2006. Grouting of architectural surfaces: The challenge of testing. In *Theory and Practice in Conservation: International Seminar*, 1st ed., ed. J. Delgado Rodrigues, and J. Manuel Mimoso, 509-17. Lisbon: National Laboratory of Civil Engineering.
- Zanardi, Bruno. 1990. Restauro dei dipinti murali della cupola del tamburo e della lunetta nel transetto [Restoration of the mural paintings of the cupola of the barrel vault and of the lunette in the transept]. In *Un miracolo d'arte senza esempio: La cupola del Correggio in S. Giovanni Evangelista a Parma*, ed. Eugenio Riccòmini, 91-98. Parma: Tipolitografia benedettina editrice di Parma.
- Zhihui Sun, Thomas Voigt, and Surendra P. Shah. 2006. Rheometric and ultrasonic investigations of viscoelastic properties of fresh Portland cement pastes. *Cement and Concrete Research* 36(2): 278-87.
- Zhong Shihang. 1997. Application of cartridge-type grouting in grotto conservation. In *Conservation of Ancient Sites on the Silk Road: Proceedings of an International Conference on the Conservation of Grotto Sites*, ed. Neville Agnew, 181-86. Los Angeles: Getty Conservation Institute.
- Zielinska, Elzbieta, and Zbigniew Szczerba. 1990. Badania porównawcze właściwości zapraw przygotowanych z różnych spojów wapiennych [Comparative studies of the properties of mortars prepared from different lime binders]. *Rocznik przedsiębiorstwa państwowego Pracownie Konserwacji Zabytków* (1): 110-120.
- Zucchetta, Emanuela. 2004. The restoration of the facade of the Scuola Dalmata. *Studies in Venetian Art and Conservation* : 30-37.

