


THE GCI Project  
Bibliographies  
SERIES

Preservation of  
Lime Mortars and Plasters



Sorted by Author



The Getty Conservation Institute

March 2003

## The Getty Conservation Institute

The Getty Conservation Institute works internationally to advance conservation and to enhance and encourage the preservation and understanding of the visual arts in all of their dimensions—objects, collections, architecture, and sites.

The Institute serves the conservation community through scientific research, education and training, field projects, and the dissemination of the results of both its work and the work of others in the field.

In all its endeavors, the Institute is committed to addressing unanswered questions and to promoting the highest possible standards of conservation practice.

## GCI Project Bibliographies

Project bibliographies represent a distillation of many years of research by Getty Conservation Institute staff in support of a given project. The unique bibliographic resources available at the Getty Center and in the Los Angeles area make it possible for GCI staff to access and review literature that is not easily obtainable by many conservation practitioners. With this unique opportunity comes a unique responsibility to share the results of this research with the conservation community and other interested parties.

## Lime Mortar and Plaster Research at the GCI

Lime-based mortars, plasters, and stuccoes are among the most common binding materials—as well as surface components on walls—found in archaeological and historical buildings. The Building Materials Section of the Getty Conservation Institute's Science Group is conducting research in three main areas related to these materials:

### Preservation and Weathering

Insufficient cohesion and lack of adhesion are the most important weathering phenomena associated with mortars. Deterioration of the mortar can be a result of its original composition. This includes the type of aggregate used; the binder/aggregate ratio, which determines the physico-mechanical properties of the material; and the mineralogical composition that influences the durability of the mortar in the environment. Environmental factors, including salt contamination (sometimes a secondary effect of prior treatments), play an important role in the deterioration process.

## Conservation and Treatment

During restorative interventions, such as grouting or filling of lacunae, it is important that the physical properties of the adhesive or replacement mortars closely match those of the substrate in order to minimize potential incompatibility between the materials. Modern materials such as cement or cement-lime blends often cause failure or lead to increased deterioration of the underlying brick or stone substrate, adjacent zones, or original lime based materials. Scientific investigations on test mixtures – manufactured and cured under standardized conditions – can lower the risk of failure and increase the durability of the restorative intervention.

## Technology and Dating

In addition to providing valuable information for conservation purposes, the study of mortar technology can contribute to the scholarly interpretation of art and artifacts from the past. In some cases—especially when carried out in conjunction with conservation surveys—the results of mortar analysis can facilitate the dating and authentication of objects.

## The Preservation of Lime Mortars and Plasters Bibliography, *Version 1.0*

The Lime Mortars and Plasters Bibliography had its origin in a collaboration between the Getty Conservation Institute (USA), the Katholieke Universiteit Leuven (Belgium) and the Universidad de Granada (Spain). It profited later from the input of the Institut für Steinkonservierung, Mainz (Germany) and other experts who reviewed the bibliography and provided additional citations.

The literature assembled in this bibliography includes those references that were used or found relevant to the following specific research areas:

- The evaluation and verification of an analytical methodology for compositional identification (chemical and mineralogical) and physical characterization (hygric and mechanical properties) of historic materials that is specific for mortars and plasters; being often based on gypsum and lime mixes, and containing not only siliceous, but also calcareous, aggregate.
- The study of the compatibility parameters of historic lime mortars and new repair or replacement materials, as a guide for restorative intervention. Well-defined tolerances for the values of standardized physico-mechanical properties must be established as criteria for compatibility of mortars depending on their use for repointing, plastering, or as repair mortars.
- The elucidation of the effects of traditional practices (processing procedures and additives) in order to estimate the influence of the composition and formulation procedures for new repair and replacement materials.

Focusing on the scientific study of high calcium lime mortar, the selection criteria of the literature cited was based upon content related to lime hydrate as a binder. The original focus was a deliberate choice of the editors of the bibliography, in order to address systematically what literature was available on the topics of their studies. It has been widened as a reaction to comments from experts who reviewed the database. High calcium lime was also considered within the context of the full range of traditional and modern mortar binders, and therefore a limited number of references are included that provide scientific information on other types of lime (e.g., dolomitic lime), on hydraulic binders (e.g., hydraulic lime, pozzolanic mortars), on gypsum or gypsum mixes with lime, and also on ordinary Portland cement. In the same way, various processes and analytical procedures relevant to hydrated lime were augmented with information on similar processes in other areas of research.

The Lime Mortars and Plasters Bibliography will be posted on this site in subsequent iterations as the verification of citations for bibliographic accuracy and completeness continues, and the scope will gradually be enlarged to cover other types of lime and lime based binders. *Version 7.0* contains 1,561 references relevant to the field of lime mortar and plasters, with an emphasis on technical studies of ancient materials and modern, compatible materials for their conservation.

## Partners

### The Getty Conservation Institute

Francesca Casadio

Vera de la Cruz

David Carson

James Druzik

Evin Erder

Eric F. Hansen

Joy Keeney

Andrew Kindon

Blythe McCathy

Urs Müller

Alice Ormsbee

Michael Schilling

Stefan Simon

### Katholieke Universiteit Leuven

Koenraad Van Balen, Professor

Kristof Callebaut

Ionnas Chandrinos

Universidad de Granada

Kerstin Elert

Carlos Rodriguez-Navarro, Associate Professor

Eduardo Sebastian, Professor

## Content, Selection Criteria and Arrangement

There has been an intense recent interest in the development of appropriate analytical tools and traditional materials and techniques for using lime-based materials in the conservation of artistic and architectural works. This has resulted in the publication of numerous bibliographies available in printed form and on the Internet. Although similar in many respects, the content of this bibliography covers not only articles and monographs on:

- analytical techniques
- case studies of materials from specific historic contexts
- studies of conservation treatments
- historical production and application materials and techniques
- the parameters and effects of variations in the production process of lime mortars (calcining, slaking, binders and aggregates, additives, application, drying and carbonation)

but also includes references on:

- the chemistry and mineralogy of calcium compounds (calcium hydroxide and calcium carbonates)
- the formation of compounds and reaction sequences in other classes of mortars (pozzolanics, natural hydraulic cements and ordinary portland cement)

In general, the available technical literature dealing specifically with high calcium lime for architectural purposes is minimal in comparison to these other classes of materials, but certain references may contain important or relevant information on the behavior of calcium compounds (e.g., solution properties, crystallization phenomenon) and these have therefore been included in the bibliography.

The subjective selection criteria thus has a broader scope than articles normally included in *Art and Archaeology Technical Abstracts*<sup>7</sup>, (the bibliographic abstracting service for the field of conservation published by the GCI and the IIC) in that applied building materials studies are widely considered along with basic chemical and mineralogical research. The citations included follow the format for *AATA* with the exception that abstracts have not been included; however, abstracts of many articles from the conservation literature can easily be obtained by searching *AATA*.

This posting of the bibliography is available in two different versions. In the first version, the entire bibliography is sorted alphabetically by author, then by title and finally by date. In the second version, the bibliography is broken down into the categories of Conservation, History, Characterization and Analysis, Performance, and Technology. These categories are further divided into sub-groups based upon key terms. Within each category, citations are sorted first by date and then by author and finally by title. This allows the user to follow developments in a given area chronologically. Where applicable, multiple key terms have been assigned to citations as most references contain information relevant to several subjects (e.g., an analytical study of the components of an historical mortar might also contain information on the process of mortar preparation during a particular time period). These key terms were identified based upon both a review of the content of the bibliography to date and a consideration of the most important parameters of the technical study of high lime mortars and plasters. The citations have been grouped and subdivided in order to provide a limited guide to the content of the material in addition to that indicated by the title alone.

Please note that hard copies of the literature are not available from the Getty Conservation Institute, the Katholieke Universiteit Leuven or the Universidad de Granada. These need to be acquired through your local libraries or inter-library loan services.

## Acknowledgements

We would like to acknowledge gratefully the following individuals for their help in compiling this bibliography, emphasizing that all errors, omissions or inconsistencies are entirely the responsibility of the editors.

For generously contributing several hundred references from her personal bibliography, we would like to thank above all Karin Kraus. For comments and suggestions, including additional pertinent literature, we thank Baerbel Arnold, Ernesto Borelli, Philippe Bromblet, Sharon Cather, Hans Erik Hansson, Rob van Hees, Christoph Herm, John Hughes, Isabel Kanan, Roman Kozlowski, Linda Krage, Urs Mueller, Margaret Thomson and Johannes Weber.

We are especially grateful for the help provided by the GCI staff, in particular Andrew Kindon of the Scientific Department, and Mitchell Bishop, Shannon Walker and Thomas Shreves of the Information Resources Department.

---

<sup>1</sup> As of June of 2002 AATA was available on the Getty website as *AATA Online – Abstracts of International Conservation Literature*.

# GCI Lime Mortars and Plasters Bibliography

- Abrams, Elliot M. and Freter, Ann Corinne.** A late Classic lime-plaster kiln from the Maya centre of Copan, Honduras. *Antiquity*, 70, no. 268 (1996) pp. 422–428.
- Ackerman, James S.** Gothic theory of architecture at the cathedral of Milan. *Art bulletin*, 31 (1949) pp. 84–111.
- Adam, Jean-Pierre.** La chaux, les mortiers. In *La construction romaine: matériaux et techniques*. Adam, Jean-Pierre, Editor. Picard, Paris (1984) pp. 69–90.
- Adams, F. W.** Effect of particle size on the hydration of lime. *Industrial and engineering chemistry*, 19, no. 5 (1927) pp. 589–591.
- Adams, J.; Dollimore, D.; and Griffiths, D. L.** Thermal analytical investigation of unaltered Ca(OH)<sub>2</sub> in dated mortars and plasters. *Thermochimica acta*, 324, no. 1–2 (1998) pp. 67–76.
- Adams, J.; Dollimore, D.; and Griffiths, D. L.** Thermal analytical investigations of ancient mortars from gothic churches. *Journal of thermal analysis*, 40 (1993) pp. 275–284.
- Adams, J. and Kneller, W.** Thermal analysis (TA) of medieval mortars from Gothic cathedrals of France. In *Engineering geology of ancient works, monuments and historical sites: preservation and protection, proceedings of an international symposium organized by the Greek National Group of IAEG = La géologie de l'ingénieur appliquée aux travaux anciens, monuments et sites historiques: préservation et protection, comptes-rendus d'un symposium international organisé par le Groupe National Grec de l'Aigl*, 2. Athens, 19–23 September 1988 (1988) pp. 1019–1026.
- Adams, J.; Kneller, W.; and Dollimore, D.** Thermal analysis (TA) of lime-and gypsum-based medieval mortars. *Thermochimica acta*, 211 (1992) pp. 93–106.
- Adánez, J.; Fierro, V.; García-Labiano, F.; and Palacios, J. M.** Study of modified calcium hydroxides for enhancing SO<sub>2</sub> removal during sorbent injection in pulverized coal boilers. *Fuel*, 76, no. 3 (1997) pp. 257–265.
- Afzali, Musarrat Ullah Khan; Ohama, Yoshihiko; Demura, Katsunori; and Iqbal, M. Zafar.** Note on the formation of Ca(OH)<sub>2</sub> crystals in polymer-modified mortars. *Cement and concrete research*, 23, no. 2 (1993) pp. 484–485.
- Afshari, Farhad and Kaldjian, Movses J.** Finite element analysis of concrete masonry prisms. *ACI materials journal*, 86, no. 5 (1989) pp. 525–530.
- Ahmad, I. and Iqbal, M. Z.** Observations on mortar and concrete mix-ratios methods of analysis. *Pakistan journal of science*, 32 (1980) pp. 181–187.
- Alberti, K.** Beitrag zur Erforschung der Erhärtung von Weißkalkmörteln. *Zement-Kalk-Gips*, 3 (1950) pp. 25–30.
- Alberti, K.** Kalk. In *Ullmanns encyklopädie der technischen Chemie*, 3. Auflage. (1957) pp. 241–253.
- Alberti, K.** Vergleichsuntersuchungen zur Bestimmung des Mischungsverhältnisses von Mörteln. *Zement-Kalk-Gips*, 15 (1962) pp. 433–436.
- Alberti, Leon Battista.** *Zehn Bücher über Baukunst. Ins Deutsche übertragen von Max Theuer*. Wissenschaftliche Buchgesellschaft, Darmstadt (1975) 1443p.

**Albrecht, Helmuth and Breckle, Reiner.** *Kalk und Zement in Württemberg: Industriegeschichte an Südrand der Schwäbischen Alb.* Verlag Regionalkultur, Ubstadt-Weiher (1991) 349p.

**Alessandrini, G.** Gli Intonaci nell'edilizia storica: metodologie analitiche per la caratterizzazione chimica e fisica. In *L'intonaco: storia, cultura e tecnologia: atti del convegno di studi.* Bressanone, Italy, 24–27 June 1985 (1985) pp. 147–166.

**Alessandrini, G.; Auletta, R.; Broglia, E.; Bugini, R.; and Peruzzi, R.** Basilica di San Satiro in Milano: analisi e studi preliminari su malte e intonaci antichi. In *L'intonaco: storia, cultura e tecnologia. Atti del convegno di studi.* Bressanone, Italy, 24–27 June 1985 (1985) pp. 275–290.

**Alessandrini, G.; Bocci, A. M.; Bugini, R.; Realini, M.; and Ferrari, S.** Palazzo Da Porto Barbaran (Vicenza): le malte impiegate in facciata. In *Superfici dell'architettura: le finiture. Atti del convegno di studi.* Bressanone, Italy, 26–29 June 1990 (1990) pp. 179–188.

**Alessandrini, G.; Bocci, A. M.; Bugini, R.; Roffia, E.; and Sala, G.** Characterization of plasters from the Roman villa of Sirmione (Brescia, Italy). In *Role of chemistry in archaeology. 1st international colloquium.* Hyderabad, India, 15–18 November 1991 (1991) pp. 61–66.

**Alessandrini, G.; Bonecchi, R.; Bugini, R.; Fedeli, E.; Ponticelli, S.; Rossi, G.; and Toniolo, L.** Bramante in Milan: the Cascina Pozzobonelli. Technical examination and restoration. *Studies in conservation*, 34, no. 2 (1989) pp. 53–66.

**Alessandrini, G.; Bugini, R.; Folli, L.; Realini, M.; and Toniolo, L.** The compositional ratios of mortars. Comparison between chemical and petrographical methods. In *Proceedings of the 7th international congress on deterioration and conservation of stone.* Lisbon, Portugal, 15–18 June 1992 (1992) pp. 667–676.

**Alessandrini, Giovanna; Bonecchi, Roberto; Bugini, Roberto; Negrotti, Riccardo; and Toniolo, Lucia.** Intonaci Milanesi del Rinascimento: caratteristiche compostionali e tecniche. In *Le pitture murali: tecniche, problemi, conservazione.* Danti, Cristina; Matteini, Mauro; and Moles, Arcangelo, Editors. Centro Di della Edifimi s.r.l., Florence (1990) pp. 29–38.

**Alessandrini, Giovanna; Negrotti, Riccardo; Bocci, Anna Maria; Amadori, Maria Letizia; Ercolani, Giampaolo; Fabbri, Bruno; and Campisi, Teresa.** The knowledge of plasters typical of the buildings of Ortigia (Syracuse, Italy). Part 1-finishing layers. In *Proceedings of the 9th international congress on deterioration and conservation of stone,* 2. Venice, 19–24 June 2000 (2000) pp. 853–862.

**Alessandrini, Giovanna; Negrotti, Riccardo; Bocci, Anna Maria; Amadori, Maria Letizia; Ercolani, Giampaolo; Fabbri, Bruno; and Campisi, Teresa.** The knowledge of plasters typical of the buildings of Ortigia (Syracuse, Italy). Part 2—the mortar and mortar/finishing layer combination. In *Proceedings of the 9th international congress on deterioration and conservation of stone,* 2. Venice, 19–24 June 2000 (2000) pp. 863–872.

**Alessandrini, Giovanni; Bugini, Roberto; Negrotti, Riccardo; and Toniolo, Luci.** Characterization of plasters from the church of San Niccolo di Comelico (Belluno northern Italy). *European journal of mineralogy*, 3 (1991) pp. 616–627.

**Allen, G. C.; Hallam, K. R.; Radonjic, M.; Elton, N. J.; Farey, M.; and Ashurst, J.** X-ray diffraction and environmental electron microscopy of hydrated limes. In *International RILEM workshop on historic mortars: characteristics and tests.* Paisley, Scotland, 12–14 May 1999 (2000) pp. 207–216.

**Allen, W. I. and McDonald, L. A.** Lime as a building material. *The structural engineer*, 71, no. 17 (1993) p.317.

- Alonso, Santiago and Palomo, Angel.** Calorimetric study of alkaline activation of calcium hydroxide-metakaolin solid mixtures. *Cement and concrete research*, 31 (2001) pp. 25–30.
- Althaus, E.** Kalkbrennen, Baukalk und Kalkmörtel. In *Xantener Berichte, Grabung-Forschung-Präsentation, Sammelband*. Rheinland-Verlag, Köln (1994) pp. 17–32.
- Althaus, Egon; Rother, Anette; and Karotke, Ekkehard.** Mineralogische und chemische untersuchungen an den baumaterialien im dormentbau des Klosters Maulbronn. *Erhalten historisch bedeutsamer Bauwerke*, 1993 (1996) pp. 383–392.
- Alvarez, J. I.; Martin, A.; and Garcia Casado, P. J.** Propuesta de una metodologia analitica de caracterizacion de morteros antiguos. In *26th reunion bienal de la Real Sociedad Espanola de Quimica, Actas : Simposios 7 al 12*, II. Cadiz, Spain, 23–26 September 1997 (1997) pp. 645–647.
- Alvarez, J. I.; Montoya, C.; Navarro, I.; and Martín, A.** Preliminary studies about the ancient mortars of the church of Santa María de Irache monastery (Navarra, Spain). In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, Italy, 19–24 June 2000 (2000) pp. 873–880.
- Alvarez, J. I.; Navarro, I.; and Casado, P. J. G.** Thermal, mineralogical and chemical studies of the mortars used in the Cathedral of Pamplona (Spain). *Thermochimica acta*, 365, no. 1–2 (2000) pp. 177–187.
- Alvarez, J. I.; Navarro, I.; Martin, A.; and Garcia Casado, P. J.** A study of the ancient mortars in the north tower of Pamplona's San Cernin church. *Cement and concrete research*, 30, no. 9 (2000) pp. 1413–1420.
- Alvarez, J. J.; Martin, A.; Garcia Casado, P. J.; Navarro, I.; and Zornoza, A.** Methodology and validation of a hot hydrochloric acid attack for the characterization of ancient mortars. *Cement and concrete research*, 29, no. 7 (1999) pp. 1061–1065.
- Alvarez, Jose Ignacio; Martin, Antonio; and Garcia Casado, Pedro J.** Caracterizacion rapida de morteros de la catedral de Pamplona. In *Libro de comunicaciones del III congreso internacional de rehabilitacion del patrimonio arquitectonico y edificacion*. Granada, Spain, 20–25 May 1996 (1996) pp. 256–260.
- Amenay, P.; Loov, R. E.; and Jessop, E. L.** Strength, elastic and creep properties of concrete masonry. *International journal of masonry construction*, 1, no. 1 (1980) pp. 33–39.
- Anand, S. and Rahman, M. A.** Interface behavior in concrete block mortar joints: a comparison of analytical and experimental results. In *North American masonry conference: proceedings. The fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 475–486.
- Andam, Kwesi A.** Elasto viscoplastic behavior of masonry elements. In *Proceedings of the 8th international brick and block masonry conference*. Dublin, 19–21 September 1988 (1988) pp. 1059–1066.
- Anderegg, F. O.** Autogenous healing in mortars containing lime. *ASTM bulletin*, 116 (1942) p.22.
- Anderson, C.** Effects of variations in consistency on mortar strength. *International journal of masonry construction*, 1, no. 4 (1981) pp. 149–156.
- Anderson, C.** Some observations on masonry wallette testing. *International journal of masonry construction*, 2, no. 4 (1982) pp. 146–154.
- Anderson, C.** Tensile bond tests with concrete blocks. *International journal of masonry construction*, 1, no. 4 (1981) pp. 134–148.

- Anesa, F.; Casirati, M.; and Castoldi, A.** Techniques modernes de surveillance d'édifices historiques. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio. Presses de l'Ecole nationale des ponts et chaussées, Paris (1983) pp. 113-151.
- Angyal, S. J.** Complexes of sugars with cations. *Advances in chemistry series*, 117 (1973) pp. 106-120.
- Annamalait, G.; Jayaraman, R.; and Madhava, Rao G.** Investigation on prism tests for the compressive strength of solid and perforated wire-cut brick masonry walls. *International journal of masonry construction*, 1, no. 4 (1981) pp. 156-166.
- Anonymous.** Calcium, Kapitel Kalk und Gips in der Baukunst. In *Gmelins Handbuch der Anorganischen Chemie*, 28. Verlag Chemie GmbH, Weinheim (1950).
- Anonymous.** La chaux. (Notes techniques). *Le bulletin*, 9 (1909) pp. 344-347.
- Anonymous.** Le ciment. (Notes techniques). *Le bulletin*, 10 (1911) pp. 213-218.
- Anonymous.** *Cracking in buildings*. Building Research Station Digest, 75. Building Research Station, Garston (1966) 8p.
- Anonymous.** The effect of adding sugar to cement. *Scientific american: architects and builders edition*, 6 (1888) p.121.
- Anonymous.** *Effect of mortar composition on wall leakage*. Masonry Technical notes, 5. National Lime Association, Arlington (1979) 9p.
- Anonymous.** *Kalkputs* 2. Raa, 4. Riksantikvari, Stockholm (1984) 69p.
- Anonymous.** Metselspetie. *Bouwkundige magazijnen of schetsen voor handwerklieden*, 1 (1843) pp. 31-32.
- Anonymous.** *National cement, named trass*. unpublished report (1967) 3p.
- Anonymous.** Pathologie de la construction: défaillance de fondations. *Bâtir*, 189 (1970) p.37.
- Anonymous.** *Renforcement des maçonneries par injection de coulis*. Note d'information, CEBTP Information, Promotion, n° 17. CEBTP, France (1982) 9p.
- Anonymous.** Restauratie, beginselen, uitgangspunten, richtlijnen voor het samenstellen van het restauratiedossier. *M&L: Monumenten en landschappen*, 2, no. 6 (1983) pp. 11-12.
- Anonymous.** Restoration: wider use of sprayed concrete. *Building conservation*, Winter (1978) pp. 63-65.
- Anonymous.** Selected abstracts of papers presented at the joint meeting of the Society of Archaeological History (USA) and the Soc. Hist. (GB). *Journal of the Society of Archaeological History*, 32, no. 2 (1974) pp. 165-166.
- Anonymous.** *Sint Niklaaskerk te Gent, proeven op monsters oude mortel. Ontnomen toren op peil 33.00 m.* unpublished report (1963) n.p.
- Anonymous.** Sugar in lime mortar. *Rock products*, 35, no. 14 (1932) p.21.
- Anonymous.** Sugar in mortar. *Scientific american: architects and builders edition* , 6 (1886) p.130.
- Anonymous.** Sugared mortar. *The clay-worker*, 4 (1932) p.222.
- Anonymous.** Utility of cane sugar in mortar. *Brick and clay record*, 80, no. April (1932) p.197.

- Anonymous.** Zwischenergebnisse aus der steinzerfall-forschung. *Steinmetz + bildhauer*, 4 (1989) pp. 30–40.
- Aono, Takeo.** Studies on the reactions between gas and solid, part II: absorption of CO<sub>2</sub> by CaO and Ca(OH)<sub>2</sub>. *Bulletin of the Chemical Society of Japan*, 6 (1931) pp. 319–324.
- Arendt, C. and Seele, J.** Sonderputze im Sanierungsbereich. *Bausanierung*, 1 (1996) pp. 66–69.
- Armelao, L.; Bassan, A.; Bertoncello, R.; Biscontini, G.; Daolio, S.; and Glisenti, A.** Silica glass interaction with calcium hydroxide: a surface chemistry approach. *Journal of cultural heritage*, 1 (2000) pp. 375–384.
- Arnold, A.** Salzminerale in Mauerwerken. *Schweizerische mineralogische und petrographische mitteilungen*, 61 (1981) pp. 147–166.
- Arnold, B.** Historic plasters of village churches in Brandenburg. In *Conservation of historic brick structures: case studies and reports of research*. Baer, Norbert S.; Fitz, Stephan; and Livingston, Richard A., Editors. Donhead Publishing, Shaftesbury (1998) pp. 467–475.
- Arnold, Bärbel.** Das Modelprojekt–Erforschung und Erhaltung historischer Putze und Mörtel im Hinblick auf Umweltschäden. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Brandenburgischen Landesamtes für Denkmalpflege, 9. Potsdamer Verlags Buchhandlung GmbH, Potsdam (1998) pp. 7–13, 139–141.
- Arnold, Bärbel.** Demerthin–Naturwissenschaftliche Untersuchungen zur Putzkonservierung am Schloss. *Brandenburgische Denkmalpflege*, 9, no. 2 (2000) pp. 43–48.
- Arnold, Bärbel.** Historische Mörtel in Bauwerken der Mark Brandenburg. In *Putzinstandsetzung*, 9. Verlag für Bauwesen, Berlin (1988) pp. 111–123.
- Arnold, Bärbel.** Probleme der Datierung mit Putzen und Mörteln. In *Bauforschung und Archäologie*. Lukas–Verlag, Berlin (2000) pp. 244–257.
- Arora, S. K. and Hodgkinson, H. R.** *Durability of brickwork: change in flexural strength with time*. unpublished report (1980) n.p.
- Ashall, G.; Butlin, R. N.; Teutonico, J. M.; and Martin, W.** Development of lime mortar formulations for use in historic buildings. In *Proceedings of the 7th international conference on durability of building materials and components*, 1. Stockholm, 19–23 May 1996 (1996) pp. 352–360.
- Ashurst, J.** Is lime a problem for sandstone? In *The conservation and repair of ecclesiastical buildings*. Cathedral Communications, Tisbury (1998) pp. 27–28.
- Ashurst, J.** Mortars for historic building. *Building conservation*, Summer (1978) pp. 65–66.
- Ashurst, J.** Mortars for stone buildings. In *Conservation of building and decorative stone*. Ashurst, John and Dimes, Francis G., Editors. Butterworth's series in conservation and museology. Butterworths, London (1990) pp. 78–93.
- Ashurst, J.** The technology and use of hydraulic lime. *Lime news*, 5 (1997) pp. 51–58.
- Ashurst, J. and Ashurst, N. (Editors ).** *Practical building conservation. Volume 1: stone masonry*. English Heritage Technical Handbook. Gower Technical Press, Aldershot (1988) 99p.

- Ashurst, John.** *External renders.* Research & Technical Advisory Service Technical Notes. Directorate of ancient monuments technical note, 6. Department of the Environment, London (1981) 6p.
- Ashurst, John.** *Mortars for historic buildings.* unpublished report (1978) 9p.
- Ashurst, John.** *Mortars, plasters and renders in conservation.* Ecclesiastical Architects' and Surveyors' Association, London (1984) 54p.
- Ashurst, John and Ashurst, Nicola.** *Practical building conservation. English heritage technical handbook. Volume 3: mortars, plasters and renders.* Gower Technical Press, Aldershot (1988) XIII + 85 p.
- Aslam, M.** Air pollution induced damage to building materials. *Conservation of cultural property in India*, 29 (1996) pp. 88–104.
- Aslam, M.; Laurenzi Tabasso, M.; Bianchetti, P. L.; and Charola, A. E.** Studies of lime plasters and mortars of the Taj Mahal. In *ICOM committee for conservation: 8th triennial meeting. Preprints*. Sydney, 6–11 September 1987 (1987) pp. 457–464.
- Aslam, Mohammad.** *Physico-chemical studies on mortars and plasters from the Taj Mahal.* ICCROM, Rome (1986) vii + 29p.
- Asociacion Espanola para la Normalizacion (AENOR).** *Metodos de ensayo de cementos: determinacion de resistencias mecanicas.* 80-101-88/EN196-1, AENOR, Madrid (1980)
- ASTM (American Society for Testing and Materials).** *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials.* Atlantic City, New Jersey, 22–27 June 1969 (1970) 227p.
- ASTM (American Society for Testing and Materials).** *Standard descriptive nomenclature of constituents of natural mineral aggregates.* C 294-92, American Society for Testing and Materials, Philadelphia (1992) 7p.
- ASTM (American Society for Testing and Materials).** *Standard practice for mechanical mixing of hydraulic cement pastes and mortars of plastic consistency.* C 305-94, American Society for Testing and Materials, West Conshohocken (1994)
- ASTM (American Society for Testing and Materials).** Standard practice for petrographic examination of hardened concrete. In *Annual book of ASTM standards*. ASTM. pp. 430–443.
- ASTM (American Society for Testing and Materials).** *Standard specification for finishing hydrated lime.* C 206-84, ASTM, West Conshohocken (1997) 2p.
- ASTM (American Society for Testing and Materials).** Standard specification for finishing hydrated lime. In *Annual book of ASTM standards*. ASTM (American Society for Testing and Materials). ASTM designation C 206 – 84. (1997) pp. 180–181.
- ASTM (American Society for Testing and Materials).** *Standard specification for mortar for unit masonry.* C 270-97, American Society for Testing and Materials, West Conshohocken (1997) 4p.
- ASTM (American Society for Testing and Materials).** *Standard terminology of mortar and grout for unit masonry.* C 1180-96, ASTM, West Conshohocken (1996) 2p.

**ASTM (American Society for Testing and Materials).** *Standard terminology relating to lime and limestone (as used by the industry).* C 51-95, ASTM, West Conshohocken (1995) 2p.

**ASTM (American Society for Testing and Materials).** *Standard test method for time of setting of hydraulic cement by Vicat needle.* C191-92, ASTM, West Conshohocken (1992) 3p.

**ASTM (American Society for Testing and Materials).** *Standard test methods for chemical analysis of concrete.* C 114-85, ASTM, West Conshohocken (1985)

**ASTM (American Society for Testing and Materials).** *Standard test methods for physical testing of quicklime, hydrated lime, and limestone.* C 110 - 96a, ASTM, West Conshohocken (1997) 17p.

**ASTM (American Society for Testing and Materials).** Standard test methods for physical testing of quicklime, hydrated lime, and limestone. In *Annual book of ASTM standards*. ASTM, West Conshohocken (1996) pp. 76-92.

**ASTM (American Society for Testing and Materials).** *Standard test methods for water vapor transmission of materials.* E 96-80, ASTM, West Conshohocken (1980) 10p.

**Astrom, P.; Gejvall, N.-G.; and Hakanson, P.** A late Roman shaft grave from Anavyssos in Attica. *Opuscula atheniensia*, 8 (1968) pp. 195-201.

**Atkinson, R.; Kinsley, G.; and Yan, G.** A database for compressive stress-strain behavior of masonry. In *North American masonry conference. Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3-6 June 1990 (1990) pp. 581-594.

**Atzeni, C.; Massidda, L.; and Sanna, U.** Magnesian limes. Experimental contribution to interpreting historical data. *Science and technology for cultural heritage*, 5, no. 2 (1996) pp. 29-36.

**Aurich, H.** Mörtel für Naturwerksteinarbeiten. *Naturstein*, 48 (1993) pp. 4-10.

**Aurich, H.** Mörtel für Restaurierungsarbeiten. *Bausanierung*, 3 (1995) pp. 49-56.

**Austin, James G.** *A practical treatise on the preparation, combination and application of calcareous and hydraulic limes and cements: compiled and arranged from the best authorities, and from the practical experience of the compiler during a long professional career.* John Wiley & Sons, New York (1871) 181p.

**Baatz, W. and Seeber, R.** Haftung von Neuputz auf Altputz ohne Klebezusatz. *Maltechnik restauro*, 90 (1984) pp. 40-43.

**Baccaro, Margherita L. P.; Balzi, Simona; Del Chiaro, Lucia; and Vannucci, Sergio.** The effects of the strong use of cements in restoration: the case of Barga Duomo (Northern Tuscany). In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19-24 June 2000 (2000) pp. 3-12.

**Bache, H. H.; Idorn, G. M.; Nepper-Christensen, P.; and Nielson, J.** Morphology of calcium hydroxide in cement paste. In *Symposium on structure of portland cement paste and concrete*. Washington, D.C., 1965 (1966) pp. 154-174.

**Bachelet, J.** Mortiers et enduits traditionnels: la chaux reste la référence. *Cahiers du techniques bâtiment*, no. 201 (1999) pp. 28-31.

**Backes, H. P.** *Carbonic acid corrosion of mortars containing fly ash.* IBAC, Aachen (1986) 15p.

- Backes, H. P.** Zugfestigkeit von mauerwerk. In *Tensile strength of masonry*. IBAC, Aachen (1986) pp. 143–152.
- Backmann, A.** Physikalisch-chemische Probleme bei der industriellen Kalkhydratherstellung. *Zement-Kalk-Gips*, 9 (1956) pp. 262–274.
- Baehr, H. P.** The use of photogrammetry in the analysis of deformation. In *Stable-unstable?: structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 157–166.
- Baeten, P. and Bosmans, L.** Meettechnieken voor het bepalen van de verwerkbaarheid van mortels. (1991) 76p.
- Baglioni, P.; Dei, L.; Piqué, F.; Sarti, G.; and Ferroni, E.** New autogenous lime-based grouts used in the conservation of lime-based wall paintings. *Studies in conservation*, 42, no. 1 (1997) pp. 43–54.
- Bailey, J. E. and Chescoe, D.** Microstructure development during the hydration of portland cement. *Mineralogy of ceramics: proceedings of the British Ceramic Society*, 28 (1979) pp. 165–177.
- Baker, L. R. and Jessop, E. L.** Moisture movement in clay brickwork: a review. *International journal of masonry construction*, 2, no. 3 (1982) pp. 103–109.
- Bakolas, A.; Biscontin, G.; Contardi, V.; Franceschi, E.; Moropoulou, A.; Palazzi, D.; and Zendri, E.** Thermoanalytical research on traditional mortars in Venice. *Thermochimica acta*, 269 (1995) pp. 817–828.
- Bakolas, A.; Biscontin, G.; Moropoulou, A.; and Zendri, E.** Characterization of structural Byzantine mortars by thermogravimetric analysis. *Thermochimica acta*, 321, no. 1–2 (1998) pp. 151–160.
- Bakolas, A.; Biscontin, G.; Moropoulou, A.; and Zendri, E.** Characterization of the lumps in the mortars of historic masonry. *Thermochimica acta*, 269 (1995) pp. 809–816.
- Bakolas, A.; Biscontin, G.; Moropoulou, A.; and Zendri, E.** Physico-chemical characteristics of traditional mortars in Venice. In *Structural studies of historical buildings IV. Volume 1. Architectural studies, materials, and analysis*. Brebbia, C. A. and Leftheris, B., Editors. Computational Mechanics Publications, Southampton (1995) pp. 187–194.
- Baldi, A.; Blasi, C.; and Spinelli, P.** Some considerations on antiseismic consolidation of stone columns. In *8th european conference on earthquake engineering*, 5. Lisbon, Portugal, 7–12 September 1986 (1986) p.11.225–11.232 .
- Balduin, H.** Differential-thermoanalytische Untersuchung an alten Ziegeln und Mörteln. *Ziegelindustrie international*, 11 (1978) pp. 616–622.
- Ballio, Giulio.** I problemi strutturali. *Recuperare*, 1, no. 1 (1982) pp. 46–53.
- Banfill, P. F. G.** Precipitation of calcium hydroxide in the presence of organic compounds. *Journal of materials science letters*, 5, no. 1 (1986) pp. 33–34.
- Baradan, B.** Pozzolanic plasters for adobe preservation. In *Conservation of stone and other materials: proceedings of the international RILEM/UNESCO congress*. Paris, 29 June–1 July 1993 (1993) pp. 652–656.
- Barba, L. A.; Lazos, L.; and Ortiz, A.** Characterization of archaeological lime plaster floors and the study of human activities by chemical analysis. *Abstracts of papers of the American Chemical Society*, 213, no. 1 (1997) p.57.
- Barcellona, Stefano; Santamaria, Ulderico; Borrelli, Ernesto; and Laurenzi Tabasso, Marisa.** Evaluation of injection grouting for structural strengthening of ancient buildings. In *Conservation of stone and other materials*:

*proceedings of the International RILEM/UNESCO Congress 'Conservation of stone and other materials: research-industry-media', 2. Paris, 29 June 1993–1 July 1993* (1993) pp. 637–651.

**Barger, S. M.** Materials characterization of natural adobe plasters: new approaches for preservation strategies based on traditional practice. In *Materials issues in art and archaeology IV*. Materials Research Society, Pittsburgh (1995) pp. 389–394.

**Barker, A. P.** Structural and mechanical characterization of calcium hydroxide in set cement and the influence of various additives. *World cement*, 15, no. 1 (1984) pp. 25–31.

**Barker, A. P.; Brett, N. H.; and Sharp, J. H.** Influence of organic additives on the morphology and X-ray diffraction line profiles of synthetic calcium hydroxide. *Journal of materials science*, 22 (1987) pp. 3253–3260.

**Barnes, D. B.; Diamond, S.; and Dolch, W. L.** Micromorphology of the interfacial zone around aggregates in portland cement mortar. *Journal of the American Ceramic Society*, 62, no. 1–2 (1979) pp. 21–24.

**Barnett, William K.** Optical petrography as a tool for examining gypsum and lime plaster pyrotechnology. *Journal of field archaeology*, 18, no. 2 (1991) pp. 253–255.

**Baronio, G. and Binda, L.** Indagine conoscitiva su campioni di malte prelevati da alcuni monumenti di Milano. In *Atti del ii congresso nazionale ass. I.R.C.CO: la citta difficile*. Ferrara, Italy, 30 May–2 June 1984 (1984) pp. 299–310.

**Baronio, G. and Binda, L.** Influenza dell'ambiente aggressivo sulle murature in mattoni: studio di alcuni fenomeni. In *Riabitat. Informazioni per il recupero. Atti del convegno*, 2. Genova, Italy, 8–12 June 1985 (1986) 235–246p.

**Baronio, G. and Binda, L.** Reazioni di aggregati in intonaci antich. In *L'intonaco: storia, cultura e tecnologia: atti del convegno di studi*. Bressanone, Italy, 24–27 June 1985 (1985) pp. 269–274.

**Baronio, G. and Binda, L.** The role of brick pebbles and dust in conglomerates based on hydrated lime and crushed bricks. *Construction and building materials*, 11, no. 1 (1997) pp. 33–40.

**Baronio, G.; Binda, L.; and Saisi, A.** Mechanical and physical behaviour of lime mortars reproduced after the characterization of historic mortar. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 307–326.

**Barrentrap.** Über das Löschen des Kalks. *Polytechnisches centralblatt*, 15 (1849) pp. 350–352.

**Basheer, L.; Kropp, J.; and Cleland, D. J.** Assessment of the durability of concrete from its permeation properties: a review. *Construction and building materials*, 15, no. 2–3 (2001) pp. 93–103.

**Batis, G. and Chronopoulos, M.** Durability of mortars for restoration. In *Structural studies of historical buildings. IV. Volume 1. Architectural studies, materials, and analysis*. Brebbia, C. A. and Leftheris, B., Editors. Computational Mechanics Publications, Southampton (1995) pp. 239–244.

**Baucke, H.** Über die Zusammensetzung alter Mörtel. *Baumaterialkunde*, 10 (1900) pp. 147–149.

**Bauernfeind, C. M.** Über den hydraulischen Kalk und Mörtel aus Natur-und Kunstprodukten des Fichtelgebirgs. *Bayrisches Kunst-und Gewerbeblatt* (1843) pp. 624–647.

**Beard, Geoffrey.** Men, methods and materials. In *Stucco and decorative plasterwork in Europe*. Beard, Geoffrey, Editor. Thames and Hudson, London (1983) pp. 9–44.

- Beard, R.; Dinnie, A.; and Sharples, A. B.** Movement of brickwork—review of 21 years' experience. *Transactions and journal of the British Ceramic Society*, 82, no. 3 (1983) pp. 82–86.
- Beckman, P.** The step-by-step approach to investigation and remedial work illustrated by the work at York Minster and Holy Trinity Church, Coventry. In *Stable-Unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 105–113.
- Beckmann, P.** Structural analysis and recording of ancient buildings. *The ARUP journal*, 7, no. 2 (1972) pp. 2–5.
- Behrens, S.** Von Eiern, Schnecken und Blutzoll—Rezepturversuche von historischen Mörteln. *Bausubstanz*, 10 (2000) pp. 48–50.
- Bello, M. A. and Martin, A.** The Cathedral of Seville (Spain), II: mortar characterization. In *VIIth international congress on deterioration and conservation of stone. proceedings*. Torun, Poland, 12–14 September 1988 (1988) pp. 426–431.
- Bellotti, R. and Rossi, P.** Cylinder tests: experimental technique and results. *Matériaux et constructions*, 24 (1991) pp. 45–51.
- Bensted, John.** A discussion of the paper "Use of cactus in mortars and concrete" by S. Chandra, L. Eklund, and R. R. Villarreal. *Cement and concrete research*, 29 (1999) pp. 967–968.
- Beranek, W. J.** Understanding of structures. In *Stable-Unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 29–43.
- Berg, Astrid and Banwart, Steven A.** Carbon dioxide mediated dissolution of Ca-feldspar: implications for silicate weathering. *Chemical geology*, 163 (2000) pp. 25–42.
- Berger, Frithjof.** Zur nachträglichen bestimmung der tragfähigkeit von zentrisch gedrücktem ziegelmauerwerk. In *Erhalten historisch bedeutsamer Bauwerken: baugefüge, konstruktionen, werkstoffe: Jahrbuch 1986*. Ernst & Sohn, Berlin (1987) pp. 231–248.
- Berger, R. L.** Calcium hydroxide: its role in the fracture of tricalcium silicate paste. *Science*, 175 (1972) pp. 626–629.
- Berger, R. L.; Cahn, D. S.; and McGregor, J. D.** Calcium hydroxide as a binder in portland cement paste. *Journal of the American Ceramic Society*, 53, no. 1 (1970) pp. 57–58.
- Berger, R. L. and McGregor, J. D.** Effect of temperature and water–solid ratio on growth of  $\text{Ca}(\text{OH})_2$  crystals formed during hydration of  $\text{Ca}_3\text{SiO}_5$ . *Journal of the American Ceramic Society*, 56, no. 2 (1973) pp. 73–79.
- Berger, R. L. and McGregor, J. D.** Influence of admixtures on the morphology of calcium hydroxide formed during tricalcium silicate hydration. *Cement and concrete research*, 2, no. 1 (1972) pp. 43–55.
- Berke, N.; Gates, R.; and Hicks, M.** A nonchloride, noncorrosive accelerator based on nitrite. In *Proceedings of the fifth North American masonry conference*, IV . Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 1561–1573.
- Berlucchi, N. and Ginanni Corradini, R.** Experimentation of a chemical–physical methodology for the reconstruction of historic mortars. In *Methods of evaluating products for the conservation of porous building materials in monuments: preprints of the international colloquium*. Rome, Italy, 19–21 June 1995 (1995) pp. 1–13.
- Bernard, A.; Millet, J.; Hommey, R.; and Poinddefert, A.** Influence de la température de cuisson et de la nature du calcaire sur la mineralogie des chaux vives. *Bulletin de liaison des laboratoires des ponts et chaussées*, 79 (1975) pp. 45–50.

- Bernardini, A.; Modena, C.; and Vescovi, U.** An anisotropic biaxial failure criterion for hollow claybrick masonry. *International journal of masonry construction*, 2, no. 4 (1982) pp. 165–171.
- Bernharbit, M. and Gaudon, P.** Etude de l'altérabilité des grès en relation avec les mortiers. In *Conservation commune d'un patrimoine commun: 1er colloque du programme franco-allemand de recherche sur la conservation des monuments historiques*. Karlsruhe, Germany, 24–25 March 1993 (1993) pp. 157–162.
- Bernsdorf, Peter; Jeran, Alois; Grimm, Hermann; Scherb, Robert; and Siebel, Volker.** Pützmortel. Mechanische kennwerte. *Bautenschutz + Bausanierung*, 11, no. 2 (1988) pp. 46–53.
- Bertoldi, Gerhart A.** Historische baustoffe–putze,mörtel und betone (5.4–5.8). In *Naturwerkstein in der denkmalpflege: handbuch für den Steinmetzen und Steinbildhauer, Architekten und denkmalpfleger/herausgegeben vom berufsbildungswerk des steinmetz- und bildhauerhandwerkes*. Kiesow, Gottfried and Frieder, Bernhard. Ebner, Ulm (1987) pp. 409–530.
- Bertram, W.** Die Verwendung des kalkes in der denkmalpflege. *Deutsche Kunst und Denkmalpflege*, 1 (1956) pp. 52–56.
- Beruto, D.; Botter, R.; Fieni, L.; La Rosa, C.; Mannoni, T.; and Vecchiattini, R.** New laboratory researches to produce lime putty with controlled microstructure. In *Compatible materials for the protection of European cultural heritage*, PACT 55. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 131–140.
- Bessey, G. E.** Production and use of lime in the developing countries. *Overseas building notes*, April, no. 161 (1975) pp. 29–47.
- Bhandarkar, S.; Brown, R.; and Estrin, J.** Aqueous phase coprecipitation of hydroxides of calcium and magnesium: A microscopic investigation. *Journal of crystal growth*, 98, no. 4 (1989) pp. 843–846.
- Bhandarkar, S.; Brown, R.; and Estrin, J.** Studies in rapid precipitation of hydroxides of calcium and magnesium. *Journal of crystal growth*, 97, no. 2 (1989) pp. 406–414.
- Biehl, K.** Beiträge zur Kenntnis alter Mörtel. *Tonindustrie-Zeitung*, 52 (1928) pp. 346–348.
- Biehl, K.** Beiträge zur Kenntnis alter Römer-Mörtel. *Tonindustrie-Zeitung*, 51 (1927) pp. 139–143.
- Binda, L.; Baronio, G.; and Tedeschi, C.** Experimental study of mechanical role of thick mortar joints in reproduced Byzantine masonry. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 227–248.
- Binda, L.; Fontana, A.; and Frigerio, G.** Mechanical behavior of brick masonries derived from unit and mortar characteristics. In *Proceedings of the 8th international brick and block masonry conference*, 1. Dublin, Ireland, 19–21 September 1988 (1988) pp. 205–216.
- Binda, L.; Saisi, A.; and Tiraboschi, C.** Investigation procedures for the diagnosis of historic masonries. *Construction and building materials*, 14 (2000) pp. 199–233.
- Binda Mayer, Luigia and Baronio, Giulia.** Indagine sull'aderenza tra legante e laterizio in malte ed intonaci di "cocciopesto". *Bollettino d'arte* (1986) pp. 109–113.
- Biscontin, G., Editor.** *L'intonaco: storia, cultura e tecnologia. Atti del convegno di Studi*. Bressanone, Italy, 24–27 June 1985 (1985) 451p.

- Biscontin, Guido; Bakolas, A.; Zendri, Elisabetta; and Maravelaki, P.** Microstructural and composition characteristics of historic mortars in Venice. In *Conservation of stone and other materials : proceedings of the International RILEM/UNESCO Congress 'Conservation of stone and other materials : research-industry-media'*. Paris, 29 June–1 July 1993 (1993) pp. 178–186.
- Bishop, Mitchell and Funkhouser, Virginia.** *A consideration of the ethnobotany of nopal (Opuntia spp., Cactaceae) and conservation implications.* (2000) 32p.
- Bitterli, T.** Zur Mörtelherstellung beim Burgenbau. *Nachrichten des Schweizerischen Burgenvereins*, 2, no. 17 (1991) p.64.
- Blanco-Valera, M. T.; Puertas, F.; Palomo, A.; and Gomez, F.** Alteration of mortars, grouts and plasters in Toledo's Cathedral due to humidity. In *Science, technology, and European cultural heritage: proceedings of the European symposium*. Bologna, Italy, 13–16 June 1989 (1991) pp. 951–957.
- Blanco-Varela, M. T.; Aguilera, J.; Puertas, F.; Palomo, A.; Sabbioni, C.; Riontino, C.; Zappia, G.; Favoni, O.; van Balen, K.; and Toumbakari, E. E.** Environmental effects of SO<sub>2</sub> on hydraulic mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 149–160.
- Blanco-Varela, M. T.; Puertas, F.; Macias, A.; and Palomo, A.** Study of support Roman mortars of Italica's mosaics. In *Proceedings of the 7th international congress on deterioration and conservation of stone*. Lisbon, Portugal, 15–18 June 1992 (1992) pp. 1299–1305.
- Blasi, C.** La cupola di S. Maria del Fiore a Firenze. *La voce di Romagna*, 38, no. 41 (1983) pp. 1–16.
- Bleck, R.-D. and Hennig, E.** Mörteluntersuchungen an mittelalterlichen Bauwerken in Thüringen. *Ausgrabungen und Funde*, 13 (1968) pp. 229–235.
- Bleck, R.-D. and Hennig, E.** Quark im Mörtel? Legenden zur mittelalterlichen Baugeschichte im Lichte moderner Naturwissenschaften. *Bildende kunst*, 17 (1969) p.220.
- Block, Berthold.** *Das Kalkbrennen mit besonderer Berücksichtigung des Schachtofens mit Mischfeuerung und die Gewinnung von kohlensäurehaltigen Gasen*. Verlag Otto Spamer, Leipzig (1924) xii + 512p.
- Blockley, David I.** Reliability or responsibility? *Structural safety*, 2 (1985) pp. 273–280.
- Bloem, Delmar L.** *Effects of aggregate grading on properties of masonry mortars*. NSGA circular, 89. National Sand and Gravel Association, Washington, D.C. (1963) 25p.
- Bläuer-Böhm, C.** Assessment of quantitative salt analysis by the water extraction method on lime mortars. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–4 October 1996 (1996) pp. 1505–1519.
- Bläuer-Böhm, C. and Jägers, El.** Analysis and recognition of Dolomitic lime mortars. In *Roman wall painting: materials, techniques, analysis and conservation. Proceedings of the international workshop*. Fribourg, Switzerland, 7–9 March 1996 (1997) pp. 223–235.
- Boenkendorf, U.** *Putzmörtel auf Lehmausfachungen*. Universität-GH Siegen (1995) .
- Boenkendorf, U.; Degenkolb, M.; and Knofel, D.** Proteine als Zusatzmittel in kalkmörteln. In *Jahresberichte aus dem Forschungsprogramm. Steinzerfall-Steinkonservierung*, Band 5 (1993). Ernst & Sohn , Berlin (1995) pp. 129–137.

- Boenkendorf, U. and Knöfel, D.** Mörteluntersuchungen am Theobaldusmunster zu Thann. In *Conservation commune d'un patrimoine commun: 1er colloque du programme franco-allemand de recherche sur la conservation des monuments historiques*. Karlsruhe, Germany, 24–25 March 1993 (1993) pp. 153–155.
- Boffey, G. and Hirst, El.** The use of pozzolans in lime mortars. *Journal of architectural conservation*, 5, no. 3 (1999) pp. 34–42.
- Böhm, C. B.** Analysis of mortars containing pozzolanas. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 105–112.
- Boiret, Y.** *Ancien couvent des cordeliers*. (1982) 9p.
- Boiret, Y.** La cathédrale Saint-Pierre de Beauvais. Faiblesses structurelles. In *Stable-unstable?: structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 299–311.
- Bollmann, K. and Stark, J.** Ettringitbildung in nicht wärmebehandelten Betonen—ein Dauerhaftigkeitsproblem? In *Ibausil. Internationale Baustofftagung*, 1. Weimar, Germany, 20–23 September 2000 (2000) pp. 809–828.
- Bommenee, Adriaan.** *Het 'testament' van Adriaan Bommenee: praktijkervaringen van een veerse bouw- en waterbouwkundige uit de 19e eeuw*. Werken uitgegeven door het Koninklijk Zeeuwsch Genootschap der Wetenschappen, 4. Middelburg, Koninklijk Zeeuwsch Genootschap der Wetenschappen (1988) ix + 357p.
- Bonecchi, R.; Broglia, E.; Bugini, R.; Realini, M.; and Ferrari, S.** L'arca scaligera di Mastino II (Verona). Le malte utilizzate nei restauri. In *Superfici dell'archittetura: le finiture: atti del convegno di studi*. Bressanone, Italy, 26–29 June 1990 (1990) pp. 167–177.
- Bonnell, D. G. R.** The properties of calcium hydroxide, I. *Journal of the Society of Chemical Industry-transactions and communications*, 58 (1934) pp. 279–283.
- Boos, P.** *Mineralogische und physikomechanische Untersuchungen an Mörtelsystemen aus dem Aufgabenbereich der Baudenkmalpflege*. Universität Münster (1998).
- Borrelli, Ernesto and Laurenzi Tabasso, Marisa.** Which binder for the Egyptian plasters of the pharaohs' monuments? A critical review of archival/bibliographic documents and some new experimental evidences. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–4 October 1996 (1996) pp. 1447–1456.
- Borrelli, Ernesto; Laurenzi Tabasso, Marisa; and Proietti, S.** Importanza di alcuni parametri chimici come criterio per la valutazione di malte da restauro. In *Manutenzione e conservazione del costruito fra tradizione ed innovazione: atti del convegno di studi*. Bressanone, Italy, 24–27 June 1986 (1986) pp. 285–299.
- Borrelli, Ernesto and Urland, Andrea.** *ARC laboratory handbook: porosity, salts, binders, colour (5 volumes in 1)*. ICCROM, Rome (1999)
- Böttger, K. G.; Böttger, D.; and Knöfel, D.** Die Mörtel der Torhalle in Lorsch. *Kunst in Hessen und am Mittelrhein*, 32+33 (1992–1993) pp. 105–114.
- Bottke, H.** Geologie und Geochemie von Kalksteinen und deren Einsatz in der Steine-und Erden-Industrie. *Chemiker zeitung*, 98 (1974) pp. 306–314.
- Boué, A.** *Der Putzbaukasten—Historische Fassadenputze authentisch wiederherstellen*. Fraunhofer IRB Verlag , Stuttgart (1999) 161p.

- Boxall, J. and Trotman, P. M.** Limewash–water vapour permeability testing. *Surface coatings international*, 79, no. 3 (1996) pp. 128–129.
- Boyer, David.** A field and laboratory testing program. Determining the suitability of deteriorated masonries for chemical consolidation. *APT bulletin*, 19, no. 4 (1987) pp. 45–52.
- Boynton, R. S.** *Chemistry and technology of lime and limestone*. 2nd ed. John Wiley & Sons, Inc, New York (1980) xii + 578p.
- Boynton, R. S.** Lime and limestone. In *Encyclopedia of chemical technology*, 14. John Wiley & Sons, New York (1984) pp. 343–382.
- Boynton, R. S. and Gutschick, K. A.** Bond of mortar to masonry units. *Masonry mortar technical notes*, 3 (1964) pp. 1–11.
- Boynton, R. S. and Gutschick, K. A.** Durability of mortar and masonry. Factors influencing mortar durability. Durability experiences with mortars. *Masonry mortar technical notes*, 1 (1964) pp. 1–6.
- Boynton, R. S. and Gutschick, K. A.** Efflorescence of masonry. *Masonry mortar technical notes*, 4 (1966) pp. 1–8.
- Boynton, R. S. and Gutschick, K. A.** Strength considerations in mortar and masonry. *Masonry mortar technical notes*, 2 (1964) pp. 1–8.
- Brajer, Isabelle and Kalsbeek, Nicoline.** Limewater absorption and calcite crystal formation on a limewater-impregnated secco wall painting. *Studies in conservation*, 44, no. 3 (1999) pp. 145–156.
- Brenner, H. L.** Was wird aus den Kalköfen Cox? *Rheinische Heimatpflege, Neue Folge*, 29, 1 (1992) pp. 40–41.
- Bresch, C.–M.** Maschineneinsatz ist die Regel–Marktreport. *Stuck, Putz, Trockenbau*, 6 (1995) pp. 10–27.
- Brett, Norman H.** X-ray investigation of the thermal decomposition of Portlandite. *Mineralogical magazine*, 37, no. 286 (1969) pp. 244–9.
- British Standards Institution (BSI).** *Building lime, part 1. Definitions, specifications and conformity criteria*. DD ENV 459–1:1995. British Standards Institution, London (1995) 12p.
- British Standards Institution (BSI).** *Building lime, part 2. Test methods*. BS EN 459–2:1995. British Standards Institution, London (1994) 27p.
- British Standards Institution (BSI).** *Methods for testing mortars and specification for mortar testing sand*. BS 4551:1970, British Standards Institution, London (1970) 79p.
- British Standards Institution (BSI).** *Methods of test for mortar for masonry, part 11. Determination of flexural and compressive strength of hardened mortar*. BS EM 1015–11 : 1999. British Standards Institution, London (1999) 8p.
- British Standards Institution (BSI).** *Methods of testing: mortars, screeds and plasters*. BS: 4550, British Standards Institution, London (1980) 31p.
- British Standards Institution (BSI).** *Specifications for building sands from natural sources*. BS 1198, 1199, and 1200: 1976, British Standards Institution, London (1976) 14p.

- Bromblet, Philippe.** Evaluation of the durability and compatibility of traditional repair lime-based mortars on three limestones. *International journal for restoration of buildings and monuments*, 6, no. 5 (2000) pp. 513–528.
- Brönnér, W.** Backsteinwände im 19. Jahrhundert. Zu Farbe und Profil der Mörtelfugen. *Denkmalpflege im Rheinland*, 5, no. 4 (1988) pp. 21–24.
- Brouwet, J.** Les méthodes d'analyse des mortiers appliquées à Autun (Saône-et-Loire). In *Enduits et mortiers: archéologie médiévale et moderne*. Editions du CNRS, Editor. Dossier de documentation archéologique, 15. Paris (1991) pp. 79–91.
- Brown, G. E.** Mortars for tropical archaeological sites. *Association for preservation technology bulletin*, 19, no. 3 (1987) pp. 42–50.
- Brown, Gordon.** *Analyses and history of cement: a 12,000 year old historical review together with test data on ancient concretes, plasters, stuccos and mortars from 90 sites throughout the world*. Gordon E. Brown Consultants, Keswick (1996) 257p.
- Brown, P.** The need for lime. *The building conservation directory* (1998) pp. 134–135.
- Brown, Paul Wencel and Clifton, James R.** Mechanisms of deterioration in cement-based materials and in lime mortar. *Durability of building materials*, 5, no. 3–4 (1988) pp. 409–420.
- Brown, R. H.** Prediction of brick masonry prism strength from reduced constraint brick test. In *Masonry, past and present: a symposium presented at the seventy-seventh annual meeting, American Society for Testing and Materials*. Washington, D.C., 23–28 June 1974 (1975) pp. 171–194.
- Brun, M.; Lallemand, A.; Quinson, J. F.; and Eyraud, C.** A new method for the simultaneous determination of the size and shape of pores: the thermoporometry. *Thermochimica acta*, 21 (1977) pp. 59–88.
- Bruni, S.; Cariati, F.; Fermo, P.; Pozzi, A.; and Toniolo, L.** Characterization of ancient magnesian mortars coming from northern Italy. *Thermochimica acta*, 321, no. 1–2 (1998) pp. 161–165.
- Bucher, F.** Design in gothic architecture. *Journal of the Society of Architectural Historians*, 27 (1968) pp. 49–71.
- Bugini, R. and Folli, L.** Materials and making techniques of Roman Republican wall paintings (Capitolium, Brescia, Italy). In *Roman wall painting: materials, techniques, analysis and conservation. Proceedings of the international workshop*. Fribourg, Switzerland, 7–9 March 1996 (1997) pp. 121–130.
- Bugini, R.; Folli, L.; and Lommano, A.** Plaster technologies in Northern Italy from 15th to 19th century. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–4 October 1996 (1996) pp. 1495–1503.
- Bugini, R. and Salvatori, A.** Investigation of the characteristics and properties of 'cocciopesto' from the ancient Roman period. In *Conservation of stone and other materials: proceedings of the International RILEM/UNESCO congress*. Paris, 29 June–1 July 1993 (1993) pp. 386–393.
- Bugini, Roberto and Toniolo, Lucia.** La presenza di "grumi" bianchi nelle malte antiche. *Arkos*, no. 12 (1990) pp. 4–8.
- Building Limes Forum. *Lime news*. Vol. 5 (1997) The Building Limes Forum.
- Building Limes Forum. *Lime news. Inaugural issue*. Vol. 1, no. 1 (1992) The Building Limes Forum.

- Building Limes Forum. *Lime news, lime-burning issue*. Vol. 1, no. 2 (1993) The Building Limes Forum.
- Building Research Establishment (BRE).** *Building mortar*. BRE Digest, 362. Building Research Establishment, Watford (1991) 8p.
- Building Research Establishment (BRE).** *Choosing specifications for plastering*. BRE digest, 213. Building Research Establishment, Watford (1978) 8p.
- Building Research Establishment (BRE).** *External masonry walls: eroding mortars-repoint or rebuild?* Defect action sheet (design), 70. Building Research Establishment, Garston (1986) 4p.
- Building Research Establishment (BRE).** *External masonry walls: repointing*. Defect action sheet (site), 72. Building Research Establishment, Garston (1986) 4p.
- Building Research Establishment (BRE).** *Repointing external brickwork walls*. Good repair guide, 24. Building Research Establishment, Garston (1999) 4p.
- Building Research Establishment (Overseas Division).** Bricks and mortars. In *Building in hot climates: a selection of overseas building notes*. Her Majesty's Stationery Office, London (1980) pp. 161–174.
- Burchartz, H.** *Luftkalke und Luftkalkmörtel*. Julius Springer Verlag, Berlin (1908) vi + 194p.
- Burger, Hans.** Mittelalterliche Außengestaltung von Dorfkirchen im Land Brandenburg. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer Verlags Buchhandlung GmbH, Potsdam (1998) pp. 13–31.
- Bustamante, Michel; Gadret, Jean-Pierre; and Marque, Catherine.** Confortement par injection d'une arche du pont Royal à Paris. *Bulletin de liaison des laboratoires des ponts et chaussées*, 166, no. 3479 (1990) pp. 21–31.
- Butenuth, G.; Frey, M.-L.; Gotthardt, R.; and Kasig, W.** Branntkalkeigenschaften und Kalksteingenese. *Zement Kalk Gips: ZKG*, 46, no. 7 (1993) pp. 395–398.
- Butenuth, G.; Frey, M. L.; Gotthardt, R.; and Kasig, W.** Zur Umsatzgeschwindigkeit technischer Kalkstein-und Branntkalk-Reaktionen. *Zement Kalk Gips: ZKG*, 46 (1993) pp. 312–316.
- Butenuth, G.; Frey, M.-L.; and Kasig, W.** Entsäuerungsvorgänge von Carbonatgesteinen. *Erzmetall*, 46 (1993) pp. 271–279.
- Böhmer, Emil and Neumann, F.** *Kalk, Gips, Zement: Handbuch für Anlage und Betrieb von Kalkwerken, Gipsmühlen und Zementfabriken: mit Rücksicht auf die Anwendung dieser Materialien in der Praxis*. Bernhard Friedrich Voigt Verlag, Weimar (1886) xi + 236p.
- Böttger, K. G.** *Mörtel für die Erhaltung historischer Kalkputze: Haftmörtel, Hinterfüllmörtel und Kalkputze*. Bauhaus-Universität Weimar (1997) n.p.
- Büsich, T.** Einstmalige Nebenerwerbszweige in der Prümmer Kalkmulde. *Der Prümmer Landbote*, 26 (1990) pp. 24–33.
- Cabrera, Joseph and Frías Rojas, Moisés.** Mechanism of hydration of the metakaolin-lime-water system. *Cement and concrete research*, 31 (2001) pp. 117–182.
- Callebaut, K.; Elsen, J.; Van Balen, K.; and Viaene, W.** Nineteenth century hydraulic restoration mortars in the Saint Michael's Church (Leuven, Belgium) natural hydraulic lime or cement. *Cement and concrete research*, 31 (2001) pp. 397–403.

- Callebaut, K.; Viaene, W.; Van Balen, K.; and Ottenburgs, R.** Petrographical, mineralogical and chemical characterization of lime mortars in the St. Michael's Church (Leuven, Belgium). In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 113–124.
- Callebaut, K.; Viaene, W.; Van Balen, K.; and Ottenburgs, R.** Petrographical, mineralogical and chemical investigation of 17th and 19th century lime mortars in the St. Michael's Church (Leuven, Belgium). *Internationale Zeitschrift für Bauinstandsetzen und Baudenkmalpflege*, 5, no. 4 (1999) pp. 523–542.
- Callebaut, Kristof.** *Characterisation of historical lime mortars in Belgium: implications for restoration mortars*. Katholieke Universiteit, Leuven (2000) 239p.
- Cameron, K.** *Cameron's plasterer's manual. Containing accurate descriptions of all tools and materials used in plastering; description of the appearance and action of every variety of lime and cement; instructions for making all kinds of mortar*. William T. Comstock, New York (1883) 68p.
- Campbell, A. J.; Job, A. R.; and Robertson, J. F.** Lime calcination: time and temperature of calcination expressed as a single variable and the effect of selected impurities on lime properties. *Zement-Kalk-Gips: ZKG*, 41, no. 9 (1988) pp. 442–446.
- Capannesi, G.; Seccaroni, C.; and Sedda, A. F.** Classification of fifteenth-to nineteenth-century mortars from Gabii using instrumental neutron activation analysis. *Archaeometry*, 33 (1991) pp. 255–266.
- Capen, Judith M.** A stitch in time: repointing historic buildings. *Brick quarterly*, Summer (1997) pp. 6–10.
- Carboneill, M.** Apport de la métrologie photogrammétrique dans l'analyse géométrique et pathologique des structures anciennes. In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 167–180.
- Cardoso, A.** A mortar's study for the Cantaber's house of Conimbriga, Portugal. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 415–424.
- Carrillo, Jesus Soriano.** Aplicacion de la microscopia electronica de barrido al estudio de la durabilidad de morteros y hormigones. In *Tecnicas de diagnostico aplicadas a la conservacion de los materiales de construccion en los edificios historicos*. Sebastian, E., Editor. Cuadernos Tecnicos, 2. Consejeria de Cultura, Junta de Andalucia (Instituto Andaluz del Patrimonio Historico), Sevilla (1996) pp. 78–84.
- Carrillo, Jesus Soriano.** Morteros de restauracion y morteros de reparacion tipos y tecnicas de estudio. In *Tecnicas de diagnostico aplicadas a la conservacion de los materiales de construccion en los edificios historicos*. Sebastian, E., Editor. Cuadernos Tecnicos, 2. Consejeria de Cultura, Junta de Andalucia (Instituto Andaluz del Patrimonio Historico), Sevilla (1996) pp. 72–77.
- Carrington, D. and Swallow, P.** Limes and lime mortars: part two. *Journal of architectural conservation*, no. 1 (1996) pp. 7–22.
- Cato, Marcus Porcius; Varro, Marcus Terentius; Hooper, William Davis; and Ash, Harrison Boyd 1891.** *Marcus Porcius Cato on agriculture; Marcus Terentius Varro on agriculture*. The Loeb classical library. Harvard University Press, Cambridge (1967) xxv + 542p.
- Cazalla, O.; Rodriguez-Navarro, C.; Sebastian, E.; Cultrone, G.; and de la Torre, M. J.** Aging of calcium hydroxide crystals: effects of traditional lime mortars carbonation. *Journal of the American Ceramic Society*, 83 (2000) pp. 1070–1076.

- Cazalla, O.; Sebastián, E.; Cultrone, G.; Nechar, M.; and Bagur, M. G.** Three-way ANOVA interaction analysis and ultrasonic testing to evaluate air lime mortars used in cultural heritage conservation projects. *Cement and concrete research*, 29, no. 11 (1999) pp. 1749–1752.
- Cebeci, O. Z.; Al-Noury, S. I.; and Mirza, W. H.** Strength and drying shrinkage of masonry mortars in various temperature-humidity environments. *Cement and concrete research*, 19, no. 1 (1989) pp. 53–62.
- Chandra, S. and Aavik, J.** Influence of black gram (natural organic material) addition as admixture in cement mortar and concrete. *Cement concrete research*, 13 (1983) pp. 423–430.
- Chandra, S. and Aavik, J.** Influence of proteins on some properties of portland cement mortar. *International journal of cement composites and lightweight concrete*, 9, no. 2 (1987) pp. 91–94.
- Chandra, S.; Eklund, L.; and Villareal, R. R.** Reply to discussion of the paper "Use of cactus in mortars and concrete". *Cement and concrete research*, 29 (1999) p.969.
- Chandra, S.; Eklund, L.; and Villarreal, R. R.** Use of cactus in mortars and concrete. *Cement and concrete research*, 28, no. 1 (1998) pp. 41–51.
- Chandra, S. and Ohama, Y.** *Polymers in concrete*. CRC Press, Boca Raton (1994) 204p.
- Chandra, S. and Van Gemert, D.** Analysis of stucco from the Abbey of Villers. *Internationale Zeitschrift für Bauinstandsetzen*, 3 (1997) pp. 381–395.
- Chapnerkar, Vasant D. and Mohan N. Badgujar**, inventors. *Process for production of rhombic shaped precipitated calcium carbonate*. Atlanta Ga. ECC International Inc., assignee 5,332,564911,417 (Patent issued 26 July 1994). 11p.
- Chappuis, J.** A new model for a better understanding of the cohesion of hardened hydraulic materials. *Colloids and surfaces A*, 156, no. 1–3 (1999) pp. 223–241.
- Charola, A.; Laurenzi Tabasso, M.; and Lazzarini, L.** Caratteristiche chimico-petrografiche di intonaci veneziani del XIV–XX secolo. In *L'intonaco: storia, cultura e tecnologia: atti del convegno di studi*. Bressanone, Italy, 24–27 June 1985 (1985) pp. 211–221.
- Charola, A. E.; Dupas, M.; Sheryll, R. P.; and Freund, G. G.** Characterization of ancient mortars: chemical and instrumental methods. In *Symposium on scientific methodologies applied to works of art: proceedings of the symposium*. Florence, Italy, 2–5 May 1984 (1986) pp. 28–33.
- Charola, A. E. and Henriques, M. A.** Hydraulicity in lime mortars revisited. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 95–104.
- Charola, A. Elena and Henriques, F. M. A.** Lime mortars: some considerations on testing standardization. In *The use of and need for preservation standards in architectural conservation*, ASTM STP 1355. Sickels-Taves, L. B., Editor. American Society for Testing and Materials, West Conshohocken (1999) pp. 142–151.
- Chase, Gerald W.** The effect of pretreatments of clay brick on brick-mortar bond strength. In *Proceedings of the third North American masonry conference*. Arlington, Virginia, 3–5 June 1985 (1985) pp. 11-1–11-12.
- Chase, Gerald Warren.** *Characterization of the interface between brick and mortar*. Iowa State University (1983) 208p.

- Chatterji, S.** Aspects of freezing process in porous material–water system, part 2: freezing and properties of frozen porous materials. *Cement and concrete research*, 29, no. 5 (1999) pp. 781–784.
- Chatterji, S.** Aspects of the freezing process in a porous material–water system, part 1: freezing and the properties of water and ice. *Cement and concrete research*, 29, no. 4 (1999) pp. 627–630.
- Chatterji, S.** Mechanism of expansion of concrete due to the presence of dead–burnt CaO and MgO. *Cement and concrete research*, 25, no. 1 (1995) pp. 51–56.
- Chatterji, S. and Thaulow, N.** Unambiguous demonstration of destructive crystal growth pressure. *Cement and concrete research*, 27, no. 6 (1997) pp. 811–816.
- Chengzhi, Z.; Aiqin, W.; Mingshu, T.; and Xiaoyu, L.** The filling role of pozzolanic material. *Cement and concrete research*, 26, no. 6 (1996) pp. 943–947.
- Chiari, G.; Santarelli, M. L.; and Torraca, G.** Caratterizzazione delle malte antiche mediante l'analisi di campioni non frazionati. *Materiali e strutture*, 2, no. 3 (1992) pp. 111–137.
- Chiari, Giacomo; Santarelli, Maria Laura; and Torraca, Giorgio.** Problemi nell'analisi strumentale di calcestruzzi pozzolanici antichi. In *Calcestruzzi antichi e moderni: storia, cultura e tecnologia. Atti del convegno di studi*. Bressanone, Italy, 6–9 July 1993 (1993) pp. 275–286.
- Chiari, Giacomo; Torraca, Giorgio; and Santarelli, Maria Laura.** Recommendations for systematic instrumental analysis of ancient mortars: the Italian experience. In *Standards for preservation and rehabilitation*. Kelley, Stephen J., Editor. ASTM Special Technical Publication, 1258. American Society for Testing and Materials, West Conshohocken (1996) pp. 275–284.
- Chin-Ju Lin.** *Chemical analysis of mortar: a method for building judgement*. Katolische–Universität, Center for the Conservation of Historic Towns and Buildings, Löwen (1989) 36p.
- Christen, H. U.** Verputz–Renovationen. *Schweizer Ingenieur und Architekt*, no. 11 (1988) pp. 296–305.
- Christen, H.–U.** Verputzrenovationen – Teil 1 . *Cement bulletin*, 56, no. 1 (1988) pp. 1–12 .
- Christen, H.–U.** Verputzrenovationen – Teil 2. *Cement bulletin*, 56, no. 2 (1998) pp. 1–12.
- Ciach, T. D. and Osler, S.** Recherches sur les mortiers du haut moyen–age provenant des pavements des anciens monuments de Wislica. *Monumentum*, 8 (1972) pp. 55–69.
- Ciach, T. D. and Penkala, B.** Methods of investigation for mortars from the ancient and early– Medieval buildings. In *ICOM committee for conservation 7th triennial meeting*. Copenhagen, Denmark, 10–14 September 1984 (1984) p.84.10.5–84.10.7.
- Cimitan, L.; Rossi, P.; and Zaninetti, A.** Studio delle tecniche di disaggregazione per le indagini diagnostiche delle malte. *Materiali e strutture*, 3 (1991) pp. 121–130.
- Claes, H. and Van Dievoet–Goossens, Fl.** Restauratie van de St.Michiels en St. Goedelekathedraal te Brussel. Archeologische–historische studie v/h triforium van het schip en de westzijde van het transept. *Tijdschrift van openbare werken van België* (1984) pp. 553–561.
- Clark, Ian D.; Dayal Ramesh; and Khouri, Hani N.** The Maqarin (Jordan) natural analogue for C<sup>14</sup> attenuation in cementitious barriers. *Waste management*, 14, no. 5 (1994) pp. 467–477.

- Clark, Ian D.; Fritz, Peter; Seidlitz, Harald K.; Trimborn, Peter; Milodowski, Tony E.; and Pearce, Jonathan M.** Recarbonation of metamorphosed marls, Jordan. *Applied geochemistry*, 8 (1993) pp. 473–481.
- Cleasby, Ingram.** Limekilns in Sedburgh, Garsdale and Dent. *Current anthropology*, 13, no. 145 (1995) pp. 16–20.
- Clifton, James R.; Foster, B. E.; Trattner, Emil; and Clevenger, R. A.** Dimensional stability of masonry walls. In *Masonry: past and present. A symposium presented at the 77th annual meeting*. Washington, D.C., 23–28 June 1974 (1974) pp. 42–75.
- Cliver, E. Blaine.** Tests for the analysis of mortar samples. *Bulletin of the Association for Preservation Technology*, 6, no. 1 (1974) pp. 68–73.
- Colantuono, A.; Dal Vecchio, S.; Marino, O.; Mascolo, G.; and Vitale, A.** Cement–lime mortars joining porous stones of masonries able to stop the capillary rise of water. *Cement and concrete research*, 26, no. 6 (1996) pp. 861–868.
- Cole, W. F. and Kroone, B.** Carbonate minerals in hydrated portland cement. *Nature*, 184 (1959) p.57.
- Consiglio Nazionale delle Ricerche.** *Aggregati artificiali di clasti e matrice legante non argillosa: schema di descrizione.* NORMAL 12/83, Consiglio Nazionale delle Ricerche–Istituto Centrale per il Restauro, Rome (1983) 9p.
- Consiglio Nazionale delle Ricerche.** *Caratterizzazione delle malte da utilizzare nel restauro dei manufatti di interesse storico–artistico.* NORMAL 26/87, Consiglio Nazionale delle Ricerche, Istituto Centrale per il restauro, Rome (1987) 6p.
- Consiglio Nazionale delle Ricerche.** *Caratterizzazione di una malta.* NORMAL 27/88, Consiglio Nazionale delle Ricerche, Istituto Centrale per il Restauro, Rome (1990) 10p.
- Consiglio Nazionale delle Ricerche.** *Terminologia tecnica: definizione e descrizione delle malte.* NORMAL 23/87, Consiglio Nazionale delle Ricerche, Istituto Centrale per il Restauro, Rome (1990) 6p.
- Constantinides, Ian.** *Traditional lime plaster: myths, preconceptions and the relevance of good practice.* Web page, 1995 [accessed 17 January 2003]. Available at: <http://www.buildingconservation.com/articles/plaster/plaster.htm>.
- Costain, C. and Stewart, J.** Chemical techniques of mortar analysis. *Bulletin of the Association for Preservation Technology*, 14, no. 1 (1982) pp. 11–16.
- Costantino, Meucci and Rossi-Doria, Paola.** Analyse et caractérisation de quelque type d'anciens mortiers orientaux. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 351–358.
- Cowper, A.** *Lime and lime mortars.* Donhead Publishing Ltd, Dorset (1998) 81p.
- Cowper, A. D.** *Lime and lime mortars.* Building Research special report, 9. Her Majesty's Stationery Office, London (1927) vi + 81p.
- Crank, John.** *The mathematics of diffusion.* 2nd ed. Clarendon Press, Oxford (1999) 414p.

- Crnkovic, Branko and Slovenec, Dragutin.** The antique city of Salona near Split (Yugoslavia): stone and mortar of the 'Antique Street' and the necropolis 'Hortus Metrodori'. In *Proceedings of the 1st international symposium on the conservation of monuments in the Mediterranean basin: the influence of coastal environment and salt spray on limestone and marble*. Bari, Italy, 7–10 June 1989 (1990) pp. 127–131.
- Croci, G.** Credibility and reliability in the safety evaluation of monuments: the Palazzo Senatorio in Campidoglio. In *Stable-unstable?: structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 195–213.
- Crocker, E.** The purpose and mechanics of lime renders. In *7a Conferência internacional sobre o estudo e conservação da arquitectura de terra*. Silves, 24–29 October 1993 (1993) pp. 433–438.
- Crooks, R.; Herget, F.; and Schneider, A.** A historical review of the development of ASTM C216 for predicting the freeze/thaw durability of brick. In *Proceedings of the 5th North American masonry conference*, IV. Urbana-Champaign, 3–6 June 1990 (1990) pp. 1537–1550.
- Crosby, Anthony.** Conservation of painted lime plaster on mud brick walls at Tumacacori National Monument, U.S.A. In *Third international symposium on mudbrick (adobe) preservation*. Ankara, Turkey, 29 September–4 October 1980 (1980) pp. 59–78.
- Cyr, M. and Taghit-Hamou, A.** Particle size distribution of fine powders by LASER diffraction spectrometry. Case of cementitious materials. *Materiaux et constructions*, 34 (2001) pp. 342–350.
- Davey, N.** *A history of building materials*. Phoenix House, London (1961) 260p.
- Davidovits, J.** Ancient and modern concretes: What is the real difference? *Concrete international*, 9, no. 12 (1987) pp. 23–35.
- Davison, J. I.** An autoclave expansion test method for type n hydrated lime intended for use in masonry. In *Masonry: materials, properties, and performance: a symposium*. Orlando, Florida, 9 December 1980 (1982) pp. 5–14.
- Davison, J. I.** Curing of cement-lime mortars. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing Materials*. Atlantic City, New Jersey, 22–27 June 1969 (1970) 193–208p.
- Davison, J. I.** Effect of air content on durability of cement-lime mortars. *Durability of building materials*, 1, no. 1 (1982) pp. 23–34.
- Davison, J. I.** Loss of moisture from fresh mortars to bricks. *Materials research and standards*, 1 (1961) pp. 385–388.
- Davison, J. I.** Mortar technology. In *Proceedings of the first Canadian masonry symposium*. Calgary, Canada, 7–10 June 1976 (1976) pp. 12–21.
- Davison, J. I.** Volume change due to freezing in plastic masonry mortar. In *Masonry, materials, properties and performance: a symposium*. Orlando, Florida, 12 September 1980 (1982) pp. 27–37.
- Dawe, J. and Seah, C.** Analysis and design of masonry structures using microcomputers. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 487–506.
- Day, R. L.; Huizer, A.; and Quinonez, J.** Mortar and grout for masonry units produced from natural pozzolanas. *IAHS world congress on housing sciences*, 13, no. 4 (1989) pp. 283–289.

- Dayre, Michel and Kenmogne, Emmanuel.** Comportement de différentes systèmes de protection superficielle des constructions en terre: résultats d'une campagne d'observation sur murets. In *7a conferencia internacional sobre e estudo e conservação da arquitectura de terra*. Silves, Portugal, 24–29 October 1993 (1993) pp. 475–479.
- De Casa, G.; Laurenzi Tabasso, M.; and Sanchez Martinez, A. E.** *Evaluación comparativa de productos para la consolidación de morteros tradicionales de cal*. ICCROM, Rome (1997) 9p.
- de la Torre Lopez, M. J.; Rodriguez Gordillo, J.; and Sebastian Pardo, E.** Characterization of mortars in the Alcazaba of the Alhambra (Granada, Spain). In *Proceedings of the 7th international congress on deterioration and conservation of stone*, 3. Lisbon, Portugal, 15–18 June 1992 (1992) pp. 1177–1185.
- de la Torre Lopez, M. J.; Sebastian, E.; and Rodriguez, G. J.** A study of the wall material in the Alhambra (Granada, Spain). *Cement and concrete research*, 26, no. 6 (1996) pp. 825–839.
- de la Torre, M. J.** *Estudio de los materiales de construcción en la Alhambra*. Servicio de Publicaciones de la Universidad de Granada, Granada (1995) 213p.
- De Vekey, R. C.** *The durability of steel in masonry*. B.R.E. Dept. of the Environment (1989) 10p.
- Dedek, J.** *Le carbonate de chaux. Mise au point bibliographie sélectionnée, revue par F. Heitz*. Librairie Universitaire, Leuven (1966) 351p.
- Degenkolb, M. and Knöfel, D.** Untersuchungen zum Einfluß von Holzkohle-Zusatz zu Kalkmörteln. In *Jahresberichte Steinzerfall – Steinkonservierung, Band 6: 1994–1996*. Verlag Ernst & Sohn, Berlin (1998) pp. 237–246.
- Del Olmo Rodriguez, C.** Los morteros. Control de calidad. *Informes de la Construcción*, 46, no. 433 (1994) pp. 57–73.
- Delbecq, J. M.** Analyse de la stabilité des ponts en maçonnerie par la théorie du calcul à la rupture. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio. Presses de l'école nationale des ponts et chaussées, Paris (1983) pp. 281–328.
- Delgado Rodrgues, Jose.** In the search for tentative recommendations regarding compatible restoration mortars. In *Compatible materials for the protection of European cultural heritage*. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 141–147.
- Deloye, François-Xavier.** Le calcul minéralogique: application aux monuments anciens. *Bulletin de liaison des laboratoires des ponts et chaussées*, 175 (1991) pp. 59–65.
- Deloye, François-Xavier.** La chaux à travers les âges. *Notes d'information techniques, bulletin des laboratoires des ponts et chaussées*, 201, January/February (1996) pp. 94–98.
- Delrue, J.** Earthquakes as a major natural selection of structural forms. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 287–298.
- Demitry, L. and Ciabach, J.** The conservation of the stadium of Domitian in Rome. In *Proceedings of the VIth international congress on deterioration and conservation of stone*. Torun, Italy, 12–14 September 1988 (1988) pp. 748–756.
- Depraetere, W.; Carmeliet, J.; and Hens, H.** Moisture transfer at interfaces of porous materials: measurements and simulations. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 249–260.

- Descamps, Filip.** *Moisture content measurement using gamma ray attenuation.* (1990) 41p.
- Detriche, C. H.; Gallias, J. L.; Grandet, J.; and Maso, J. C.** Mouvement d'eau, hydratation et comportement mécanique des mortiers d'enduit. *Matériaux et constructions*, 17, no. 100 (1984) pp. 297–302.
- Detriche, C. H.; Grandet, J.; and Maso, J. C.** Dessiccation des mortiers d'enduit. *Matériaux et constructions*, 16, no. 94 (1983) pp. 251–258.
- Dettmering, T. and Kollmann, H.** *Putze in der Bausanierung und Denkmalpflege.* Verlag Bauwesen, Berlin (2001) 288p.
- Dettmering, Tanja.** Zur Anwendung von Kalkputzen in der Denkmalpflege. In *Putzinstandsetzung*, 9. Verlag für Bauwesen, Berlin (1998) pp. 81–99.
- Deutsch, Y. and Heller-Kallai, L.** Decarbonation and recarbonation of calcites heated in CO<sub>2</sub>. Part 1. Effect of the thermal regime. *Thermochimica acta*, 182 (1991) pp. 77–89.
- Deutsches Institut für Normung (DIN).** *Baukalk.* DIN 1060, Ausgabe 1939–04, Beuth–Verlag, Berlin (1939)
- Deutsches Institut für Normung (DIN).** *Baukalk. Teil 1: Definitionen, anforderungen und konformitätskriterien Deutsche Fassung prEN 459-1 : 1998.* E DIN EN 459-1: 1999–01. Deutsches Institut für Normung (DIN), Berlin (1999) 19p.
- Deutsches Institut für Normung (DIN).** *Building lime test methods- English version of DIN EN 459-2.* DIN EN 459-2. (1995) 49p.
- Deutsches Institut für Normung (DIN).** *Prüfung von mörteln mit mineralischen bindemitteln: frischmörtel-bestimmung des wasserrückhaltevermögens nach dem filterplattenverfahren.* DIN 18 555. Deutsches Institut für Normung, Berlin (1987) 2p.
- Deutsches Institut für Normung (DIN).** *Testing mortars containing mineral binders: determination of bond strength of hardened mortar.* DIN 18 555 part 6. Deutsches Institut für Normung, Berlin (1987) 3p.
- Deutsches Institut für Normung (DIN).** *Testing of mortars containing mineral binders: hardened mortars-determination of bond shear strength of masonry mortars.* DIN 18 555 part 5. Deutsches Institut für Normung, Berlin (1986) 4p.
- Deutsches Institut für Normung (DIN).** *Weißkalk zu Wasseraufbereitung – Technische Lieferbedingungen.* DIN 19 611, Beuth–Verlag, Berlin (1983)
- Deutsches Institut für Normung (DIN).** *Baukalk.* DIN 1060, Ausgabe 1941–05, Beuth–Verlag, Berlin (1941)
- Deutsches Institut für Normung (DIN).** *Baukalk.* DIN 1060, Ausgabe 1955–07, Beuth–Verlag, Berlin (1955)
- Deutsches Institut für Normung (DIN).** *Baukalk.* DIN 1060, Ausgabe 1967–12, Beuth Verlag, Berlin (1967)
- Deutsches Institut für Normung (DIN).** *Baukalk – Begriffe, Anforderungen, Lieferung, Überwachung.* DIN 1060-1, Ausgabe 1986–01, Beuth Verlag, Berlin (1986)
- Deutsches Institut für Normung (DIN).** *Baukalk – Chemische Analysenverfahren.* DIN 1060-2, Ausgabe 1992–11, Beuth–Verlag, Berlin (1982)
- Deutsches Institut für Normung (DIN).** *Baukalk-Physikalische Prüfverfahren.* DIN 1060-3, Ausgabe 1982–11, Beuth–Verlag, Berlin (1982)

- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 1:Definitionen, Anforderungen und Konformitätskriterien; Deutsche Fassung prEN459-1:1998.* DIN EN 459-1 (Norm-Entwurf) Ausgabe 1999-01, Beuth-Verlag, Berlin (1999)
- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 1: Definitionen, Anforderungen und Konformitätskriterien; Deutsche Fassung prEN459-1: 1994.* DIN V ENV 459-1, Vornorm, Ausgabe 1995-03, Beuth-Verlag, Berlin (1995)
- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 1: Definitionen, Anforderungen, Überwachung.* DIN 1060-1, Ausgabe 1995-03, Beuth-Verlag, Berlin (1995)
- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 2: Prüfverfahren; Deutsche Fassung EN 459-2: 1994.* DIN EN 459-2, Ausgabe 1995-03, Beuth-Verlag, Berlin (1995)
- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 2: Prüfverfahren Deutsche Fassung prEN 459-2: 1998.* E DIN EN 459-2: 1999-01. Deutsches Institut für Normung (DIN), Berlin (1999) 34p.
- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 2: Prüfverfahren; Deutsche Fassung prEN 459-2: 1998.* DIN EN 459-2, Entwurf, Ausgabe 1999-01, Beuth-Verlag, Berlin (1999)
- Deutsches Institut für Normung (DIN).** *Baukalk. Teil 3: Konformitätsbewertung Deutsche Fassung prEN 459-3: 1998.* E DIN EN 459-3: 1999-01. Deutsches Institut für Normung (DIN), Berlin (1999) 12p.
- Deutsches Institut für Normung (DIN).** *Baukalk, Teil 3: Konformitätsbewertung; Deutsche Fassung prEN459-3: 1998.* DIN EN 459-3 (Norm-Entwurf), Ausgabe 1999-01, Beuth-Verlag, Berlin (1999)
- Deutsches Institut für Normung (DIN).** *Methods of test for mortar for masonry, part 11: determination of flexural and compressive strength of hardened mortar.* European Committee for Standardization, Brussels (1999) 11p.
- Deutsches Institut für Normung (DIN).** *Testing of mortar containing mineral binders, part 9: determining the compressive strength of hardened mortar.* DIN 18 555 part 9. Deutsches Institut für Normung, Berlin (1999) 8p.
- Deutsches Institut für Normung (DIN).** *Testing of mortars containing mineral binders: freshly mixed mortar-determination of workability time and correction time of thin-bed mortar for use with masonry.* DIN 18 555 part 8. Deutsches Insitut für Normung, Berlin (1987) 2p.
- Deutsches Institut für Normung (DIN).** *Testing of mortars containing mineral binders: general, sampling, test mortar.* DIN 18 555 part 1. Deutsches Institut für Normung, Berlin (1982) 3p.
- Dheilly, R. M.; Bouguerra, A.; Beaudoin, B.; Tudo, J.; and Queneudec, M. Hydromagnesite development in magnesian lime mortars. *Materials science and engineering A: structural materials properties microstructure and processing*, 268, no. 1-2 (1999) pp. 127-131.
- Dheilly, R. M.; Tudo, J.; and Queneudec, M. Influence of climatic conditions on the carbonation of quicklime. *Journal of materials engineering and performance*, 7, no. 6 (1998) pp. 780-795.
- Dhir, R. K. Studying carbonation. (Letter to the editor). *Concrete*, 20, no. 5 (1986) p. 25.
- Dhir, R. K.; Jones, M. R.; and Munday, J. G. L. A practical approach to studying carbonation of concrete. *Concrete*, 19 (1985) pp. 32-34.

- Dhir, R. K.; Sangha, C. M.; and Munday, J. G. L.** Strength and deformation properties of autogenously healed mortars. *ACI journal*, no. March (1973) pp. 231–236.
- Di Pasquale, S.** Léonard, Brunelleschi et les machines de chantier. In *Léonard de Vinci: ingénieur et architecte*. Lavoie, Francine; Théberge, Pierre; and Galluzzi, Paolo, Editors. Musée des beaux-arts de Montréal, Montréal (1988) pp. 163–182.
- Di Pasquale, S.** Questions concerning the mechanics of masonry. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 249–264.
- Di Stefano, R.** The limits of the intervention in the stability of monuments with regard to the problem of protection. In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 277–285.
- Diamond, S.** Mercury porosimetry: an inappropriate method for the measurement of pore size distributions in cement-based materials. *Cement and concrete research*, 30, no. 10 (2000) pp. 1517–1525.
- Diaz Goncalves, Teresa.** Compatible renders for the conservation of ancient buildings. In *Compatible materials for the protection of European cultural heritage*. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 29–38.
- Diem, W.** Anlagen zur Herstellung von Trockenmörteln. *Zement-Kalk-Gips: ZKG*, 46 (1993) pp. 337–341.
- Dietz, F.** Wider besseres Wissen (!?)—Zementmörtel und historische Bausubstanz. *Bausanierung*, 3 (1995) pp. 6–7.
- Ditlevson, O. and Bjerager, P.** Methods of structural systems reliability. *Structural safety*, 3 (1986) pp. 195–229.
- Dix, B.** The manufacture of lime and its uses in the western Roman provinces. *Oxford journal of archaeology*, 1, no. 3 (1982) pp. 331–345.
- Dobner, Samuel; Sterns, Lauris; Graff, Robert A.; and Squires, Arthur M.** Cyclic calcination and recarbonation of calcined dolomite. *Industrial and engineering chemistry: process design and development*, 16, no. 4 (1977) pp. 479–486.
- Doebley, Carl E. and Spitzer, Donald S.** Guidelines and standards for testing historic mortars. In *Standards for preservation and rehabilitation*. ASTM Special Technical Publication, 1258. (1996) pp. 285–293.
- Domaslawski, W.** The properties of lime and cement mortars modified by Metakaolinite. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–4 October 1996 (1996) pp. 1529–1534.
- Domaslawski, Wiesław.** Investigations on technology of joint mortars in brick walls. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 843–852.
- Donath, E.** Beiträge zur Mörtel Chemie. *Tonindustrie-Zeitung*, 50 (1926) pp. 744–746, 817–819.
- Dornap, G. F.** Einfluß der Löschbedingungen auf die Qualität des gebildeten Calciumhydroxids beim Naßlöschen von Kalk. *Zement-Kalk-Gips: ZKG*, no. 1 (1977) pp. 34–39.
- Dornap, G. F.** The slaking of lime. Effect on the quality of the calcium hydroxide formed. *ZKG. Zement-Kalk-Gips*, no. 1 (1977) pp. 64–67.

- Dorrego, F.; Luxan, M. P.; and Ruiz, M.** Reactivity of natural fats with different compounds in historical surface coating. *Surface coatings international*, 77, no. 2 (1994) pp. 70–76.
- Dowrick, D. and Beckmann, P.** York minster structural restoration. *Proceedings of the Institution of Civil Engineers*, Supplement VI (1971) pp. 93–156.
- Drdacky, M.; Valek, M. J.; and Prochazka, P. P.** Spalling of historic mortars: a numerical model. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 261–270.
- Drexler, F.** Mörteluntersuchungen von Ausgrabungen eines Römerkastels in Altrip am Rhein. *Tonindustrie-Zeitung*, 13 (1928) pp. 227–228.
- Driessen, J. M.** Earthquake-resistant construction and the wrath of the "earth-shaker". *Journal of the Society of Architectural Historians*, XLVI, June (1987) pp. 171–178.
- Drysdale, R. and Hamid, A.** Tensile strength of brick masonry. *International journal of masonry construction*, 2, no. 4 (1982) pp. 172–177.
- Duchesne, J. and Reardon, E. J.** Measurement and prediction of portlandite solubility in alkali solutions. *Cement and concrete research*, 25, no. 5 (1995) pp. 1043–1053.
- Duffy, A. P.; Cooper, T. P.; and Perry, S. H.** Repointing mortars for conservation of a historic stone building in Trinity College, Dublin. *Materials and structures*, 26 (1993) pp. 302–306.
- Dufournier, Daniel.** Sur une méthode d'analyse des mortiers anciens et son application. *Archéologie médiévale*, II (1972) pp. 325–341.
- Dugniolle, E.** Analyse van metselwerkmortel. *WTCB-tijdschrift*, 3, September (1975) pp. 26–30.
- Dugniolle, E.** Considérations sur les enduits intérieurs. *C.S.T.C. Revue*, 6, November–December (1967) pp. 14–21.
- Dugniolle, E.** *Stelmortel voor metselwerk. Syntheserapport van de analyses.* (1982) 30p.
- Dullien, Francis and Batra, V. K.** Determination of the structure of porous media. *Industrial and engineering chemistry*, 62, no. 10 (1970) pp. 25–53.
- Dumont, Ph.** Chaux de construction. Projet de norme CEN. Tableau synoptique. (1988) 6p.
- Dumont, Ph.** Mortiers de maçonnerie. (1981) 13p.
- Dumont, Ph. and Berbers, W.** Utilisation de la chaux hydratée dans les mortiers de maçonnerie. (1988) 8p.
- Dupas, M.** *Mortelanalyse St. Rumolduskerk te Steenokkerzeel, mortel van de steunbeer.* (1985) n.p.
- Dupas, Michel.** L'analyse des mortiers et enduits des peintures murales et des bâtiments anciens. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 281–295.
- Dupas, Michel.** Méthodes d'analyse chimique appliquées à l'étude de l'altération et de la conservation des matériaux pierreux. In *The conservation of stone II: preprints of the contributions to the international symposium*. Bologna, Italy, 27–30 October 1981 (1981) pp. 455–464.

- Duriez, M. and Arrambide, J.** Les enduits et rejoints au mortier. In *Nouveau traité de matériaux de construction*, II. Duriez, M. and Arrambide, J., Editors. Dunod, Paris (1961) pp. 41–44.
- Duriez, M. and Arrambide, J.** Les liants hydrauliques. In *Nouveau traité de matériaux de construction*, I. Duriez, M. and Arrambide, J., Editors. Dunod, Paris (1961) pp. 318–352.
- Eades, J. L. and Grim, R. E.** Reaction of hydrated lime with pure clay minerals in soil stabilization. *Highway research board bulletin*, 262 (1960) pp. 51–53.
- Eades, J. L. and Sandberg, P. A.** Characterization of the properties of commercial lime by surface area measurements and scanning electron microscopy. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials*. Atlantic City, New Jersey, 22–27 June 1969 (1970) pp. 3–23.
- Eades, James L.; Nichols, Jr. F. P.; and Grim, Ralph E.** Formation of new minerals with lime stabilization as proven by field experiments in Virginia. *Highway research board bulletin*, 335 (1962) pp. 31–39.
- Eckert, H.** Altes Mauerwerk nach historischen Quellen. In *Erhalten historisch bedeutsamer Bauwerken: baugefüge, konstruktionen, werkstoffe, Jahrbuch 1991*. Ernst & Sohn, Berlin (1993) pp. 19–64.
- Eckert, H.** Kalk und Kalkmörtel in historischen Quellen: mit einer Literaturauswahl. In *Erhalten historisch bedeutsamer Bauwerken: baugefüge, konstruktionen, werkstoffe, Jahrbuch 1993*. Verlag Ernst & Sohn, Berlin (1996) pp. 71–92.
- Eddy, Alan P. Editor.** Masonry in retrospect: mortar: strength experiments conducted in France in 1834. *Association for preservation and technology bulletin*, 27, no. 4 (1996) pp. 16–17.
- Edgell, G. J.** Stress-strain relationships for brickwork: their application in the theory of unreinforced slender members. *Proceedings of the British Ceramic Society*, V, no. 30 (1982) pp. 197–212.
- Edwards, H. H. G.** Some masonry mortar from Hellenistic and Roman period Greece. *98th annual meeting of the Geological Society of America*, 17 (1985) p.572.
- Efes, Yakut.** Frühfestigkeiten einer Flugaschenzemente. *Betonwerk + fertigkeil-technik*, 2 (1983) pp. 101–104.
- Ellingwood, B. and Tallin, A.** Limit states criteria for masonry construction. *Journal of structural engineering (ASCE)*, 11, no. 1 (1985) pp. 108–122.
- Ellis, P. R.** Analysis of mortars (to include historic mortars) by differential thermal analysis. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 133–148.
- Elsen, J.** Influence of brick microstructure on the characteristics of cement mortars. In *Conservation of historic brick structure: case studies and reports of research*. Baer, Norbert S.; Fitz, Stephan; and Livingston, Richard A., Editors. Donhead Publishing, Shaftesbury (1998) pp. 173–178.
- Emmengger, O.** Historische Putztechniken. *Fundberichte aus Österreich – Materialhefte (Hrsg. Bundesdenkmalamt Wien)*, Reihe A, 2 (1994) pp. 23–41.
- Engelbrektsson, E.** Ageing of plaster facades after renewal. *Durability of building materials*, 5 (1988) pp. 429–437.
- Eppell, F. J.** Rain penetration of masonry. *International journal of masonry construction*, 2, no. 1 (1981) pp. 20–25.

- Epperson, G. and Abrams, D.** Evaluating lateral strength of existing unreinforced brickpiers in the laboratory. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 735–746.
- Erfurt, U.** Kalkputze aussen – ein Risiko? *Bausubstanz*, 1 (2000) pp. 44–47.
- Erlin, B. and Hime, W. G.** Evaluating mortar deterioration. *Association for preservation technology*, XIX, no. 54 (1987) pp. 8–10.
- Erlin, Bernard and Hime, William G.** Methods for analyzing mortar. In *Proceedings of the third North American masonry conference*. Arlington, 3–5 June 1985 (1985) pp. 63–1 – 63–12.
- Esbert, Rosa Maria; Ordaz, Jorge; Alonso, Fco. Javier; and Montoto, Modesto.** *Manual de diagnosis y tratamiento de materiales petreos y ceramicos*. Manuals de Diagnosis, 5. Col·legi d'Aparelladors i Arquitectes Tècnics de Barcelona, Barcelona (1997) 139p.
- Esenwein, P.** Anorganische Bindemittel in Mörtel und Beton als Unterlage für Anstrichstoffe. *Schriftenreihe der Forschungsgemeinschaft Schweizer Lackfabrikanten*, Zürich, 10 Abbildungen, 5 (1963) pp. 1–15.
- Ettl, H. and Schuh, H.** Entwicklung und Erprobung einer Kieselsäureethylester-gebundenen Injektionsmasse zur Schließung von Rissen und Hinterspritzung von Schalen. *Zeitschrift für Kunsttechnologie und Konservierung*, 5, no. 2 (1991) pp. 236–245.
- Ettl, H. and Schuh, H.** Festigkeitsmessungen an historischen Putzen der Torhalle Lorsch. *Bautenschutz + Bausanierung*, no. 2 (1990) p.34.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 1: determination of particle size distribution (by sieve analysis)*. EN 1015–1. European Committee for Standardization, Brussels (1998) 7p.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 10: determination of dry bulk density of hardened mortar*. EN 1015–10. European Committee for Standardization, Brussels (1999) 6p.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 12: determination of adhesive strength of hardened rendering and plasering mortars on substrates*. EN 1015–12. European Committee for Standardization, Brussels (2000) 9p.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 17: determination of water-soluble chloride content of fresh mortar*. EN 1015–17. European Committee for Standardization, Brussels (2000) 9p.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 19: determination of water vapour permeability of hardened rendering and plastering mortars*. EN 1015–19. European Committee for Standardization, Brussels (1998) 7p.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 2: bulk sampling of mortars and preparation of test mortars*. EN 1015–2. European Committee for Standardization, Brussels (1998) 7p.
- European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 3: determination of consistence of fresh mortar (by flow table)*. EN 1015–3. European Committee for Standardization, Brussels (1999) 8p.

**European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 4: determination of consistence of fresh mortar (by plunger penetration).* EN 1015-4. European Committee for Standardization, Brussels (1998) 6p.

**European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 6: determination of bulk density of fresh mortar.* EN 1015-6. European Committee for Standardization, Brussels (1998) 7p.

**European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 7: determination of air content of fresh mortar.* EN 1015-7. European Committee for Standardization, Brussels (1998) 8p.

**European Committee for Standardization (CEN).** *Methods of test for mortar for masonry, part 9: determination of workable life and correction time of fresh mortar.* EN 1015-9. European Committee for Standardization, Brussels (1999) 9p.

**Fattuhi, N. I.** Concrete carbonation as influenced by curing regime. *Cement and concrete research*, 18 (1988) pp. 426–430.

**Feichtinger, G.** *Die chemische Technologie der Mörtelmaterialien.* Verlag Vieweg und Sohn, Braunschweig (1885) [vii]–xiii + 478p.

**Feilden, B.** Lessons learnt from working on York Minster. *The architects' journal*, 14, no. 27 (1969) pp. 1765–1770.

**Feilden, B.** The restoration of York Minster. *Stainless steel* (1969) pp. 9–11.

**Felicetti, Roberto and Gattesco, Natalino.** A penetration test to study the mechanical response of mortar in ancient masonry buildings. *Materials and structures*, 31, no. June (1998) pp. 350–356.

**Ferone, C.; Pansini, M.; Mascolo, M. C.; and Vitale, A.** Preliminary study on the set up of mortars displaying biocidal activity. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 371–378.

**Ferragni, D.; Forti, M.; Maillet, J. ; and Torraca, G.** Tecniche di conservazione degli intonaci. In *L'intonaco: storia, cultura e tecnologia: atti del convegno di studi.* Bressanone, Italy, 24–27 June 1985 (1985) pp. 327–338.

**Ferragni, Daniela; Forti, Massimo; Malliet, Joseph; Mora, Paolo; Teutonico, Jeanne Marie; and Torraca, Giorgio.** Injection grouting of mural paintings and mosaics. In *Adhesives and consolidants. Preprints of the contributions to the IIC Paris congress.* Paris, France, 2–8 September 1984 (1984) pp. 110–116.

**Ferragni, Daniela; Forti, Massimo; Malliet, Joseph; Teutonico, Jeanne Marie; and Torraca, Giorgio.** In situ consolidation of wall and floor mosaics by means of injection grouting techniques. In *Conservation in situ. Proceedings of the 2nd conference of the international committee for the conservation of mosaics.* Aquileia, Italy, 3–7 October 1983 (1985) pp. 83–102.

**Ferroni, Enzo and Piero Baglioni,** inventors. *Autogenously air-setting mortar*, 11, P.zza Fardella de Torrearsa, I–50137 Firenze, Italy. Italy 90114709.0 / July 31, 1990 6p.

**Fidler, J.** Faults in masonry and methods of repair. *Building conservation*, 3, no. 3 (1981) pp. 17–19, 25.

**Fidler, J.** Lime treatments: lime watering and shelter coating of friable historic masonry. *APT bulletin*, 26, no. 4 (1995) pp. 50–56.

- Fidler, John.** Eurolime: development and manufacturing of lime for the perservation of monuments. In *Lime and other alternative cements*. Hill, Neville; Holmes, Stafford; and Mather, David, Editors. Intermediate Technology, London (1992) pp. 244–246.
- Fink, G. J.** The effect of certain variations in consistency and curing conditions on the compressive strength of cement-lime mortar. *Proceedings of the annual meeting, American Society for Testing Materials*, 44 (1944) pp. 780–792.
- Fischer, K. and Meier, H. G.** Wer hat Angst vor Kalk? Kalkputz und Kalkmörtel in der Denkmalpflege. Pro und Contra. *Bausubstanz*, 5 (1999) pp. 38–43.
- Fitchen, John.** *The construction of gothic cathedrals: a study of medieval vault erection*. Phoenix ed. University of Chicago Press, Chicago (1981) 334p.
- Fitzner, B.** Volcanic tuffs: the description and quantitative recording of their weathered state. In *Lavas and volcanic tuffs: proceedings of the international meeting*. Easter Island, Chile, 25–31 October 1990 (1994) pp. 33–53.
- Flores Alés, V.; Guiraúm Pérez, A.; and Barrios Sevilla, J.** Estudio de una selección de morteros de época romana de la provincia de Sevilla. *Boletín del instituto andaluz del patrimonio histórico*, 5, no. 21 (1997) pp. 92–97.
- Fodde, E.** Prime ipotesi sui meccanismi di degrado delle malte di calce del Campidano. *Informazione: ordine degli ingegneri della provincia di Cagliari*, 22, no. 87 (2000) pp. 41–43.
- Fontaine, L.; Thomson, M. L.; and Suter, G. T.** In search of durable repair mortar for historic masonry in northern climates: a prologue. *APT bulletin*, 29, no. 2 (1998) pp. 39–40.
- Fontaine, Lyne; Thomson, Margaret L.; and Suter, Gary T.** Practice and research: the need for standards for historic mortars. In *The use of and need for preservation standards in architectural conservation*. Atlanta, Georgia, 18–19 April 1998 (1999) pp. 158–171.
- Foster, W.** Grecian and Roman stucco, mortar and glass. *Journal of chemical education*, 11 (1934) pp. 223–225.
- Fracke, K.** *Die Standorte der deutschen Kalksteinindustrie*. Universität Würzburg (1923) 127p.
- Franchi, R.; Fratini, F.; and Manganelli del Fa', C.** Caratterizzazione degli intonaci mediante l'impiego di tecniche mineralogico-petrografiche. In *L'intonaco: storia, cultura e tecnologia: atti del convegno di studi*. Bressanone, Italy, 24–27 June 1985 (1985) pp. 167–183.
- Francis, A. J.** Aus den Anfängen der Zementherstellung in England. *Zement-Kalk-Gips*, 18 (1965) pp. 334–338.
- Francis, H. L.**, Consultant. "Definitions of common lime terminology". Web page, 1998 [accessed 25 February 1999]. Available at: [www.limeonline.com/articles\\_h\\_francis/1.htm](http://www.limeonline.com/articles_h_francis/1.htm).
- Franciskovic, J.; Bravar, M.; Crnkovic, B.; and Babic, V.** Chemische hydrophobierung von kalk. *ZKG. Zement-Kalk-Gips*, 30, no. 7 (1977) pp. 334–340.
- Franke, L.; Bentrup, H.; and Bosold, D.** Fugen in Sichtmauerwerk. *Bausubstanz*, 2 (1994) pp. 51–53.
- Franke, L. Pinsler F.** Schlagregensicherheit: die Leistungsfähigkeit von Rezeptmörteln. *Bautenschutz und Bausanierung*, 20, no. 4 (1997) pp. 40–46.

- Franken, Stephan.** Die Frauenkirche zu Dresden: zur entwicklung geeigneter mörtel für den wiederaufbau eines historischen bauwerkes. *Erhalten historisch bedeutsamer Bauwerke* (1996) pp. 93–110.
- Franzini, M.; Leoni, L.; and Lezzerini, M.** A procedure for determining the chemical composition of binder and aggregate in ancient mortars: its application to mortars from some medieval buildings in Pisa. *Journal of cultural heritage*, 1, no. 4 (2000) pp. 365–373.
- Franzini, M.; Leoni, L.; Lezzerini, M.; and Sartori, F.** The mortar of the "Leaning Tower" of Pisa: the product of a medieval technique for preparing high-strength mortars. *European journal of mineralogy*, 12 (2000) pp. 1151–1163.
- Fredrich, J. T.** 3D imaging of porous media using laser scanning confocal microscopy with application to microscale transport processes. *Physics and chemistry of the earth, part A: solid earth and geodesy*, 24, no. 7 (1999) pp. 551–561.
- French, W. J.; Kermani, S.; and Mole, C. F.** Petrographic evaluation of aggregate parameters. In *Proceedings of the 8th Euroseminar on microscopy applied to building materials*. Athens, 4–7 September 2001 (2001) pp. 557–564.
- Frías, Moisés and Cabrera, Joseph.** Influence of MK on the reaction kinetics in MK/lime and MK-blended cement systems as 20°C. *Cement and concrete research*, 31 (2001) pp. 519–527.
- Friese, P. and Protz, A.** Salt induced gypsum formation on renderings. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 281–286.
- Frisch-Fay, R.** Stability of masonry piers. *International journal of solids and structures*, 11 (1975) pp. 187–198.
- Frizot, M.** Le mortier romain, mythe ou savoir-faire? *Les dossiers de l'archéologie*, 25 (1977) pp. 60–63.
- Frizot, M.** *Mortiers et enduits peints antiques. Etude technique et archeologique*, 4. Centre de Recherches sur les Techniques Gréco-Romaines, Univ. de Dijon, Dijon (1975) 351p.
- Frizot, Michel.** L'analyse des mortiers antiques: problemes et résultats. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 331–338.
- Froidevaux, Yves-Marie.** Evolution de la mise en oeuvre de la pierre. In *Techniques de l'architecture ancienne-construction et restauration*. Froidevaux, Yves-Marie, Editor. P. Mardaga, Liège (1986) pp. 23–38.
- Froidevaux, Yves-Marie.** Les mortiers, joints et enduits. In *Techniques de l'architecture ancienne-construction et restauration*. Froidevaux, Yves-Marie, Editor. P. Mardaga, Liège (1986) pp. 39–48.
- Frössel, F.** *Lexikon der Putz-und Stucktechnik*. IRB-Verlag, Stuttgart (1999) 350p.
- Furlan, V.** Causes, mechanisms and measurement of damage to mortars, bricks and renderings. In *Science, technology, and European cultural heritage. Proceedings of the European symposium*. Bologna, Italy, 13–16 June 1989 (1991) pp. 149–159.
- Furlan, V.** Crépis à la chaux. *Nos Monuments d'art et d'histoire/Unsere Kunstdenkmaeler*, année 38, no. 1 (1987) pp. 70–72.
- Furlan, V.** Traditionelle Fassadenputze: Entwurf, Ausführung und die häufigsten Fehler. *Bau*, 9 (1984) pp. 595–600.

- Furlan, V. and Bissenger, P.** Les mortiers anciens. Histoire et essais d'analyse scientifique. *Revue suisse d'art et d'archéologie*, 32 (1975) pp. 2–14.
- Furlan, V. and Girardet, F.** Quantification des effets de la pollution atmosphérique sur les pierres et contribution à l'étude des moyens de protection. In *Methoden zur Erhaltung von Kulturgütern: Forschungsresultate aus dem Nationalen Forschungsprogramm 16 des Schweizerischen Nationalfonds zur Förderung der wissenschaftlichen Forschung*. Schweizer, Francois and Villiger, Verena, Editors. P. Haupt, Bern (1989) pp. 47–54.
- Furlan, V. and Houst, Y.** Cristallisation de sels et dégâts de matériaux, part 1. *Chantiers/Suisse*, 14, no. 3 (1983) pp. 1–4.
- Furlan, V. and Houst, Y.** Cristallisation de sels et dégâts de matériaux, part 2. *Chantiers/Suisse*, 14, no. 4 (1983) pp. 317–320.
- Gallego Roca, Francisco Javier.** Consolidacion y recalce de los cimientos de la torre de la Granada que amenazaba hundirse a fines del siglo XVI. Espana. *Informes de la Construcción*, 38, no. 387 (1987) pp. 47–53.
- Gallego Roca, Francisco Javier.** Restauracion de la "Casa de las Chirimias". Granada-España. *Informes de la Construcción*, 39, no. 394 (1988) pp. 19–23.
- Garavelli, C. L.; Laviano, R.; Vurro, F.; and Zinco, M.** Idromagnesite nei materiali di rivestimento della chiesa ipogea di S. Maria della Grazia (Laterza, Puglia). In *Superfici dell'architettura: le finiture. Atti del convegno di studi*. Bressanone, Italy, 26–29 June 1990 (1990) pp. 189–197.
- Garcia De Miguel, J. M.; Sanchez-Castillo, L.; Ortega-Calvo, J. J.; Gil, J. A.; and Saiz-Jimenez, C.** Deterioration of building materials from the great Jaguar Pyramid at Tikal, Guatemala. *Building and environment*, 30, no. 4 (1995) pp. 591–598.
- Garrecht, H.; Hilsdorf, H.; and Kropp, J.** Moisture protection of masonry structures: computer simulations. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 507–518.
- Gary, M.** Die Bedeutung der Mörtel in der Denkmalpflege. *Die Denkmalpflege*, 23 (1921) pp. 102–104.
- Gazzola, Edward; Bagnariol, Dino; Toneff, Janine; and Drysdale, Robert G.** Influence of mortar materials on the flexural tensile bondstrength of block and brick masonry. In *Masonry, research, application and problems: symposium sponsored by ASTM committees C-7 on lime, C-12 on mortars for unit masonry, and C-15 on manufactured masonry*. Grogan, John C. and Conway, John T. ASTM, Philadelphia (1985) pp. 15–26.
- Gecks, W.; Metzemacher, H.; and Schmidt, S.-O.** Die Eigenschaften von Putzmörtel in Labor und Praxis. *ZKG international*, 49 (1996) pp. 482–493.
- Geilmann, W.** Die Mörtel der Kaiserpfalz in Werla. *Die Kunde, Neue Folge*, 7 (1956) pp. 96–113.
- Gencheva, Julia.** White incrustation on pottery from Neolithic Tell Samovodene, Bulgaria. In *Materials issues in art and archaeology III*, 267. San Francisco, California, 27 April–1 May 1992 (1992) pp. 639–649.
- Gesatzky, Ralf.** *Erhaltung und Instandsetzung von Feldsteinkirchen in Mecklenburg*. Thomas Helms Verlag, Schwerin (2001) 96p.
- Gesell, G.** *Putz*. A. Metzner Verlag, Berlin (1943) 171p.

- Gesell, Gerhard.** *Putz. Schriften zur deutschen Handwerkskunst.* A. Metzner, Berlin (1941) 171p.
- Gessner, A.** Römischer Kalkbrennofen bei Brugg. *Anzeiger für schweizerische Altertumskunde*, 4 (1907) p.xxii + 313.
- Ghorab, Hanaa Y.; Ragai, Jehane; and Antar, Adel.** Surface and bulk properties of ancient Egyptian mortars. Part I: x-ray diffraction studies. *Cement and concrete research*, 16, no. 6 (1986) pp. 813–833.
- Ghosh, S. K.** Flexural bond strength of masonry: an experimental review. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 701–712.
- Gil, N. and Lamas, A.** Restoration studies of the rendering of historical buildings in Parque da Pena (Sintra, Portugal). In *Structural studies, repairs and maintenance of historical buildings (STREMAH). Proceedings of the 5th international conference*. San Sebastian, Spain, 25–27 June 1997 (1997) pp. 267–276.
- Giles, D. E.; Ritchie, I. M.; and Xu, B.-A.** Kinetics of dissolution of slaked lime. *Hydrometallurgy*, 32, no. 1 (1993) pp. 119–128.
- Gilkey, H. J.** The autogeneous healing of concretes and mortars. *Proceedings of the annual meeting, American Society for Testing Materials*, 26, part 2 (1926) pp. 470–484.
- Gilkey, H. J.** The tensile autogenous healing of portland-cement mixtures. *Proceedings of the annual meeting, American Society for Testing Materials*, 29 (1929) pp. 593–607.
- Gillard, R. and Lee, H. N.** Testing of building mortars using the new British standard methods. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials*. Atlantic City, New Jersey, 22–27 June 1969 (1970) pp. 82–116.
- Gille, F.** Über die Einwirkung alkalischer Dimethylamincitratlösung auf Mörtel und Zement. *Zement-Kalk-Gips*, 5 (1952) pp. 286–289.
- Gillott, J. E.** Carbonation of Ca(OH)<sup>2</sup> investigated by thermal and x-ray diffraction methods of analysis. *Journal of applied chemistry*, 17, no. 7 (1967) pp. 185–189.
- Gleize, P.; Silva, D. A.; and Nappi, S.** Ancient rendering mortars from a Brazilian palace: its characteristics and microstructure. *Cement and concrete research*, 30, no. 10 (2000) pp. 1609–1614.
- Gödicke-Dettmering, T. and Strübel, G.** Mineralogische und technologische Eigenschaften von hydraulischen Kalken als Bindemittel für Restaurierungsmörtel in der Denkmalpflege. *Giessener Geologische Schriften*, no. 56 (1996) pp. 131–154.
- Gödicke-Dettmering, T. and Strübel, G.** Vorgaben und Erwartungen an Putze aus der Sicht der Denkmalpflege. *Anwendung von Sanierputzen in der baulichen Denkmalpflege*, 14 (1997) pp. 43–60.
- Gödicke-Dettmering, Tanja; Kraus, Karin; and Strübel, Günter.** Der Einfluß des zuschlags bei der verwendung von hydraulischem kalk als bindemittel von mörteln zur restaurierung von baudenkmälern aus naturstein. *Internationale Zeitschrift fur Bauinstandsetzen*, 1, no. 2 (1995) pp. 97–112.
- Goins, Elizabeth S.** A new protocol for the analysis of historic cementitious materials: interim report. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 71–80.

- Goins, Elizabeth S.** "Standard practice for determining the components of historic cementitious materials". Web page, [accessed 18 January 2000]. Available at: [www.b72.com/architecture/mortar/protile.html](http://www.b72.com/architecture/mortar/protile.html).
- Goldschmidt, Alfonso and von Marttens, Hernan.** Scanning electron microscopy and microprobe analysis of an Aztec mortar. *Microscope*, 39 (1991) pp. 187–194.
- Gomez Gonzalez, Ma. Luisa.** Estudio científico de los materiales y de la técnica, examen microscópico y análisis químico. In *La obra en yeso policromado de los Corral de Villalpando*. Instituto de Conservación y Restauración de Bienes Culturales, Madrid (1994) pp. 85–100.
- Gonell, H. W.** Influence of sugar on setting and hardening of portland cement. *Pit and quarry*, 19, no. 3 (1929) pp. 44–46.
- González Limón, Teresa and Alvarez de Buergo Ballester, Mónica.** Study of the lime renderings decay from Plaza de la Corredora, Cordoba, Spain. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 881–888.
- Goren, Yuval and Goldberg, Paul.** Petrographic thin sections and the development of neolithic plaster production in northern Israel. *Journal of field archaeology*, 18, no. 1 (1991) pp. 131–138.
- Goretzki, L.** Putzserie Teil 6: Putzschäden infolge Fehlanwendungen. *Bausubstanz*, 11/12 (1995) pp. 45–48.
- Goretzki, L. and Karolewski, U.** Putzmörtel: Beständigkeit bei Feuchte- und Salzbelastung. *Bautenschutz und Bausanierung*, 20, no. 5 (1997) pp. 31–37.
- Gotthardt, R. and Kasig, W.** *Karbonatgesteine in Deutschland, Rohstoff, Nutzung, Umwelt*. Beton-Verlag, Düsseldorf (1996) 420p.
- Gouda, G. R.** Microstructure of natural and artificial aggregates. In *Proceedings of the fourth international conference on cement microscopy*. Las Vegas, Nevada, 28 March–1 April 1982 (1982) pp. 303–309.
- Gourdin, Pierre.** Un précurseur oublié de la chimie des ciments Denis-Bernard quatremère d'Isjonval (1754–1830). *Comptes rendus du 105e Congrès national des sociétés savantes, Caen, 1980. Section des sciences*, 5 (1980) pp. 151–160.
- Gourdin, W. H. and Kingery, W. D.** The beginnings of pyrotechnology: Neolithic and Egyptian lime plaster. *Journal of field archaeology*, 2, no. 1–2 (1975) pp. 133–150.
- Gourdin, William Hugh.** *A study of Neolithic plaster materials from the Near and Middle East*. MIT, Department of Metallurgy and Materials Science, Cambridge (1974) 253p.
- Graf, Otto.** *Die Baustoffe, ihre Eigenschaften und ihre Beurteilung*. Verlag Konrad Wittwer, Stuttgart (1950) xi + 260p.
- Grandet, J.** Contribution à l'étude de la prise et de la carbonatation des mortiers au contact des matériaux poreux. Université Paul Sabatier de Toulouse (CNRS), Toulouse (1975) 287p.
- Grandison, L.** On making and specification lime. *The journal of the building limes forum*, 8 (2001) pp. 16–20.
- Grattan-Bellew, P. E.** Microstructural investigation of deteriorated portland cement concretes. *Construction and building materials*, 10, no. 1 (1996) pp. 3–16.

- Grattan-Bellew, P. E.; Quinn, E. G.; and Sereda, P. J.** Reliability of scanning electron microscopy information. *Cement and concrete research*, 8 (1978) pp. 333–342.
- Graves, Robin E.; Eades, James L.; and Smith, Larry L.** Calcium hydroxide treatment of construction aggregates for improved cementation properties. *ASTM special technical publication*, no. 1135 (1992) pp. 65–77.
- Gray, D. H.** Prevention of moisture rise in capillary systems by electrical short circuiting. *Nature*, 223 (1969) pp. 371–374.
- Greenberg, S. A. and Copeland, L. E.** The thermodynamic functions for the solution of calcium hydroxide in water. *Journal of physical chemistry*, 64 (1960) pp. 1057–1059.
- Gregerová, M. and Pospíšil, P.** Microscopic methods applied to study of historical mortars and plasters. In *Proceedings of the 8th Euroseminar on microscopy applied to building materials*. Athens, 4–7 September 2001 (2001) pp. 353–357.
- Gretzinger, K. and Esser, P.** Mikroprozessorgesteuerter Analysenautomat zur simultanen Kohlendioxid- und Wasserbestimmung in Baustoffen. *Zement-Kalk-Gips: ZKG*, 41, no. 6 (1988) pp. 305–308.
- Grimm, C. T.** Architectural engineering design of masonry panels by Mac computer. In *Proceedings of the fifth North American masonry conference*, III. Urbana–Champaign, Illinois, 3–6 June 1990 (1990) pp. 1163–1172.
- Grimm, C. T.** Masonry flexural strength vs. course height. In *Proceedings of the fifth North American masonry conference*, II. Urbana–Champaign, Illinois, 3–6 June 1990 (1990) pp. 673–676.
- Grimm, C. T.** The most important properties of masonry. And 20 ways to improve it. *The magazine of masonry construction*, 1 (1988) pp. 254–256.
- Grimm, C. T.** Strength and related properties of brick masonry. *Journal of the structural division, ASCE structural division-ST1*, 101 (1975) pp. 217–233.
- Grimm, C. T.** Water permeance of masonry walls: a review of the literature. In *Masonry, materials, properties and performance: a symposium sponsored by ASTM committees C-7 on lime, C-12 on mortars for unit masonry, and C-15 on manufactured masonry units*. Orlando, Florida, 9 December 1980 (1982) pp. 178–199.
- Grimm, Clayford T.** Durability of brick masonry: a review of the literature. In *Masonry, research, application and problems: symposium sponsored by ASTM committees C-7 on lime, C-12 on mortars for unit masonry, and C-15 on manufactured masonry units*. Bal Harbour, Florida, 6 December 1983 (1985) pp. 202–234.
- Grimmer, Anne E. (Compiler).** *A glossary of historic masonry deterioration problems and preservation treatments*. Department of the Interior National Park Service Preservation Assistance Division, Washington, D.C. (1984) 65p.
- Grimmer, Anne E.** Masonry conservation. *Technology and conservation*, 6, part 2 (1981) pp. 32–35.
- Groot, C.** Effects of brick suction on water distribution in joints investigated with thermal neutrons. In *Proceedings of the fifth North American masonry conference*, II. Urbana–Champaign, Illinois, 3–6 June 1990 (1990) pp. 723–735.
- Grosval'D, I. Ya; Baumanis, O.; and Caune, A.** Structural mortars of medieval stone houses in Riga. *Neorganicheskie Stekla, Pokrytiya i Materialy*, 6 (1983) pp. 197–203.

- Groves, G. W.** Microcrystalline calcium hydroxide in portland cement pastes of low water/cement ratio. *Cement and concrete research*, 11 (1981) pp. 713-718.
- Groves, G. W.** TEM studies of carbonation and ASR. In *Cement manufacture and use: proceedings of the Engineering Foundation conference*. Potosi, Missouri, 28 July-2 August 1991 (1994) pp. 211-216.
- Grün, R.** Zusammensetzung und Beständigkeit von 1850 Jahre altem Beton. *Angewandte Chemie*, no. 7 (1935) pp. 124-127.
- Grunau, E.** Mineralische baustoffe: Schutz vor schadstoffen und verwitterung. *DBZ: Architektur, Entwurf, Detail*, 2 (1988) pp. 271-274.
- Güleç, A. and Tulun, T.** Physico-chemical and petrographical studies of old mortars and plasters of Anatolia. *Cement and concrete research*, 27, no. 2 (1997) pp. 227-234.
- Güleç, Ahmet and Ersen, Ahmet.** Characterization of ancient mortars: evaluation of simple and sophisticated methods. *Journal of architectural conservation*, 4, no. 1 (1998) pp. 56-67.
- Gundlach, H.** Kalk. In *Ullmanns Encyklopädie der technischen Chemie*, 4. Verlag Chemie, Weinheim (1977) pp. 497-508.
- Gutschick, K. A. and Clifton, James R.** Durability study of 14-year old masonry wallets. In *Masonry: past and present. A symposium presented at the seventy-seventh annual meeting of the American Society for Testing and Materials*. Washington, DC, 23-28 June 1974 (1974) pp. 76-95.
- Gyrogy, Duma.** Calcareous mortars from the Middle Ages. *Epitoanyag*, 31, no. 12 (1979) pp. 448-455.
- Gödicke-Dettmering, T.; Kraus, K.; and Strübel, G.** Der Einfluss des Zuschlags bei der Verwendung von hydraulischem Kalk als Bindemittel von Mörteln zur Restaurierung von Baudenkmalen aus Naturstein. *Internationale Zeitschrift für Bauinstandsetzen*, 1 (1995) pp. 97-112.
- Güleç, A.** Characterization of mortars and plasters from historic monuments in Turkey. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Shaftsbury (1998) pp. 209-221.
- Habib, P.** De l'importance du diagnostic pour la restauration des monuments et des structures. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio. Presses de l'école nationale des ponts et chaussées , Paris (1983) pp. 547-552.
- Haegermann, Gustav; Huberti, Gunter; and Moll, Hans.** *Vom Caementum zum Zement*. Bauverlag, Wiesbaden (1964) 72p.
- Hafezi, M.; Pfeifer, M.; and Knöfel, D.** Leichtkalkmörtel für den Einsatz im Fachwerkbau. *Jahresberichte Steinzerfall: Steinkonservierung*, 6, no. 1994-1996 (1998) pp. 247-260.
- Hagen.** Chemische Zergliederung des Mörtels alter preußischer Mauerwerke und daraus abgeleiteter Folgen für die Festigkeit desselben. *Beiträge zur Kunde Preußens*, 4, no. 1821 (1821) pp. 103-121.
- Hailstone, P.** Italian hydraulic lime. *Lime news*, 5 (1997) pp. 66-67.
- Haller, W.** Silicate paints for exterior use. In *14th international conference on organic coatings science and technology*. Athens, 11-15 July 1988 (1990) pp. 135-141.

- Halstead, P. E.** Physico-chemical principles of the action of admixtures with various cements and concretes. *Materiaux et constructions*, 1, no. 2 (1968) pp. 91–95.
- Hammer, I.** Historische Verputze: Befunde und Erhaltung. *Restauratorenblätter*, 4 (1980) pp. 86–98.
- Hampshire County Council.** "Lime mortars and repointing". Web page, 2000 [accessed 8 February 2000]. Available at: [www.hants.gov.uk/plazhn/c1417.html](http://www.hants.gov.uk/plazhn/c1417.html).
- Hansen, E. F.; Hansen, R. D.; and Derrick, M. R.** Los analisis de los estucos y pinturas arquitectonicos de Nakbe: resultados preliminares de los estudios de los metodos y materiales de produccion. In *VIII simposio de investigaciones arqueologicas en Guatemala*. Laporte, J. P. and Escobedo, H. L., Editors. Museo Nacional de Arqueologia y Etnologia, Ministerio de Cultura y Deportes, Instituto de Antropologia e Historia de Guatemala, Guatemala City (1995) pp. 543–560.
- Hansen, E. F.; Rodriguez-Navarro, C.; and Hansen, R. D.** Incipient Maya burnt-lime technology: characterization and chronological variations in Preclassic plaster, stucco and mortar at Nakbe, Guatemala. In *Material issues in art and archaeology V*, 462. Boston, Massachusetts, 3–5 December 1997 (1997) pp. 207–216.
- Hansen, E. F.; Tagle, A.; Erder, E.; Baron, S.; Connell, S.; Rodriguez-Navarro, C.; and Van Balen, K.** Effects of aging on lime putty. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 197–206.
- Hansen, Eric F.; Baron, Susan; Kindon, Andrew; Keeney, Joy; and Schilling, Michael.** Factors to be considered in the evaluation of a traditional lime plaster technology: use of an aqueous extract of Nopal (*Opuntia spp.*, Cactaceae). (1999)
- Hansen, Torben C.** *Creep of concrete: a discussion of some fundamental problems*. Svenska Forskningsinstitutet for Cement och Betong vid Kungl, Stockholm (1958) 48p.
- Harbitz, A.** An efficient sampling method for probability of failure calculation. *Structural safety*, 3 (1986) pp. 109–115.
- Harnik, A. B.; Meier, U.; and Roesli, A.** Combined influence of freezing and deicing salt on concrete: physical aspects. In *Durability of building materials and components*. Sereda, P. J. and Litvan, G. G., Editors. ASTM, Philadelphia (1980) pp. 474–484.
- Harris, H. A.** Proposed revisions to the masonry flexural bond strength procedure. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 687–700.
- Harris, Harry A.** A method to determine efflorescence and water permeance of masonry mortars. In *Masonry: research, application, and problems. A symposium sponsored by ASTM committees C-7 on lime, C-12 on mortars for unit masonry, and C-15 on manufactured masonry units*. Bal Harbour, Florida, 6 December 1983 (1985) pp. 88–100.
- Harrison, W. H.** Durability tests on building mortars—effects of sand grading. *Magazine of concrete research*, 38, no. 135 (1986) pp. 95–107.
- Hartley, P.** Introduction to the repair of lime-ash and plaster floors. *Society for the Protection of Ancient Buildings (SPAB), information sheet*, 12 (1996) pp. 11–14.
- Harvey, W. J.** Application of the mechanism analysis to masonry arches. *Structural engineer*, 66, no. 5 (1988) pp. 77–81.

- Hasak, M.** Mörteltechnik—Einiges über den Loriotschen Mörtel und über den mittelalterlichen Mörtel. *Tonindustrie-Zeitung*, 49, no. 77 (1925) pp. 1080–1081.
- Haslam, R. T.; Calingaert, G.; and Taylor, C. M.** The hydrates of lime. *Journal of the American Chemistry Society*, 46 (1924) pp. 308–311.
- Hauenschild, Hans.** Die mörtel und ihre grundstoffe. In *Allgemeine hochbaukunde: Des handbuches des architektur: 1.Band, die technik der wichtiger baustoffe*. Joh. Ph. Diehl, Darmstadt (1883) pp. 113–155.
- He, C.; Makovicky, E.; and Osbaeck, B.** Thermal stability and pozzolanic activity of raw and calcined mixed-layer mica/smectite. *Applied clay science*, 17 (2000) pp. 141–161.
- He, C.; Makovicky, E.; and Osbaeck, B.** Thermal treatment and pozzolanic activity of sepiolite. *Applied clay science*, 10 (1996) pp. 337–349.
- Heath, A. H.** *A manual on lime and cement: their treatment and use in construction*. E. & F.N. Spon, New York (1893) 215p.
- Hecker, Amy R.** *Mortars and renderings*. Institute of Advanced Architectural Studies, York (1977) iv + 100p.
- Hedin, R.** Processes of diffusion, solution and crystallization in system Ca(OH)<sub>2</sub>–H<sub>2</sub>O. *Swedish cement and concrete research institute bulletin*, 33 (1962) pp. 1–92.
- Hedin, Rune.** *Plasticity of lime mortars*. National Lime Association, Washington, D.C. (1963) 10p.
- Heide, M. Knöfel D.** Untersuchung historischer Verfugmörtel der Außenterrakotta vom Schloß Schwerin und Entwicklung von Mörteln zur Fugenreparatur. *Jahresberichte Steinzerfall-Steinkonservierung*, 6 (1998) pp. 269–280.
- Heidingsfeld, Viktor; Musilova, Jana; and Zelinger, Jiri.** Zpracovatelnost vapennych malt obsahujicich vodné disperse polymeru. *Sbornik Vysoké skoly chemicko-technologické v Praze*, S13 (1985) pp. 275–284.
- Heidrich, G. Sager H.** Einflüsse auf die Ergebnisse von Haftzugprüfungen. *Bautenschutz und Bausanierung*, 13 (1990) pp. 31–33.
- Heinemeier, J.; Jungner, H.; Lindroos, A.; Ringbom, A.; Vonkonow, T.; and Rud, N.** AMS C-14 dating of lime mortar. *Nuclear instruments and methods in physics research. Section B-Beam interaction with materials and atoms*, 123, no. 1–4 (1997) pp. 487–495.
- Helves, H.; Piiri, L.; Utsal, K.; Korge, K.; and Ilomets, T.** Some problems in analysis of historic mortars. In *Werkstoffwissenschaften und bauinstandsetzen*. Esslingen, Germany, 17–19 December 1996 (1996) pp. 909–911.
- Hempel, R.** Treibmineralbildung in historischem Mauerwerk. *Bautenschutz und Bausanierung*, 16 (1993) pp. 49–52.
- Hendry, A. W.** The durability of masonry construction. *International journal of masonry construction*, 2, no. 1 (1981) p.1.
- Hendry, A. W.** Old buildings. *International journal of masonry construction*, 2, no. 2 (1982) p.47.
- Hendry, A. W.** Safety factors in limit state design of masonry. *International journal of masonry construction*, 2, no. 4 (1982) pp. 178–180.

- Henes, U. and Althaus, E.** Zur Verträglichkeit moderner und historischer Mörtel. *SFB 315, Jahrbuch* 1986 (1987) pp. 284–291.
- Henes, U. and Althaus, E.** Zur verträglichkeit moderner und historischer mörtel-mineralogische untersuchungen am blauen turm in bad wimpfen. In *Erhalten historisch bedeutsamer Bauwerke: Baugefüge, Konstruktionen, Werkstoffe Sonderforschungsbereich (SFB) 315*. Wenzel, Fritz and Universität Karlsruhe, Editors. Ernst & Sohn, Berlin (1987) pp. 284–291.
- Henkel, F.** Einfluß von Zusatzmitteln und höheren Temperaturen auf die Kohlensäureaufnahme von Kalkmörteln. *Zement-Kalk-Gips*, 10 (1959) pp. 477–481.
- Henkel, F.** Untersuchungen über die Kohlensäureaufnahme von Mörteln. *Zement-Kalk-Gips*, 8 (1955) pp. 386–393.
- Hennig, Egon and Bleck, Rolf-Dieter.** Untersuchungen an altem Mörtel. *Bauzeitung*, 23, no. 7 (1969) pp. 378–379.
- Henning, O. and Winkler, K. G.** Gipshaltige Mörtel und Gipsrohsteine: Schäden bei falschem Reparaturmaterial. *Das Bauzentrum*, 4, no. 91 (1991) pp. 26–29.
- Henriques, F. M. A.** *Caracterização de revestimentos de paredes para edifícios antigos*. Laboratório Nacional de Engenharia Civil, Lisbon (1991) 33p.
- Henriques, F. M. A.** Testing methods for the evaluation of new mortars for old buildings. *Science and technology for cultural heritage*, 5, no. 1 (1996) pp. 57–61.
- Henriques, F. M. A.; Charola, A. E.; Aires-Barros, L.; and Delgado Rodrigues, J.** The masonry of the tower of Belem and its repointing. *Internationale Zeitschrift für Bauinstandsetzen*, 4 , no. 6 (1998) pp. 667–682.
- Henriques, Fernando M. A. and Charola, A. Elena.** Development of lime mortars with improved resistance to sodium chloride crystallization. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 335–342.
- Herm, C.** *Anstriche auf Naturstein, Untersuchungen zur Zusammensetzung historischer Fassungen, Kolloidchemie von Kalkfarbe und Bauphysik*. Universität München, Munich (1997) .
- Herm, C.** Kalkfarbetechniken: eine Literaturstudie. *Arbeitsblätter für Restauratoren. Gruppe-Wandmalerei* (2000) pp. 153–168.
- Hermann, K.** Kalk. *Cementbulletin*, 61, no. 24 (1993) p.6.
- Hertel, A. W.** *Die Lehre von Kalk und Gyps in ihrem ganzen Umfange*. Verlag, Druck und Lithographie von B.Fr.Voigt, Weimar (1851) 402p.
- Hettmann, D.** Historisch echt oder technisch richtig? *Bausubstanz*, 10 (1990) pp. 26–29.
- Hettmann, D.** Putzserie Teil 4: Einsatzgebiete, Anforderungen und Eigenschaften. *Bausubstanz*, 6 (1995) pp. 57–60.
- Hettmann, D. and Meier, H. G.** Mörtelanwendungen bei der Natursteinverarbeitung: Mörtelbindemittel für Natursteinverarbeitung (Teil 4). *Naturstein*, 5, no. 98 (1998) pp. 55–56.
- Hettmann, D. and Meier, H. G.** Organische Mörtelbindemittel: Mörtelbindemittel für Natursteinverarbeitung (Teil 3). *Naturstein*, 3, no. 98 (1998) pp. 46–47.

- Hettmann, D. and Meyer, H.** Bindemittel im Überblick: Mörtelbindemittel für die Natursteinverarbeitung (Teil 1). *Naturstein*, 1, no. 98 (1998) pp. 44–46.
- Hettmann, D. and Meyer, H.** Vergütung anorganischer Bindemittel durch organische Zusätze: Mörtelbindemittel für die Natursteinverarbeitung (Teil 2). *Naturstein*, 2, no. 98 (1998) pp. 50–52.
- Heusinger von Waldegg, E.** *Die Kalk-, Ziegel- und Röhrenbrennerei. In ihrem ganzen Umfange und nach den neuesten Erfahrungen. Gründliche Anleitung zur Ansage und zum Betrieb von Kalkbrennereien und Ziegeleien, zur Fabrikation von allen Arten Backsteinen, Hohlziegeln, Dachziegeln, thönernen Fliessen und Röhren, zur Herstellung von Cementen und Mörtel. Ein Hand- und Hülfsbuch für Ziegler, Kalk-, Cement- und Backsteinbrenner, für Maurer, Bautechniker, Fabrik- und Gutsbesitzer und technische Behörden (2 volumes)*. Theodor Thomas Verlag, Leipzig (1867)
- Heyman, J.** Beauvais Cathedral. *Transaction of the Newcomen Society*, 40 (1967) pp. 15–35.
- Heyman, J.** Chronic defects in masonry vaults: Sabouret's cracks. *Monumentum*, 26, no. 2 (1983) pp. 131–141.
- Heyman, J.** The estimation of the strength of masonry arches. *Proceedings of the Institution of Civil Engineers*, December, no. 69, part 2 (1980) pp. 921–937.
- Heyman, J.** "Gothic" construction in ancient Greece. *Journal of the Society of Architectural Historians*, XXXI (1972) pp. 3–9.
- Heyman, J.** La restauration des ouvrages de maçonnerie: principes structurels. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio, Editors. Presses de l'école nationale des ponts et chaussées, Paris (1983) pp. 329–334.
- Heyman, J.** The stone skeleton. *International journal of solids structures*, 2 (1966) pp. 249–279.
- Heyman, J.** Structural analysis of masonry. *Journal of the Cambridge University English Society*, 37 (1967) pp. 47–59.
- Higgins, Bryan.** *Experiments and observations made with the view of improving the art of composing and applying calcareous cements, and of preparing quick-lime: theory of these arts, and specification of the author's cheap and durable cement, for building, incrustation, or stuccoing, and artificial stone*. T. Cadell, London (1780) 232p.
- Hilbert, G.** Der Einfluss von Bindemitteln auf die Eigenschaften von Opferputzen. *Bautenschutz + Bausanierung*, 18, no. 7 (1995) pp. 71–75.
- Hildebrand, K.** Die Mörtel der Ordensbauten in Preußen. *Die Denkmalpflege*, 23 (1921) pp. 9–11.
- Hilsdorf, H.; Kropp, J.; and Garrecht, H.** Ursachen und wege der feuchtigkeit in baukonstruktionen. In *Erhalten historisch bedeutsamer Bauwerke: Baugefüge, Konstruktionen, Werkstoffe Sonderforschungsbereich (SFB) 315*. Wenzel, F. and Universität Karlsruhe, Editors. Ernst & Sohn, Berlin (1987) pp. 249–271.
- Hinkel, F. W.** Examination of Meroitic mortar and plaster. *Meroitica*, 10 (1989) pp. 827–832.
- Hirschwald, J.** Über die Einwirkung von Traß- und Zementmörtel auf natürliche Bausteine. *Bautechnische Gesteinsuntersuchungen*, 2 (1911) pp. 23–33.
- Hloušková, D. and Heidingsfeld, V.** Vliv konsolidantu na paropropustnost omítky. In *Sborník Vysoké školy chemicko-technologické v Praze. Polymery: chemie, vlastnosti a zpracování S20*. Edicni Stredisko Vscht, Praha (1991) pp. 99–108.

- Hoberman, M.** Two architects' sketches. *Journal of the Society of Architectural Historians*, XLIV (1985) pp. 380–383.
- Hodgkinson, Emily S. and Hughes, Colin R.** The mineralogy and geochemistry of cement/rock reactions: high-resolution studies of experimental and analogue materials. *Geological Society special publication*, 157 pp. 195–211.
- Hodgkinson, H. R. and West, H.** The shear resistance of some damp-proof-course materials. *Proceedings of the British Ceramic Society*, no. 30 (1982) pp. 13–22.
- Hoffman, D.; Neisel, K.; and Rooss, H.** Effects of air pollutants on renderings—experimental protocols and background. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 235–249.
- Hoffman, D. and Niesel, K.** Change in physico-technical characteristics in brick masonry affected by modified composition. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 361–380.
- Hoffman, D. and Niesel, K.** Effects of air pollutants on renderings—exposure tests. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 251–264.
- Hoffman, D. and Niesel, K.** Effects of air pollutants on renderings—reaction zones on buildings vs. orientation. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 265–280.
- Hoffman, D. and Niesel, K.** "Quantifying the effect of air pollutants on renderings and also moisture-transport phenomena in masonry including its constituents". Web page, 1999 [accessed 7 February 2000]. Available at: [www.bam.de/a\\_vii/moisture/transport.html](http://www.bam.de/a_vii/moisture/transport.html).
- Hoffmann, D.** On the differences in the behaviour of artificially weathered lime plasters and their equivalents found in external structures: a comparative study. In *Deterioration and preservation of stones: 3rd international congress*. Venice, 24–27 October 1979 (1982) pp. 549–556.
- Hoffmann, D. and Rooss, H.** Zur Erhärtung von Purpasten aus Kalk. *Bautenschutz + Bausanierung*, 17, no. 4 (1994) pp. 57–63.
- Hoffmann, D. and Rooß, H.** Zur Erhärtung von Purpasten aus Kalk, Teil 2. *Bautenschutz + Bausanierung*, 5 (1994) pp. 48–51.
- Hoffmann, D.; Schimmelwitz, P.; and Ross, H.** Interactions of sulfur dioxide with lime plaster. In *Second international symposium on the deterioration of building stones*. Athens, 27 September–1 October 1976 (1977) pp. 37–42.
- Hoffmann, R.** Vorgeschichtliche Kalköfen, Eisenschmelzen, Holzkohlegruben. *Mannus*, 33 (1941) pp. 561–573.
- Holm, A; Krus, M.; and Künzel, H. M.** Feuchtetransport über Materialgrenzen im Mauerwerk. *International Zeitschrift für Bauinstandsetzen*, 2 (1996) pp. 375–396.
- Holm, Andreas.** Einsatzmöglichkeiten des Computersimulationsprogrammes WUFI bei Putzen. In *Putzinstandsetzung*, 9. Verlag für Bauwesen, Berlin (1988) pp. 151–167.
- Holmes, M. E.; Fink, G. J.; and Mathers, F. C.** Fundamental properties of commercial limes II, the settling of milk of lime suspensions. *Chemical and metallurgical engineering*, 27, no. 25 (1922) pp. 1212–1216.

- Holmes, S. and Wingate, M.** *Building with lime: A practical introduction*. Intermediate Technology Publications, London (2000) xii + 307p.
- Holmes, Stafford.** Developing standards for building limes. *Lime news*, 6 (1998) pp. 36–40.
- Holmes, Stafford and Wingate, Michael.** *Building with lime: a practical introduction*. Intermediate Technology Publications, London (1997) xii + 307p.
- Holmstrom, Ingmar.** Mortars, cements and grouts for conservation and repair: Some urgent needs of research. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 19–24.
- Honsinger, D. and Sasse, H. R.** Alteration of microstructure and moisture characteristics of stone materials due to impregnation. In *Proceedings of the fifth international conference on the durability of building materials and components*. Brighton, England, 7–9 November 1990 (1990) pp. 213–224.
- Hughes, D. and Swann, S.** Hydraulic limes—a preliminary investigation. *Lime news*, 6 (1998) pp. 41–52.
- Hughes, D. C. and Sugden, D. B.** The use of brick dust as a pozzolanic addition to hydraulic lime mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 351–360.
- Hughes, J. J.; Bartos, P. M.; Cuthbert, S. J.; Stewart, R. N.; and Valek, J.** Microstructures in historic Scottish lime mortars. In *Stone weathering and atmospheric pollution network '97: aspects of stone weathering, decay and conservation*. Aberdeen, Scotland, 15–17 May 1997 (1998) pp. 125–137.
- Hughes, J. J. and Callebaut, K.** Practical sampling of historic mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 17–26.
- Hughes, J. J. and Cuthbert, S. J.** The petrography and microstructure of medieval lime mortars from the west of Scotland: implication for the formulation of repair and replacement mortars. *Materials and structures*, 33 (2000) pp. 594–600.
- Hughes, J. J.; Leslie, A. B.; and Callebaut, K.** The petrography of lime inclusions in historic lime based mortars. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 359–364.
- Huizer, A.; Ward, M. A.; and Morstead, H.** Field and laboratory study using current and proposed procedures for testing masonry mortar. In *Masonry, past and present: a symposium presented at the seventy-seventh annual meeting of the American Society for Testing Materials*. Washington, D.C., 23–28 June 1974 (1975) pp. 107–122.
- Hummel, A. and Wesche, K.** Tests on masonry mortars. *Fortschritte und Forschungen im Bauwesen*, series D, no. 24 (1960) pp. 15–31.
- Hunt, J. H.** *The loss of alkalinity of brickwork mortars; measurements taken on buildings at the B.R.S., Garston*. Building Research Establishment, Garston (1980) 9p.
- Hyman, David S.** *Precolumbian cements: a study of the calcareous cements in prehispanic Mesoamerican building construction*. Johns Hopkins University, Department of Geography and Environmental Engineering , Baltimore (1970) iv + 183p.

- Högl, L. and Locher, R.** Zur Erhaltung dachloser Mauerbauten. In *Methoden zur Erhaltung von Kulturgütern*. Haupt Verlag , Bern (1989) pp. 79–84.
- Ibrahim, K. and G. Papadouris.** *Testing of raw materials for historic mortars*. Aristotle University, Thessaloniki (1998) 17p.
- ICCROM.** *Mortars, cements and grouts used in the conservation of historic buildings: symposium*. Rome, 3–6 November 1991 (1982) 414p.
- Ienulescu, I. M. and K.-P. Magos.** *Testing raw materials for their suitability in repair mortars: the case of brick dust* . Aristotle University, Thessaloniki (1998) 29p.
- Imai, Eiichi.** Study on production of fine particle of lime and dolomite. *Tochigi-ken Kogyo Shiken Kenkyu Kikan Kenkyu Shuroku* (1989) pp. 30–33.
- Induni, B. and Induni, L.** *Using lime*. Society for the Protection of Ancient Buildings, London (1990) 18p.
- International Institute for Conservation of Historic and Artistic Works—Österreichische Sektion . Zum Thema Wandmalerei, Sgraffito, Stuck.** Restauratorenblätter, 9. Verlag Mayer & Comp, Wien (1988) 220p.
- International Organization for Standardization (ISO).** *Concrete: determination of static modulus of elasticity in compression*. ISO 6784–1982 (E). International Organization for Standardization (ISO), Switzerland (1982) 3p.
- International Organization for Standardization (ISO).** *Concrete: determination of tensile splitting strength of test specimens*. ISO 4108–1980 (E). International Organization for Standardization (ISO), Switzerland (1980) 3p.
- Isberner, Albert W.** Composition of hardened masonry mortar: a critical review of test methods and calculations. In *Masonry, research, application and problems: symposium sponsored by ASTM committees C-7 on lime, C-12 on mortars for unit masonry and C-15 on manufactured masonry units*. Bal Harbour, Florida, 6 December 1983 (1985) pp. 3–14.
- Isberner, Albert W.** A test method for measuring the efflorescence potential of masonry mortars. In *Masonry: research, application, and problems. A symposium sponsored by ASTM committees C-7 on lime, C-12 on mortars for unit masonry, and C-15 on manufactured masonry units*. Bal Harbour, Florida, 6 December 1983 (1985) pp. 27–37.
- Iskander, Zaky.** Chemical identification of the samples found at the Monastery of Phoebammon. T. III. Excerpt from Le Monastère de Phoebammon dans la Thébaide. *Le monastere de Phoebammon dans la Thebaide*, 3 (1961) pp. 59–71.
- Istituto centrale del restauro.** *Corso sulla manutenzione di dipinti murali, mosaici, stucchi. Materiali costitutivi, prove di qualità*. Dimos. Parte i, modulo, 2. Istituto centrale del restauro, Rome (1978) 16p.
- Ivanova, A. V.** Metodika ispytanii ukreplennykh obraztsov izvestovykh stukaturok. *Khudozestvennoe nasledie*, no. 232 (1977) pp. 33–41.
- Jabłczynska-Jedrzejewska, Hanna.** Dawne Zaprawy Budowlane. *Kwartalnik Architektury i Urbanistyki. Teoria i Historia*. PAN, 3 (1958) pp. 85–94.
- Jacer, H.** Mörtelbereitung bei den Römern. *Tonindustrie-Zeitung*, 40, no. 56 (1916) p.298.
- Jacer, H.** Römische Werkzeuge der Mörteltechnik. *Tonindustrie-Zeitung*, 40, no. 61 (1916) p.328.

- Jakobs, F.** Dauerhaftigkeitseigenschaften von Betonen. *Beton*, 5 (1999) pp. 276–282.
- Jakobs, P. H. F.; Schuhmacher, T.; and Wisser, S.** Exkurs. Die Badeanlage des römischen Gutshof von Fischbach, Gde. Niedereschach, Schwarzwald-Baar-Kreis. Exkurs: Untersuchungen an Mauermörtelproben. *Fundberichte in Baden-Württemberg*, 16 (1991) pp. 215–298, Exkurs: 296–298.
- James, John.** *The traveller's key to medieval France: a guide to the sacred architecture of medieval France*. Harrap Columbus, London (1987) 316p.
- Jamwal, R. S.** Lime mortars for historical buildings. *Conservation of cultural property in India*, 29 (1996) pp. 158–163.
- Jedrzejewska, H.** Old mortars in Poland: a new method of investigation. *Studies in conservation*, 5 (1960) pp. 132–138.
- Jedrzejewska, Hanna.** Ancient mortars as criterion in analyses of old architecture. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome , 3–6 November 2002 (1982) pp. 311–329.
- Jedrzejewska, Hanna.** New methods in the investigation of ancient mortars. In *Archeological chemistry*. Levey, M., Editor. Philadelphia (1967) pp. 147–166.
- Jennings, H. M. and Pratt, P. L.** On the hydration of portland cement. In *Mineralogy of ceramics. Papers presented at a joint meeting of the applied mineralogy group of the mineralogical society and the basic science section of the British Ceramic Society*. London, 18–19 December 1978 (1979) pp. 179–193.
- Jeran, A.** Analyse von Putzschäden auf Mauerwerk aus hochwärmegedämmten Mauersteinen. *Bautenschutz und Bausanierung*, 9 (1986) pp. 102–112.
- Jerome, Pamela.** The use of lime plasters for waterproofing and decoration of mudbrick buildings in Yemen. In *Terra 2000: 8th international conference on the study and conservation of earthen architecture. Preprints*. Torquay, England, 11–13 May 2000 (2000) pp. 144–149.
- Johannsen, K.; Alex, T.; Burwieck, H.; Dorsch, T.; and Wichmann, K.** Effect of iron and manganese ions on the crystal growth of calcium carbonate. *Acta hydrochimica et hyrobiologica*, 25, no. 4 (1997) pp. 202–207.
- Johnstone, J. R. and Glasser, F. P.** Carbonation of portlandite single crystals and portlandite in cement paste. In *9th international congress on the chemistry of cement*. New Delhi, India, 1992 (1992) pp. 370–376.
- Jones, A. G.; Hostomsky, J.; and Li, Zhou.** On the effect of liquid mixing rate on primary crystal size during the gas liquid precipitation of calcium carbonate. *Chemical engineering science*, 47, no. 13–14 (1992) pp. 3817–3824.
- Jornet, Albert and Romer, Albert.** Slaked lime mortar: comparison between two samples supposed to be alike. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 343–350.
- Joway, H. F.** Etude de la structure d'édifices gothiques. *Annales de l'institut technique du bâtiment et des travaux publics*, 363 (1978) pp. 54–70.
- Joway, H. F.** Exemples de renforcement: les églises Saint-Antoine de Padoue et Saint-Jacques à Liège. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 313–326.
- Joway, H. F.** La stabilité du chœur de la cathédrale de Tournai au cours de son histoire. *Mémoires de la société royale d'histoire et d'archéologie de Tournai*, 1 (1980) pp. 149–179.

- Judd, George.** Carbonation of calcium and magnesium oxides. *ASTM special technical publication*, 931 (1987) pp. 95–99.
- Jurina, L.** Considerazioni sul restauro strutturale degli edifici monumentali. *Recuperare: edilizia, design, impianti*, 1, no. 2 (1982) pp. 146–151.
- Kacker, K. P.; Satiya, R. C.; and Chandra, D.** Einfluß von Tonmineralien auf die thermische Zersetzung von Kalkstein und Dolomit. *ZKG. Zement-Kalk-Gips*, 25 (1972) pp. 37–41.
- Kampf, L.** Durability of masonry. *Journal of materials science*, 1, no. 1 (1966) pp. 203–225.
- Kampf, L.** Factors affecting the bond of mortar to brick. In *Symposium on masonry testing: papers presented at the 65th annual meeting, American Society for Testing and Materials*. New York, 28 June 1962 (1963) pp. 127–142.
- Karanth, R. V.; Krishnan, K.; and Hedge, K. T. M.** Petrography of ancient Indian lime plaster. *Journal of archaeological science*, 13, no. 6 (1986) pp. 543–551.
- Karaören, F. and Gray, K.** Analysis of mortar, rendering and paint samples from the Chapel of Santa Maria in Cappella and the Hospice of Santa Francesca Romana, Rome. ICCROM, Rome (1981) n.p.
- Karaveziroglou, M.; Koulikas, P.; Panagiotopoulos, P.; Dimitreli, C.; and Triantafillou, G.** Creep behavior of mortars used for restoration. In *Structural studies of historical buildings IV*, Volume 1: architectural studies, materials, and analysis. Brebbia, C. A. and Leftheris, B., Editors. Computation Mechanics Publications, Southampton (1995) pp. 231–238.
- Kasai, Junichi.** Chemistry of lime. *Kagaku Kogyo*, 42, no. 9 (1991) pp. 704–709.
- Kasig, W. and Prokop, E.** Das technische Baudenkmal: Kalkofen an der Blistermühle. *Denkmalpflege im Rheinland*, 2 (1985) pp. 38–41.
- Kasig, W. and Weiskorn, B.** Zur Geschichte der deutschen Kalkindustrie und ihrer Organisationen. Beton–Verlag, Düsseldorf (1992) 164p.
- Kemp, R.** Renovierung des münsters in York. *Bauwelt*, 31/32 (1982) pp. 1235–1238.
- Kent, R.** Role of the lime cycle in historic buildings. *Building engineer*, 70, no. 8 (1995) pp. 24–25.
- Khalaf, F. M.; Hendry, A. W.; and Fairbairn, D. R.** Concrete block masonry prisms compressed normal and parallel to bed face. In *Proceedings of the fifth North American masonry conference*, II. Urbana–Champaign, Illinois, 3–6 June 1990 (1990) pp. 595–614.
- Khatib, J. M. and Wild, S.** Sulphate resistance of metakaolin mortar. *Cement and concrete research*, 28, no. 1 (1998) pp. 83–92.
- Kiepenheuer, L.** *Kalk und Mörtel. Wissenschaftlicher, technischer und kaufmännischer Ratgeber für alle, welche mit Kalk und Mörtel zu tun haben.* im Selbstverlag des Verfassers, Köln (1907) 390p.
- Kiepenheuer, L.** Vom Eifeler Römerkanal und seinem Mörtel. *Umschau*, 31 (1911) pp. 645–647.
- Kiepenheuer, Ludwig.** *Wasserkalk. Eine allgemeinverständliche Monographie zugleich als Nachtrag zu Kiepenheuer's Kalk und Mörtel 1907.* Bonn (1911) viii + 219p.

- Kingery, W. David.** Microstructure analysis as part of a holistic interpretation of ceramic art and archaeological artifacts. *Archeomaterials*, 1, no. 2 (1987) pp. 91–99.
- Kingery, W. David.** Optical petrography: reply to Barnett. *Journal of field archaeology*, 18, no. 2 (1991) pp. 255–256.
- Kingery, W. David; Vandiver, Pamela B.; and Prickett, Martha.** The beginnings of pyrotechnology, part II: production and use of lime and gypsum plaster in the pre-pottery neolithic Near East. *Journal of field archaeology*, 15, no. 2 (1988) pp. 219–244.
- Kingery, W. E.** Introduction: some aspects of the history of ceramic processing. In *Ultrastructure processing of advanced ceramics*. MacKenzie and Ulrich, Editors. John Wiley & Sons, New York (1988) pp. 1–29.
- Kirtschig, K.** Außenwände in Mauerwerk. *das Mauerwerk*, 1, no. 1 (1997) pp. 6–13.
- Kirtschig, K.** Zur Bestimmung der Mörtelgüte im Mauerwerk. *Ziegelindustrie*, 12 (1972) pp. 552–554.
- Kirtschig, K. and Kasten, D.** Zur Frage der Neuverfugung von nicht schlagregensicherem Mauerwerk. *Ziegelindustrie*, 30, no. 1 (1977) pp. 6–12.
- Klein, David Henry and Smith, Melvin David.** Homogeneous nucleation of calcium hydroxide. *Talanta*, 15, no. 2 (1968) pp. 229–231.
- Klemm, W. A. and Berger, R. L.** Accelerated curing of cementitious systems by carbon dioxide. *Cement and concrete research*, 2 (1972) pp. 567–576.
- Klenner, J.; Meinstrup, E.; and Rother, W.** Brennen von hydraulischem Kalk im Schwebegas–Calcinator. *Zement–Kalk–Gips: ZKG*, 33 (1980) pp. 498–504.
- Klinger, R. E.; Ahuja, D.; and Higgins, C.** Flexural bond strength of masonry prisms made with masonry cement mortar. (1990) 60p.
- Knoche, Ruth; Sweeney, Russel J.; and Luth, Robert W.** Carbonation and decarbonation of eclogites: the role of garnet. *Contributions to mineralogy and petrology*, 135, no. 4 (1999) pp. 332–339.
- Knöfel, D. and Huesmann, M.** Mörtel zur Fugeninstandsetzung an historischen Bauwerken. *Bautenschutz und Bausanierung: Forschung und Wissenschaft*, 16, no. 3 (1993) pp. 30–34.
- Knöfel, D. and Schubert, P.** Zur Beurteilung von Mörteln für die Instandsetzung von Mauerwerk, Teil 1. *Bautenschutz + Bausanierung*, 13, no. 1 (1990) pp. 10–14.
- Knöfel, D. and Schubert, P.** Zur Beurteilung von Mörteln für die Instandsetzung von Mauerwerk, Teil 2. *Bautenschutz + Bausanierung*, 13, no. 2 (1990) pp. 15–20.
- Knyazhanskii, M. M.; Yan'kov, V. M.; Mishchenko, I. M.; Efanova, N. I. ; and Chernova, L. L.** Lime carbonation during agglomeration. *Russian metallurgy*, no. 2 (1989) pp. 25–27.
- Knöfel, D.** Causes, mechanisms and measurement of damage in cultural heritage materials: the state of the art: concrete structures. In *Science, technology, and European cultural heritage: proceedings of the European symposium*. Bologna, Italy, 13–16 June 1989 (1991) 138–148p.
- Knöfel, D.** Ergebnisse chemischer und mineralogischer untersuchungen von gesteinsbohrkernen und proben historischer mörtel. *Bautenschutz + Bausanierung*, 12, no. 5 (1989) pp. 38–43.

- Knöfel, D. and Winnefeld, F.** Anpassung von Fugendeckmörteln an Ziegelmauerwerk. In *Jahresberichte Steinzerfall: Steinkonservierung, Band 4, 1993*. Verlag Ernst & Sohn, Berlin (1995) pp. 147–157.
- Koblischek, P.** Festigen von historischen Kalkmörteln mit SiO<sub>2</sub>-abgebenden Produkten. In *Historische Fassadenputze*. Boué, A., Editor. Fraunhofer IRB Verlag, Stuttgart (2001) pp. 87–92.
- Kocankovska, V. and S. Stoyanova.** *Influence of the type of binder on the strength development in repair mortars*. Aristotle University (1998).
- Köhler, Wolfram.** Zerstörungsfreie Untersuchungen an Putzen und Mörtelen der mittelalterlichen Feldsteinkirche in Schönewalde. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Arbeitsheft des Brandenburgischen Landesamtes für Denkmalpflege, 9. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1988) pp. 103–111.
- Koller, M.** Stein- und Fassadenpflege mit 'Opferschichten' (Kalktünchung). *Stein*, 7 (1991) pp. 17–19, 33.
- Koller, M.; Nimmrichter, J.; Paschinger, H.; and Richard, H.** Opferschichten in der Steinkonservierung: theorie und Praxis. In *20 Jahre Steinkonservierung 1976–1996, Restauratorenblätter Band 17, Österreichische Sektion des IIC*. Mayer & Comp. Wien (1996) pp. 143–150.
- Koneczny, H. and Mielczarek, M.** Crystallization of calcium carbonate in the process of carbonation of aqueous solutions of calcium hydroxide and sucrose. In *Industrial crystallization 84: proceedings of the 9th symposium on industrial crystallization*. The Hague, The Netherlands, 25–28 September 1984 (1984) pp. 429–430.
- Korneev, V. I. and Tsvang, A. S.** Study of carbonation of lime-quartz mixtures. *Journal of applied chemistry of the USSR*, 59, no. 1, part 2 (1986) pp. 150–153.
- Koschik, H. and Snethlage, R.** Die römischen Thermen von Weißenburg (Bayern). Kulturhistorischer Überblick: Untersuchung an Mörteln und Putzen. *Arbeitsblätter für Restauratoren*, 6, no. 1 (1980) pp. 134–148.
- Kotaki, Yasushi and Tsuge, Hideki.** Reactive crystallization of calcium carbonate by gas-liquid and liquid-liquid reactions. *Canadian journal of chemical engineering*, 68, no. 3 (1990) pp. 435–442.
- Kotaki, Yasushi and Tsuge, Hideki.** Reactive crystallization of calcium carbonate in a batch crystallizer. *Journal of crystal growth*, 99, no. 1–4 (1990) pp. 1092–1097.
- Kraus, K.** Kalkmörtel für die Denkmalpflege. In *Bauchemie heute: Fakten, Modelle, Anwendungen, Festschrift Prof. Dr. D. Knöfel*. von Böttger, K. G., Editor. Diss. Druck, Darmstadt (1996) pp. 213–219.
- Kraus, K.; Wisser, S.; and Knoefel, D.** Über das Löschen von Kalk vor der Mitte des 18. Jahrhunderts – Literaturauswertung und Laborversuche. *Arbeitsblätter für Restauratoren*, 22, no. 1 (1989) pp. 206–221.
- Kraus, K.; Wynk, B.; and Knöfel, D.** Alte und neue Putzmörtel an der Marienkirche Lippstadt. *Das bauzentrum*, 6 (1990) pp. 28–34.
- Kroone, B.** Einfluss von wiederholtem durchfeuchten und trocknen auf die carbonatisierung und schwindung von zementmörteln. *Zement-Kalk-Gips*, 1 (1966) pp. 1–8.
- Kroone, B. and Blakey F.A.** Reaction between carbon dioxide gas and mortar. *Journal of the American Concrete Institute*, December (1959) pp. 149–510.
- Krumnacher, Paul J.** *Lime and cement technology: transition from traditional to standardized treatment methods*. Virginia Polytechnic Institute and State University, Blacksburg (2001) 90p.

- Kuenzel, H.** Der regenschutz von mauerwerk aus natursteinen–ueberlegungen, messungen, beobachtungen. *Bauphysik*, 10, no. 1 (1988) pp. 3–7.
- Kuhn, Petra.** Mineralischer Putz auf Beton und Mauerwerk. *Beton–Informationen*, 1 (1997) pp. 3–10.
- Kunzel, H.** Moisture–technological investigations in connection with paints on external renderings. *Zement–Kalk–Gips*, 19, no. 1 (1966) pp. 17–29.
- Künzel, H.** Putze in der Denkmalpflege. *WTA–Bericht*, 12 (1996) pp. 103–115.
- Künzel, Helmut.** *Schäden an Fassadenputzen*. Fachbuchreihe Schadensfreies Bauen, Band 9. IRB Verlag, Stuttgart (1994) 120 p.
- Kühn, H.** Naturwissenschaftliche Untersuchung von Leonards "Abendmahl" in Santa Maria della Grazie in Mailand. *Maltechnik–restauro*, 4 (1985) pp. 24–51.
- Künzel, H. and G. Riedl.** Kalkputz in der Denkmalpflege. *Bautenschutz und Bausanierung*, 2 (1996) pp. 12–18.
- Lacquet, L. M.** *Convection and diffusion in the human airways*. Katholieke Universiteit, Leuven (1976) 152p.
- Lade, K. and Winkler, A.** *Putz, Stuck, Rabitz; ein Handbuch für das Gewerbe*. J. Hoffmann, Stuttgart (1936) 324p.
- Ladrière, Gh. and Te Kolste, G.** *Problème fondamental de stabilité rencontré dans la restauration de l'avant corps de la collégiale Ste-Gertrude*. (1986) 5p.
- Lamprecht, Heinz–Otto.** Opus caementitium: costruzioni in calcestruzzo romano. *L'industria italiana del cemento*, 7–8 (1986) pp. 590–605.
- Langenbach, R.** Bricks, mortar, and earthquakes: historic preservation versus earthquake safety. *APT bulletin: the journal of preservation technology*, XXI, no. 3 and 4 (1989) pp. 30–43.
- Larbi, J. A. and Bijen, J. M.** Effects of water cement ratio, quantity and fineness of sand on the evolution of lime in set portland cement systems. *Cement and concrete research*, 20, no. 5 (1990) pp. 783–794.
- Larbi, J. A. and van Hees, R. P. J.** Quantitative microscopical procedure for characterising mortars in historical buildings. In *IBAUSIL proceedings 14: internationale baustofftagung*, 1. Weimar, Germany, 20–23 September 2000 (2000) p.1.1051–1.1060.
- Larsen, Mogens.** Middelalderens mortler. *Meddelelser om konservering*, 3, no. 2 (1980) pp. 55–75.
- Larsen, P. K.** Salt damage to the medieval plaster on a vault in Fanefjord Church. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 43–50.
- Laska, Walter.** Portland lime mortars. Understanding ASTM C270. *Construction specifier*, 44, no. 1 (1991) pp. 70–73.
- Laszlo, Gero.** Mortars used in the conservation of ruins. *Mumlék Védelem (Budapest)*, 5 (1961) pp. 97–100.
- Laurenzi Tabasso, M.; Borrelli, E.; Barcellona, S.; and Santamaria, U.** Rendering products for the protection of historical buildings. In *IABSE symposium. Structural preservation of the architectural heritage*. Rome, September 1993 (1993) pp. 553–539.

- Laurenzi Tabasso, M. and Rota Rossi-Doria, P.** Malte impiegate per un edificio storico nella zona di Tor di Nona in Roma: caratterizzazione chimico-fisica . In *L'intonaco: storia, cultura e technologia: atti del convegno di studi*. Bressanone, Italy, 24–27 June 1985 (1985) pp. 223–231.
- Laurenzi Tabasso, M. and Sammuri, P.** Evaluation of mortars for the use in conservation from the standpoint of the release of soluble salts. In *ICOM committee for conservation 7th triennial meeting*, 1. Copenhagen, 10–14 September 1984 (1984) p.84.10.8–84.10.11.
- Laurenzi Tabasso, Marisa.** Le indagini scientifiche per la conservazione degli intonaci. In *Coloriture e trattamenti degli edifici storici a Roma. Atti del convegno*. Rome, 27–28 May 1987 (1990) pp. 78–81.
- Lawrence, G. P.** Measurement of pore sizes in fine-textured soils: a review of existing techniques. *Journal of soil science* , 28 (1977) pp. 527–540.
- Lawrence, S. J. and Cao, H. T.** Microstructure of the interface between brick and mortar. In *Proceedings of the 8th international brick and block masonry conference*, 1. Dublin, 19–21 September 1988 (1988) pp. 194–204.
- Laws, W. Derby.** An investigation of temple plasters from Tikal, Guatemala, with evidence of the use by the ancient Maya of plant extracts in plaster making. *Wrightia*, 2, no. 5 (1962) pp. 217–228.
- Lawson, A.** Repairs to Exeter's Guildhall. *SPAB news*, 11, no. 4 (1990) pp. 12–15.
- Lawson, D. A. and Norbury, J.** Porous medium combustion. In *Numerical methods in heat transfer*, III. Lewis, R. W. and Morgan, K., Editor. John Wiley & Sons, Chichester (1985) pp. 173–193.
- Lazell, Ellis Warren.** *Hydrated lime: history, manufacture and uses in plaster, mortar, concrete: manual for the architect, engineer, contractor and builder*. Jackson–Remlinger, Pittsburgh (1915) 95p.
- Leaist, D. G.** Subsurface dissolution and precipitation during leaching of porous ionic solids. *Journal of colloid and interface science*, 118, no. 1 (1987) pp. 262–9.
- Lee, Martin R.** Imaging of calcite by optical and SEM cathodoluminescence. *Microscopy and analysis*, September (2000) pp. 21–22.
- Lee, S. E.** Quasi-linearization, difference approximation, and non-linear boundary value problems. *American Institute for Chemical Engineers journal*, 14, no. 3 (1968) pp. 490–496.
- Lee, S. E.** Quasi-linearization, non-linear boundary problems and optimization. *Chemical engineering science*, 21 (1966) pp. 183–194.
- Lehmann, H.; Locher, F.; and Thorman, P.** Der Einfluß der Kalksteinkorngröße auf die Klinkermineralbildung im Temperaturbereich von 850–1450 Grad C . *Tonindustrie-Zeitung*, 88 (1964) pp. 537–547.
- Lehmann, H.; Niesel, K.; and Thormann, P.** Die Stabilitätsbereiche der Modifikationen des Dicalciumsilikates. *Tonindustrie-Zeitung*, 93 (1969) pp. 197–209.
- Lehmkuhl, T.** Praktische Erfahrungen mit dem KSE Modulsystem bei der Restaurierung und Konservierung der Wandverputze in den antiken Thermen der Römerstadt Ulpia Traiana in Xanten. In *Historische Fassadenputze*. Boué, A., Editor. Fraunhofer IRB Verlag, Stuttgart (2001) pp. 79–86.
- Lemaire, R. M.** Introduction. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 9–13.

- Lemaire, R. M.** Postface. In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., editors. University Press, Leuven (1988) pp. 339–343.
- Lemaire, R. M. and Van Balen, K. (Editors).** *Stable-unstable? Structural consolidation of ancient buildings*. Monumenta Omnimodis Investigata. University Press, Leuven (1988) 344p.
- Lenczner, D.** Brickwork: a guide to creep. *International journal of masonry construction*, 1, no. 4 (1981) pp. 127–133.
- Lenczner, D.** Creep and prestress losses in brick masonry. *The structural engineer*, 64B, no. 3 (1986) pp. 57–62.
- Lenczner, D.** Creep in concrete blockwork piers. *The structural engineer*, 52, no. 3 (1974) pp. 97–101.
- Lenczner, D.** Deflection of beams and composite walls subject to creep. *Building science*, 6 (1971) pp. 45–51.
- Lenczner, D. and Salahuddin, J.** Creep and moisture movements in brickwork walls. In *Proceedings of the 4th international brick masonry conference*. Brugge, Belgium, 26–28 April 1976 (1976) p.2.a.4–2.a.4.–5.
- Lerg, J.** Römische Kalköfen. *Tonindustrie-Zeitung*, 40, no. 52 (1916) p.804.
- Leslie, A. B. and Gibbons, P.** Mortar analysis and repair specification in the conservation of Scottish historic buildings. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 273–280.
- Leslie, Alick B. and Hughes, John J.** Complex structure and mineralogy of historic Scottish mortars: implications for replacement mixes and repair strategies. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 443–450.
- Letolle, R.; Gegout, P.; Rafai, N.; and Revertegate, E.** Stable isotopes of carbon and oxygen for the study of carbonation decarbonation processes in concretes. *Cement and concrete research*, 22, no. 2–3 (1992) pp. 235–240.
- Levi, Giorgio Renato.** Struttura cristallina dell'idrato di calcio. *Giornale di Chimica Industriale ed Applicata*, 6, no. 7 (1924) pp. 333–337.
- Levin, Ernest M.; Clarke, Walter F.; and Wells, Lansing S.** *Plasticity and water retentivity of hydrated limes for structural purposes*. U.S. Department of Commerce, National Bureau of Standards, Washington, D.C. (1956) 10p.
- Lewin, Seymour Z.** X-ray diffraction and scanning electron microscope analysis of conventional mortars. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 101–131.
- Lezzerini, M.** Assessment of chemical, mineralogical–petrographical, physical and mechanical properties of old mortars: a contribution to a correct management of conservation and restauration interventions. *Plinius*, no. 17 (1997) pp. 146–149.
- Lezzerini, Marco.** *Studio chimico, mieralogico, petrografico, fisico e meccanico delle malte antiche finalizzato alla loro conservazione e al loro restauro*. Universita' Degli Studi di Pisa, Dipartimento di Scienze della Terra, Pisa (1996) 208p.
- Li, Zhaojun; Giese, Ross F.; van Oss, Carel J.; Kerch, Helen M.; and Burdette, Harold E.** Wicking technique for determination of pore size in ceramic materials. *Journal of the American Ceramic Society*, 77, no. 8 (1994) pp. 2220–2222.

- Liebig, E.** *Gebrannte Tonminerale und Traßmehle als puzzolanische Komponenten in Kalkmörteln*. Universität Karlsruhe, Karlsruhe (1997) 110p.
- Liebig, E. and Althaus, E.** Frisch gelöschter Branntkalk als Reparaturmaterial für historische Bauwerke. In *Erhalten historisch bedeutsamer Bauwerke: Baugefüge, Konstruktionen, Werkstoffe: Jahrbuch 1996*. Ernst & Sohn, Berlin (1996) pp. 191–198.
- Liebig, E. and Althaus, E.** Gebrannte Tonminerale als puzzolanische Komponenten bei der Herstellung von Restaurierungsmörteln auf Kalkbasis. *Erhalten historisch bedeutsamer Bauwerke*, Jahrbuch 1995 (1995) pp. 261–272.
- Liebig, E. and Althaus, E.** Kaolinit und Montmorillonit als puzzolanische Komponenten in Kalkmörteln–unbehandelt und nach thermischer Aktivierung. *ZKG international*, 50, no. 5 (1997) pp. 282–290.
- Liebig, E. and Althaus, E.** Kaolinite and montmorillonite as pozzolanic components in lime mortars–untreated and after thermal activation. *ZKG international*, 50, no. 5 (1997) pp. 282–290.
- Liebig, E. and Althaus, E.** Pozzolanic activity of volcanic tuff and suevite: effects of calcination. *Cement and concrete research*, 28, no. 4 (1998) pp. 567–575.
- Liebig, E. and Althaus, E.** Trassmehle als puzzolanische Komponenten bei der Herstellung von Restaurierungsmörteln auf Kalkbasis. In *Erhalten historisch bedeutsamer Bauwerke. Erhalten historisch bedeutsamer Bauwerke: baugefüge, Konstruktionen, Werkstoffe, Jahrbuch 1996*. Sonderforschungsbereich 315. Universität Karlsruhe. Ernst & Sohn, Berlin (1996) pp. 199–207.
- Lin, C.-J.** *The use of chemical analysis for determination of mortars from historical building: application on Our Lady's cathedral in Antwerp*. Center for Conservation (1990) 114p.
- Lindquist, J. and Sandstrom, M.** *Measurement of aggregate size distribution using image analysis in light microscopy*. Technical Notes. Swedish National Testing and Research Institute, Boras (1997) n.p.
- Lindquist, J. E. and Sandström, M.** Quantitative analysis of historical mortars using optical microscopy. *Materials and structures*, 33 (2000) pp. 612–617.
- Lindquist, Jan Erik; Schouenborg, Bjoern; Sandstroem, Matz; Sandstroem, Hans; Sandin, Kenneth; and Sidmar, Eje.** Comprehensive studies of old mortars from three medieval churches in southern Sweden. *Proceedings of the international conference on cement microscopy*, 16 (1994) pp. 306–322.
- Lindsay, Charles S.** Lime preparation at 18th century Louisbourg. *Canadian historic sites*, no. 12 (1975) pp. 5–45.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: comalcalco, part 1. *American antiquity*, 23, no. 2 (1957) pp. 135–139.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: comalcalco, Part II. *American antiquity*, 23, no. 3 (1958) pp. 292–296.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: floor constructions at Uaxactun. *American antiquity*, 28, no. 1 (1962) pp. 100–103.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: Las Flores, Tampico. *American antiquity*, 25, no. 1 (1959) pp. 117–19.

- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: Palenque, Chiapas. *American antiquity*, 25, no. 2 (1959) pp. 264–266.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: the composition and origin of sascab. *American antiquity*, 24, no. 2 (1958) pp. 172–76.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: the Puuc area. *American antiquity*, 25, no. 3 (1960) pp. 407–12.
- Littmann, Edwin R.** Ancient Mesoamerican mortars, plasters, and stuccos: the use of bark extracts in lime plasters. *American antiquity*, 25 (1960) pp. 593–597.
- Littmann, Edwin R.** The classification and analysis of ancient calcareous materials . *American antiquity*, 31, no. 6 (1966) pp. 875–878.
- Litvan, G. G.** Testing the frost susceptibility of bricks. In *Masonry, past and present: a symposium presented at the seventy-seventh annual meeting, American Society for Testing and Materials*. Washington, D.C., 23–28 June 1974 (1975) pp. 123–132.
- Livesey, P.** Hydraulic lime chemistry and performance. *The journal of the building limes forum*, 8 (2001) pp. 32–37.
- Livingston, R. A.** Application of neutron scattering techniques to the investigation of brick and mortar. In *Conservation of historic brick structures: case studies and reports of research*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 157–165.
- Livingston, R. A.** Materials analysis of the masonry of the Hagia Sophia Basilica, Istanbul. In *Structural repair and maintenance of historical buildings, III*. Computational Mechanics Publications, Southampton (1993) pp. 15–31.
- Livingston, Richard A.; Stutzman, P. E.; Mark, R.; and Erdik, M.** Preliminary analysis of the masonry of the Hagia Sophia Basilica, Istanbul. In *Materials issues in art and archaeology III*. San Francisco, California, 27 April–1 May 1992 (1992) pp. 721–736.
- Lixian, Wu and Xincheng, Pu.** Fracture toughness of autoclaved lime–sand concrete. *Cement and concrete research*, 18 (1988) pp. 739–744.
- Loftus, Frank.** High-lime mortar for leak-proof masonry. *Industrial and engineering chemistry*, 27, no. 10 (1937) pp. 1126–1127.
- Lordley, H.** Lime and lime slaking. *Water and sewage works: reference and data section* , no. R-214 (1955).
- Losos, Ludvik.** Historical mortars and plasters. *Sntl technical digest*, 10, no. 9 (1968) pp. 553–560.
- Lovewell, C. E.** History of development of ASTM lime specifications. In *Masonry: past and present: a symposium presented at the seventy-seventh annual meeting of the American Society for Testing and Materials*. Washington, D.C., 28 June 1974 (1975) pp. 3–9.
- Lubelli, B.; van Hees, R. P. J.; and Pel, L.** The role of the pointing mortar in the damage due to salt crystallisation. In *Structural studies, repairs and maintenance of historic buildings, vii*. Brebbia, C. A., Editor. MIT-Press, Cambridge (2001) pp. 537–547.

- Ludwig, U.; Müller-Hesse, H.; and Schwiete, H. E.** Über die Konstitution und das Erhärten hydraulischer Kalke. *Zement-Kalk-Gips*, 13, no. 10 (1960) pp. 449–458.
- Ludwig, U. and Schwiete, H. E.** Beitrag zur Konstitution einiger rheinischer Trasse. *Zement-Kalk-Gips*, 15 (1962) pp. 160–165.
- Ludwig, U. and Wolter, A.** Zur Bildung und Stabilität von Tricalciumsilikat und Alit. *Zement-Kalk-Gips: ZKG*, 13 (1979) pp. 449–458.
- Luping, Tang.** Study of the quantitative relationship between strength and pore-size distribution of porous materials. *Cement and concrete research*, 16, no. 1 (1986) pp. 87–96.
- Lux, E.** Entwicklungen betreffend die Fixierung von Mörtelschichten an Untergründen—speziell an Decken: Schadensursachen—Lösungsvorschläge. *Restauratorenblätter*, 9 (1987) pp. 78–80.
- Luxan, M. P. and Dorrego, F.** Ancient XVI century mortar from the Dominican Republic: its characteristics, microstructure and additives. *Cement and concrete research*, 26, no. 6 (1996) pp. 841–849.
- Luxan, M. P.; Dorrego, F.; and Laborde, A.** Ancient gypsum mortars from St. Engracia (Zaragoza, Spain): characterization. *Cement and concrete research*, 25, no. 8 (1995) pp. 1755–1765.
- Lynch, G.** Lime mortars for brickwork: traditional practice and modern misconceptions, part one. *Journal of architectural conservation*, 4, no. 1 (1988) pp. 7–20.
- Lynch, G.** Lime mortars for brickwork: traditional practice and modern misconceptions, part two. *Journal of architectural conservation*, 4, no. 2 (1988) pp. 7–19.
- Lyon, Ethel V.** Literature of cement, lime, plaster, and gypsum. In *Advances in Chemistry Series*. Smith, Julian F., Editor. (1968) pp. 122–141.
- Macias, A.; de Frutos, J.; Blanco, M. T.; and Puertas, F.** The deterioration of mortars in Toledo's Cathedral: studies on thermal and hygric expansion. In *Proceedings of the 7th international congress on deterioration and conservation of stone*. Lisbon, Portugal, 15–18 June 1992 (1992) pp. 1213–1221.
- Maciejewski, M. and Reller, A.** Formation of amorphous CaCO<sub>3</sub> during the reaction with CO<sub>2</sub> with CaO. *Thermochimica acta*, 142 (1989) pp. 175–188.
- Mack, R. C. and Speweik, J. P.** Repointing mortar joints in historic masonry buildings. *Preservation briefs*, no. 2 (1998) pp. 1–16.
- Mackenzie, R. C. (Editor).** *Differential thermal analysis*, Volume 1: fundamental aspects. Academic Press, London (1970) 775p.
- Maddinelli, G.** NMR imaging application to the study of adsorption/precipitation of chemicals inside porous media. *Magnetic resonance imaging*, 16, no. 5/6 (1998) pp. 665–668.
- Magaloni, D.** *Materiales y tecnicas de la pintura mural Maya*. Universidad Nacional Autonoma de Mexico, Mexico City (1996) 166p.
- Magaloni, D.; Pancella, R.; Fruh, Y. ; and Canetas, J.** Studies on the Mayan mortars technique. In *Materials issues in art and archaeology IV: symposium*. Cancun, Mexico, 16–21 May 1994 (1995) pp. 483–489.

- Magaloni, Diana; Falcon, T.; Cama, J.; Siegel, R. W.; Lee, R.; Pancella, R.; Banos, L.; and Castano, V.** Electron microscopy studies of the chronological sequences of Teotihuacan plaster technique. In *Materials issues in art and archaeology*, III, 267. San Francisco, California, 27 April 1992–1 May 1992 (1992) pp. 997–1005.
- Maier, J.** Alte Innenputze sachgerecht instandsetzen. *Bausanierung*, 2, no. 96 (1996) pp. 73–77.
- Mainstone, R.** Questioning Hagia Sophia. In *The structure of Hagia Sophia from the age of Justinian to the present*. Princeton University Press, Princeton (1990) 8p.
- Mainstone, R.** Stability concepts from the Renaissance to today. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 65–78.
- Mainstone, R.** Structural theory and design before 1742. *The architectural review*, April (1968) pp. 303–310.
- Mainstone, Rowland J.** *Developments in structural form*. MIT Press, Cambridge (1975) 350p.
- Maisons paysannes de Moselle.** *Les mortiers à la chaux aérienne*. Maisons paysannes de Moselle, Metz (n.d.) 23p.
- Majumdar, A. J.; Rayment, D. L.; and Pettifer, K.** *Microstructure and microanalysis of some ancient building materials*, DOE/RW/89.056. Building Research Establishment (BRE), Watford (1989) 35p.
- Malesani, Piergiorgio; Manganelli, Carlo; and Vannucci, Sergio.** Applications of mineralogical–petrographic techniques to the study of S. Reparata Basilica (the Old Cathedral of Florence). In *The conservation of stone, I: proceedings of the international symposium*. Bologna, Italy, 19–21 June 1976 (1976) pp. 81–88.
- Malinowski, R.** Betontechnische Problemlösungen bei antiken Wasserbauten. *Mitteilungen des Leichtweiß Instituts für Wasserbauten der TU Braunschweig*, 64 (1979) p.16.
- Malinowski, R.** Concretes and mortars in ancient aqueducts. *Concrete international* (1979) pp. 66–76.
- Malinowski, Roman.** Ancient mortars and concretes: aspects of their durability. *History of technology*, 7 (1982) pp. 89–100.
- Malinowski, Roman.** Durable ancient mortars and concretes. *Nordic concrete research*, December, no. 1 (1981) pp. 1–22.
- Malinowski, Roman and Garfinkel, Y.** Prehistory of concrete. *Concrete international: design and construction*, 13, no. 3 (1991) pp. 62–68.
- Mamillan, M.** Connaissances actuelles des problèmes de remontées d'eau par capillarité dans les murs. In *The conservation of stone II: preprints of the contributions to the international symposium*. Bologna, Italy, 27–30 October 1981 (1981) pp. 59–72.
- Mamillan, M.** La gélivité des matériaux. *Supplement to the annales de l'institut technique du bâtiment et des travaux publics*, 20 (1967) pp. 235–236.
- Mamillan, M.** Les méthodes expérimentales appliquées à l'établissement du diagnostic et à l'étude de la stabilité des structures anciennes. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 127–139.
- Mann, W. and Muller, H.** Failure of shear-stressed masonry—an enlarged theory, tests and application to shear walls. *Load-bearing brickwork. Proceedings of the British ceramic society*, 7, no. 30 (1982) pp. 223–235.

- Mann, W. and Muller, H.** Schubtragfähigkeit von gemauerten wänden und voraussetzungen für das entfallen des windnachweises. In *Mauerwerk-Kalender 1985*. (1985) pp. 95–114.
- Mann, W. and Schatz, O.** Über die beeinflussung der festigkeit von zementmörteln durch karbonatisation. *Betonstein-Zeitung*, 4 (1967) pp. 148–156.
- Mannoni, T.** Ricerche su malte genovesi alla "porcellana". In *Le scienze, le istituzioni, gli operatori alla soglia degli anni '90*. Progetto Editore, Padua (1988) pp. 137–141.
- Manz, B.; Alexander, P.; Warren, P. B.; and Gladden, L. F.** Characterisation of fluid flow through porous media using three-dimensional microimaging and pulsed gradient stimulated echo NMR . *Magnetic resonance imaging*, 16, no. 5/6 (1998) pp. 673–675.
- Marchese, B.** The chemical-composition of lime plasters—discussion. *Cement and concrete research*, 18, no. 1 (1988) pp. 151–155.
- Marchese, B.** Non-crystalline Ca(OH)<sub>2</sub> in ancient non-hydraulic lime mortars. *Cement and concrete research*, 10 (1980) pp. 861–864.
- Mark, R.** *Experiments in Gothic structure*. MIT Press, Cambridge (1982) 135p.
- Mark, R.** Structural archeology: photo-elastic and finite-element modeling of historic architecture. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 79–91.
- Mark, R. and Jonash, R. S.** Wind loading on Gothic structure. *Journal of the architectural historians*, 29 (1970) pp. 222–30.
- Mark, R. and Prentke, R. A.** Model analysis of Gothic structure. *Journal of the architectural historians*, 27 (1968) pp. 44–8.
- Mark, Robert and Cakmak, Ahmet S.** Mechanical tests of material from the Hagia Sophia dome. *Dumbarton Oaks papers*, 48 (1994) pp. 277–279.
- Martin, William.** Stone consolidants: a review. In *A future for the past*. Teutonico, Jeanne Marie, Editor. James and James, London (1996) pp. 30–50.
- Martinet, G. and Quenee, B.** Proposal for a useful methodology for the study of ancient mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 81–92.
- Martinet, Gilles; Deloye, Francois-Xavier; and Golvin, Jean-Claude.** Caractérisation des mortiers pharaoniques du temple d'Amon à Karnak. *Bulletin de liaison des laboratoires des ponts et chaussées*, no. 181 (1992) pp. 39–45.
- Martinet, Gilles; Deloye, Francois-Xavier; and Le Roux, André.** Natures et altérations des mortiers de restauration du Temple d'Amon à Karnak. *Bulletin de liaison des laboratoires des ponts et chaussées*, no. 182 (1992) pp. 21–26.
- Martinet, Gilles; Le Roux, André; and Martineau, Francois.** Mise au point et optimisation de mortiers pour la restauration des monuments de Haute-Egypte: actualisation des résultats. *Bulletin de liaison des laboratoires des ponts et chaussées*, no. 190 (1994) pp. 65–75.

- Martinez-Ramirez, S.** Behaviour of repair lime mortar by wet deposition process . *Cement and concrete research*, 28 (1998) pp. 221–229.
- Martinez-Ramirez, S.; Puertas, F.; and Blanco-Varela, M. T.** Behaviour of lime mortar in atmospheric simulation chambers. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–04 October 1996 (1996) pp. 1557–1563.
- Martinez-Ramirez, S.; Puertas, F.; and Blanco Varela, M. T.** Carbonation process and properties of a new lime mortar with added sepiolite. *Cement and concrete research*, 25, no. 1 (1995) pp. 39–50.
- Martinez-Ramirez, S.; Puertas, F.; and Blanco-Varela, M. T.** Effect of "acid rain" on the degradation of lime mortar. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September –4 October 1996 (1996) pp. 1573–1584.
- Martinez-Ramirez, S.; Puertas, F.; and Blanco-Varela, M. T.** Stability of sepiolite in neutral and alkaline media at room temperature. *Clay minerals*, 31, no. 2 (1996) pp. 225–232.
- Martinez-Ramirez, S.; Puertas, F; Blanco-Varela, M. T.; and Thompson, G. E.** Studies on degradation of lime mortars in atmospheric simulation chambers. *Cement and concrete research*, 27, no. 5 (1997) pp. 777–784.
- Martinez-Ramirez, S.; Puertas, F.; Blanco-Varela, M. T.; Thompson, G. E.; Haneef, S. J.; and Wood, G. C.** Durability of a new lime mortar with biocide properties. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–4 October 1996 (1996) pp. 1565–1571.
- Martinez-Ramirez, S.; Puertas, F.; Blancovarela, M. T.; and Thompson, G. E.** Effect of dry deposition of pollutants on the degradation of lime mortars with sepiolite. *Cement and concrete research*, 28, no. 1 (1998) pp. 125–133.
- Martinez-Ramirez, S. and Thomson, G. E.** Degradation of lime–pozzolan mortar exposed to dry deposition of SO<sub>2</sub> pollutant gas: influence of curing temperature. *Materials and structures*, 32, no. 219 (1999) pp. 377–383.
- Martys, N. S. and Ferraris, C. F.** Capillary transport in mortars and concrete. *Cement and concrete research*, 27, no. 5 (1997) pp. 747–760.
- Martínez, M. C. I.; Seoane, A. N.; and Romani, J. R. V.** Study of the deterioration of the ancient stone walls of San Antolín de Toques in Galicia, Spain, and the influence of the substitution of traditional lime mortars. In *Structural studies, repairs and maintenance of historical buildings (STREMAH): proceedings of the 5th conference*. San Sebastian, Spain, 1997 (1997) pp. 221–231.
- Martínez-Ramírez, S.; Puertas, F.; Blanco-Varela, M. T.; Thompson, G. E.; and Almendros, P.** Behaviour of repair lime mortars by wet deposition process. *Cement and concrete research*, 28, no. 2 (1998) pp. 221–229.
- Martínez-Ramírez, S. and Thompson, G. E.** Wet deposition of hydraulic mortars. *Materials and structures = Matériaux et constructions*, 32, no. 222 (1999) pp. 606–610.
- Marusin, Stella L.** Shale brick interface with cement-lime and polymer-modified mortars. *Journal of the American Ceramic Society*, 73, no. 8 (1990) pp. 2301–2308.
- Marusin, Stella L.** Study of the causes of mortar failure by means of the scanning electron microscope (SEM). In *Proceedings of the fourth international conference on cement microscopy*. Las Vegas, Nevada, 28 March–1 April 1982 (1982) pp. 235–247.

**Masonry Advisory Council.** "Mortar". Web page, [accessed 3 February 2000]. Available at:  
<http://www.maconline.org/tech/materials/mortar.html>.

**Matero, F. G.** Conservation of architectural plaster: Fort Union, New Mexico. *Conservation and management of archaeological sites*, 1, no. 1 (1995) pp. 5–24.

**Matsuda, O. and Yamada, H.** Experimental study of the manufacture of building materials by carbonation of slaked lime. *Sekko to sekka = Gypsum & Lime*, no. 125 (1973) pp. 8–17.

**Matsuda, O. and Yamada, H.** Investigation of the manufacture of building materials by carbonation hardening of slaked lime. *Sekko to sekka = Gypsum & Lime*, no. 125 (1973) pp. 170–179.

**Matsushita, Isao; Hamada, Yukitoshi; Suzuki, Takashi; Nomura, Yuji; Moriga, Toshihiro; Ashida, Toshifumi; and Nakabayashi, Ichiro.** Crystal structure of basic calcium carbonate and its decomposition process in water. *Journal of the Ceramic Society of Japan, international edition*, 101, December (1993) pp. 1335–1339.

**Matsushita, Isao; Nakanishi, Junichi; Kono, Toshio; Sekita, Toshikazu; Moriga, Toshihiro; Ashida, Toshifumi; and Nakabayashi, Ichiro.** Effect of atmosphere on the pyrolysis process of basic calcium carbonate. *Journal of the Ceramic Society of Japan, international edition*, 103, no. 3 (1995) pp. 243–246.

**Matteini, M.; Moles, A.; and Giovannoni, S.** Calcium oxalate as a protective mineral system for wall paintings: methodology and analyses. In *La conservazione dei monumenti nel bacino del Mediterraneo . Materiali lapidei e monumenti: metodologie per l'analisi del degrado e la conservazione. Atti del 3° Simposio Internazionale=The Conservation of monuments in the Mediterranean Basin. Stone and monuments: methodologies for the analysis of weathering and conservation. Proceedings of the 3rd international symposium*. Venice, 22–25 June 1994 (1994) pp. 155–161.

**Matteini, M.; Moles, A.; Lanterna, G.; and Nepoti, M. R.** Preliminary monitoring on painted plasters and marble surfaces of a mineral protective treatment based on artificially formed calcium oxalate. In *Atti del II international symposium on "The oxalate films in the conservation of works of art"*. Milan, 25–27 March 1996 (1996) pp. 423–440.

**Matteini, M.; Moles, A.; and Rizzi, M.** Verifica di procedure di separazione legante/aggregato nelle malte di intonaci pittorici. *OPD restauro: rivista dell'Opificio delle pietre dure e Laboratorio*, 1989 (1989) pp. 59–65.

**Matter, A. and Wiggenhauser, B.** Frühmittelalterliche Gebäude und fünf Mörtelmischwerke südöstlich des ehemaligen Chorherrenstifts in Embrach (Kanton Zürich). *Zeitschrift für Schweizerische Archäologie und Kunstgeschichte*, 51, no. 2 (1994) pp. 45–76.

**Matthys, J. H.** *Brick masonry diagonal tension (shear) tests*. (1980) 11p.

**Matthys, J. H.** *Brick masonry flexural bond strengths using conventional masonry mortars*. unpublished report, with support of the National Lime Association (1988) 12p.

**Matthys, J. H.** Concrete masonry flexural bond strength prisms vs. wall tests. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 677–686.

**Matthys, J. H.** *Final report: flexural bond strength solid vs. cored claybrick*. unpublished report (1988) 81p.

**Matthys, J. H.** *Interim report. Conventional masonry mortar investigation*. unpublished (1987) 24p.

- Matthys, J. H.** Water penetration investigation of concrete block assemblage using conventional masonry mortars. In *Proceedings of the fifth North American masonry conference*, IV. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 1425–1440.
- Maude, F.** Petworth House, West Stable Range; lime ash flooring. *The journal of the building limes forum*, 8 (2001) pp. 12–15.
- Maura, G.** Dosaggio della calce in malte pozzolaniche recenti ed antiche. *Materiali e strutture: problemi di conservazione*, 6, no. 2 (1996) pp. 49–59.
- Maurenbrecher, A. H. P.; Suter, G. T.; Trischuk, K.; and Fontaine, L.** Contribution to pointing mortar to durability . In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 361–370.
- Maxwell, Ingval**, Editor. *Cost action C5: Urban heritage-building maintenance : working group 5. Lime technology workshop on rendered facades*. Stockholm, 13–15 September 1990 (2000) viii + 36p.
- Mazzullo, S. J. and Reid, A. M.** Sedimentary textures of recent Belizean peritidal dolomite. *Journal of sedimentary petrology*, 58, no. 3 (1988) pp. 479–488.
- Mazzullo, S. J.; Teal, C. S.; and Graham, Elizabeth.** Mineralogic and crystallographic evidence of lime processing, Santa Cruz Maya site (Classic to Postclassic), Ambergris Caye, Belize. *Journal of archaeological science*, 21 (1994) pp. 785–795.
- Mc Callion, Bob.** Retaining historical authenticity with resin injection techniques . *Building trades journal*, 182, no. 5432 (1981) pp. 32–33.
- McCaig, Iain.** The Smeaton Project: factors affecting the properties of lime-based mortars for use in the repair and conservation of historic buildings. In *Lime and other alternative cements*. Hill, Neville; Holmes, Stafford; and Mather, David, Editors. Intermediate Technology, London (1992) pp. 237–244.
- McClellan, G. H. and Eades, J. L.** The textural evolution of limestone calcines. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials*. Atlantic City, New Jersey, 22–27 June 1969 (1970) pp. 209–227.
- McDonald, L. and Allen, J.** Demystifying lime. *Construction repair*, 11, no. 2 (1997) pp. 4–7.
- McGarvie, Donald and Parolis, Haralambos.** The acid-labile, peripheral chains of the mucilage of *Opuntia ficus-indica*. *Carbohydrate research*, 94 (1981) pp. 57–65.
- McGee, D. J.** The "early vaults" of Saint-Etienne at Beauvais. *Journal of the Society of Architectural Historians*, XLV (1986) pp. 20–31.
- McKee, Harley J.** *Introduction to early American masonry. Stone, brick, mortar and plaster*. The Preservation Press, Washington, D.C. (1973) 92p.
- McKenzie, L.** The microscope: a method and tool to study lime burning and lime quality. *World cement*, 25, no. 11 (1994) pp. 56–59.
- McKinnon, J. and May, E. M.** Small-scale Maya lime making in Belize, ancient and modern. *Ancient mesoamerica*, 1 (1990) pp. 197–203.

- McLaughlin, David.** Lime-based mortars in Bath. *Transactions of the Association for Studies in the Conservation of Historic Buildings*, 6 (1981) pp. 54–56.
- McNary, W. Scott and Abrams, D.** Mechanics of masonry in compression. *Journal of structural engineering*, 111, no. 4 (1985) pp. 857–870.
- Mehlmann, M.** Kalk–Das Bindemittel der Denkmäler–auch das Bindemittel der Denkmalpfleger? *Bautenschutz + Bausanierung*, 15, no. 3 (1992) pp. 14–15.
- Mehlmann, M.** Wechselwirkung von Putzsystemen mit sauren Luftinhaltstoffen (insbesondere SO<sub>2</sub>). *Bautenschutz und Bausanierung*, 11 (1988) pp. 157–162.
- Mehlmann, M.** Zum Stand der Putz- und Mörtelforschung. *Zement–Kalk–Gips: ZKG*, 42, no. 1 (1989) pp. 41–45.
- Meier, H. G.** Der mineralische Fassadenputz. In *Fassadenschutz und Bausanierung*. Weber, H., Editor. Expert verlag (1994) pp. 203–248.
- Meier, H. G.** Lexikon der Bauwerkserhaltung–Putzinstandsetzung. *Bausubstanz*, 8 (1990) pp. 56–57.
- Meier, H. G.** Lexikon der Bauwerkserhaltung–Putzinstandsetzung. *Bausubstanz*, 9 (1990) pp. 60–61.
- Meier, H. G.** Lexikon der Bauwerkserhaltung–Putzinstandsetzung. *Bausubstanz*, 10 (1990) pp. 54–55.
- Meier, H. G.** Lexikon der Bauwerkserhaltung–Putzinstandsetzung. *Bausubstanz*, 11/12 (1990) pp. 46–47.
- Meier, H. G.** Putzsysteme. *Bausubstanz*, 9 (1994) pp. 63–67.
- Meier, H. G.** Zuschläge und Zusätze für Fassadenputze. *Bausubstanz*, 4 (1995) pp. 52–56.
- Meinhard, M.** Schon die Germanen brannten Kalk. *Tonindustrie–Zeitung*, 83, no. 3 (1959) p.69.
- Menicali, U.** *I materiali dell'edilizia storica: tecnologia e impiego dei materiali tradizionali*. La Nuova Italia Scientifica, Roma (1992) 286p.
- Menz, H. L.** *Bausteine zur Burgfeste Dillenburg*. S. 62/63. Dillenburg (1933) 80p.
- Messori, M.; Zannini, P.; Mairani, A.; and Matteini, M.** New proposals for the conservation – consolidation of stones and plasters: analytical characterization and trial applications of BA aluminates. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 561–568.
- Metha, P. K.** Mechanism of sulfate attack on Portland cement concrete–another look. *Cement and concrete research*, 13 (1983) pp. 401–406.
- Meucci, C.; Marini, S.; and Santarelli, M. L.** Le malte pozzolaniche della basilica Giulia al Foro Romano. In *Calcestruzzi antichi e moderni: storia, cultura e tecnologia. Atti del convegno di studi*. Bressanone, Italy, 6–9 July 1993 (1993) pp. 221–229.
- Meucci, C. and Rossi–Doria, P.** Analyse et caractérisation de quelques types d'anciens mortiers orientals. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 351–358.

- Michaelis, W.** Die alten Mörtel des Hochschlosses der Marienburg. *Centralblatt der Bauverwaltung v. 15 February 1896* (1896) pp. 70–71.
- Michaelis, W.** *Die hydraulischen Mörtel, insbesondere der Portland-Cement in chemische, technischer Beziehung für Fabrikanten, Bautechniker, Ingenieure und Chemiker. Kap. Die Eigenschaften des Portland-Cementes.* Verlag von Quandt & Händel, Leipzig (1869) 186–210p.
- Michaelis, W.** Über Kalkmörtel. *Tonindustrie-Zeitung*, 32 (1908) pp. 738–742.
- Michoinova, D.** Lime based mortars for restoration of historical mortars especially under wall paintings. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 287–296.
- Middendorf, B.** *Charakterisierung historischer Mörtel aus Ziegelmauerwerk und Entwicklung von wasserresistenten Fugenmörteln auf Gipsbasis.* Universitat-Gesamthochschule-Siegen (1994) 195p.
- Middendorf, B.** Crystallization and recrystallization processes of gypsum mortars during weathering. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 365–372.
- Middendorf, B.; Baronio, G.; Callebaut, K.; and Hughes, J.** Chemical-mineralogical and physical-mechanical investigations of old mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 53–60.
- Middendorf, B. and Knofel, D.** Characterization of historic mortars from buildings in Germany and the Netherlands. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 177–196.
- Middendorf, B. and Knofel, D.** Gypsum and lime mortars of historic German brick buildings. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 197–208.
- Middendorf, B. and Knofel, D.** Water-resistant gypsum-lime mortars for the restoration of historic brick buildings. In *Conservation of historic brick structures*. Baer, N. S.; Fitz, S.; and Livingston, R. A., Editors. Donhead, Dorset (1998) pp. 311–324.
- Middendorf, Bernd.** Gipsmörtel im historischen Mauerwerk. In *Putzinstandsetzung*, 9. Verlag für Bauwesen, Berlin (1998) pp. 35–49.
- Milia, F.; Fardis, M.; Papavassiliou, G.; and Leventis, A.** NMR in porous materials. *Magnetic resonance imaging*, 16, no. 5/6 (1998) pp. 677–678.
- Miller, Thomas C.** *A study of reaction between calcium oxide and water.* National Gypsum Co. Buffalo (1961) 42p.
- Mills, A. P.; Hayward, H. W.; and Rader, L. F.** Lime. In *Materials of construction: their manufacture and properties*. John Wiley & Sons, New York (1939) pp. 335–349.
- Miltiadou, Androniki.** *Contribution à l'étude des coulis hydrauliques pour la réparation et le renforcement des structures et des monuments.* Ecole nationale des ponts et chaussées, Paris (1990) 353p.
- Mindess, S. and Diamond, S.** The cracking and fracture of mortar. *Materials and structures*, 15, no. 86 (1982) pp. 107–113.

- Minnick, L. John.** Effect of lime on characteristics of mortar in masonry construction. *Ceramic bulletin*, 38, no. 5 (1959) pp. 239–245.
- Minnick, L. John.** Effect of lime on characteristics of mortar in masonry construction. *Ceramic bulletin*, 38, no. 5 (1959) pp. 239–245.
- Mirza, W. H.; Al-Noury, S. I.; and Cebeci, O. Z.** Adverse effects of hot weather on masonry. In *CIB 86: advancing building technology. Proceedings of the 10th triennial congress of the international council for building research, studies and documentation*. Washington, D.C., 22–26 September, 1986 (1986) pp. 2938–2944.
- Mishara, Joan.** The plasters of the ore washing structures at Laurion. In *Archaeometry: proceedings of the 25th international symposium*. Maniatis, Y., Editor. Elsevier Science Publishers B.V., Amsterdam (1989) pp. 191–205.
- Mitchell, R. S.** Single-crystal x-ray study of calcium hydroxide. *Zeitschrift für Kristallographie, Kristallgeometrie, Kristallphysik, Kristallchemie*, 125, no. 1/6 (1967) pp. 272–273.
- Monk, C. B.** Adaptations and additions to ASTM test method E514 (waterpermeance of masonry) for field conditions. In *Masonry : materials, properties and performance: a symposium*. Orlando, Florida, 9 December 1980 (1982) pp. 237–244.
- Montana, G.** Mineralogical–petrographic characterization of plasters by BSE images and their digital processing. *Science and technology for cultural heritage*, 4, no. 2 (1995) pp. 23–31.
- Moorehead, D. R.** Cementation by the carbonation of hydrated lime. *Cement and concrete research*, 16, no. 5 (1986) pp. 700–708.
- Mora, Laura.** Les matériaux des enduits traditionnels. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 375–383.
- Morgan, G. C.** Mortar and plaster in research, conservation and restoration. In *Science and site: evaluation and conservation*. Bournemouth, United Kingdom, 8–10 September 1993 (1995) pp. 238–247.
- Moriconi, G.; Castellano, M. G.; and Collepardi, M.** Mortar deterioration of the masonry walls in historic buildings: a case history: Vanvitelli's Mole in Ancona. *Materials and structures*, 27, no. 171 (1994) pp. 408–414.
- Moritz, W.** *Kalkbrennöfen*. Verlag des Vereins Deutscher Kalkwerke, Berlin (1924) 66p.
- Moropoulou, A. and Bakolas, A.** Range of acceptability limits of physical, chemical and mechanical characteristics deriving from the evaluation of historic mortars. In *Compatible materials for the protection of European cultural heritage*, PACT 56. Biscontini, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 165–178.
- Moropoulou A.; Bakolas A.; and Aggelakopoulou, E.** The effects of limestone characteristics and calcination temperature to the reactivity of the quicklime. *Cement and concrete research*, 31 (2001) pp. 633–639.
- Moropoulou, A.; Bakolas, A.; and Bisbikou, K.** Characterization of ancient, Byzantine and later historic mortars by thermal and x-ray diffraction techniques. *Thermochimica acta*, 269 (1995) pp. 779–795.
- Moropoulou, A.; Bakolas, A; and Bisbikou, K.** Physico-chemical adhesion and cohesion bonds in joint mortars imparting durability to the historic structures. *Construction and buildings materials*, 14, no. 1 (2000) pp. 35–46.

- Moropoulou, A.; Bakolas, A.; Moundoulas, P.; and Cakmak, A. S.** Compatible restoration mortars, preparation and evaluation for Hagia Sophia earthquake protection. In *Compatible materials for the protection of European cultural heritage*, PACT 56. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 79–118.
- Moropoulou, A.; Biscontin, G.; Bakolas, A.; and Bisbikou, K.** Technology and behavior of rubble masonry mortars . *Construction and building materials*, 11, no. 2 (1997) pp. 119–129.
- Moropoulou, A.; Biscontin, G.; Bisbikou, K.; Bakolas, A.; Theoulakis, A.; Theodoraki, A.; Tsiourva, T.; and Zendri, E.** "Opus caementicum" mortars in a polluted and marine atmosphere: behaviour patterns distinct to cement and lime mortars. In *Calcestruzzi antichi e moderni: storia, cultura e tecnologia. Atti del convegno di studi*. Bressanone, Italy, 6–9 July 1993 (1993) pp. 357–371.
- Moropoulou, A.; Cakmak, A.; and Biscontin, G.** Crushed brick/lime mortars of Justinian's Hagia Sophia. In *Material issues in art and archaeology V*. Boston, 3–5 December 1996 (1997) pp. 307–316.
- Moropoulou, A.; Kouli, M.; Christaras, B.; and Tsiourva, Th.** Non-destructive evaluation of the performance of mortars on historic masonries. In *Compatible materials for the protection of European cultural heritage*, PACT 55. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 243–266.
- Moropoulou, A.; Maravelaki-kalaitzaki, P.; Borboudakis, M.; Bakolas, A.; Michailidis, P.; and Chronopoulos, M.** Historic mortars technologies in Crete and guidelines for compatible restoration mortars. In *Compatible materials for the protection of European cultural heritage*, PACT 56. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 55–72.
- Moropoulou, A.; Theodoraki, A.; Bisbikou, K.; and Michailidis, M.** Restoration synthesis of crushed brick mortars simulating Byzantine lime and material technologies in Crete. In *Materials issues in art and archaeology IV: symposium*. Cancun, Mexico, 16–21 May 1994 (1995) pp. 759–769.
- Moropoulou, A.; Theoulakis, Panagiotis; Bisbikou, K.; Theodoraki, A.; Chondros, N.; Biscontin, Guido; Zendri, Elisabetta; and Bakolas, A.** Study of mortars in the medieval city of Rhodes. In *Conservation of stone and other materials: proceedings of the International RILEM/UNESCO Congress 'Conservation of stone and other materials: research-industry-media'*. Paris, 29 June–1 July 1993 (1993) pp. 394–401.
- Moropoulou, A.; Tsiourva, Th.; Bisbikou, K.; Biscontin, G.; Bakolas, A.; and Zendri, E.** Hot lime technology imparting high strength to historic mortars. *Construction and building materials*, 10, no. 2 (1996) pp. 151–159.
- Moropoulou, Antonia; Bakolas, Asterios; and Bisbikou, Katerina.** Investigation of the technology of historic mortars. *Journal of cultural heritage*, 1, no. 2000 (1999) pp. 45–58.
- Moropoulou, Antonia; Bakolas, Asterios; Michailidis, P.; Chronopoulos, M.; and Spanos, Ch.** Traditional technologies in Crete providing mortars with effective mechanical properties. In *Structural studies of historical buildings, IV*. Brebbia, C. A. and Leftheris, B. Computational Mechanics Publications, Southampton (1995) pp. 151–161.
- Moropoulou, Antonia; Bakolas, Asterios; and Moundoulas, Petros.** Criteria and methodology for restoration mortars compatible to the historic materials and structures. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 403–412.
- Morrison, R. L. and Boyd, E. A.** The effect of sugar upon the tensile strength of portland cement mortar. *Concrete*, 32, no. 1 (1928) p.26.

- Moss, J. B.** *Properties of engineering materials*. Butterworths, London (1971) vi + 332p.
- Mothes, O.** *Illustriertes Bau-Lexikon*. Verlagsbuchhandlung Otto Spurer, Leipzig (1881–1884)
- Mouton, B.** Méthodes d'analyse destructives et non-destructives pour les structures historiques. Avantages et limites. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 141–156.
- Mueller, U. and Hansen, E. F.** Use of digital image analysis in conservation of building materials. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 603–610.
- Mulenga, D. N.; Nobst, P.; and Stark, J.** Praxisnahes Prüfverfahren zum Sulfatwiderstand von Beton und Mörtel mit und ohne Flugasche. In *37. DAFStb-Forschungskolloquium*. Weimar, Germany, 7–8 October 1999 (1999) pp. 197–213.
- Müller, Ranier.** Mittelalterliche Mauerwerkstechniken am Beispiel ausgewählter Dorfkirchen in Thüringen. In *Bauforschung und Archäologie*. Lukas Verlag, Berlin (2000) pp. 330–348.
- Mullins, P. J. and O'Connor, C.** Reinforcement of brick walls spanning vertically. *Journal of structural engineering*, 113, no. 2 (1987) pp. 334–348.
- Mullins, R. C. and Hatfield, J. D.** Effects of calcination conditions on the properties of lime. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials*. Atlantic City, New Jersey, 22–27 June 1969 (1970) pp. 117–131.
- Murray, J. and Fischer, H. C.** A study of white coat plaster by differential thermal analysis. *Proceedings of the annual meeting. American Society for Testing Materials*, 51 (1951) pp. 1197–1212.
- Murray, James A.** *Report on National Lime Association Fellowship on fundamental research on lime at Massachusetts Institute of Technology, 1953–54*. (1954) 31p.
- Murray, James A.** *Report to National Lime Association on summary of fundamental research on lime and application of results to commercial problems*. (1956) 19p.
- Müller, A.; Fuhr, C.; and Knöfel, D.** Frost resistance of cement mortars with different lime contents. *Cement and concrete research*, 25, no. 4 (1995) pp. 809–818.
- Müller-Haeseler, W.** *Die Dyckerhoffs: Eine Familie und ihr Werk*. Hase & Koehler Verlag, Mainz (1989) 199p.
- Müller, R.** Die ungarischen Kalkbrennöfen. *Zeitschrift für Archäologie des Mittelalters*, 4 (1976) pp. 69–82.
- Müller-Skjold, F.** Über antike Wandputze. *Angewandte Chemie*, 53 (1940) pp. 139–141.
- Müßig, E.; Gödicke-Dettmering, T.; and Strübel, G.** Untersuchung hydraulischer Kalke als Restaurierungsmaterial in der Denkmalpflege – Zur Unterscheidung von zementfreien, natürlichen (NHL) und gemischten, künstlichen hydraulischen Kalken. *Oberhessische Naturwissenschaftliche Zeitschrift*, 59 (1997) pp. 29–45.
- Naldini, S.; van Hees, R. P. J.; Pilar de Luxan, M.; Dorrego, F.; van Balen, K. E. P.; Hayen, R.; Binda, L.; and Baronio, G.** Historical pointing and the preservation of its value. In *Structural studies, repairs and maintenance of historic buildings*, vii. Brebbia, C. A., Editor. MIT Press, Cambridge (2001) pp. 671–680.

- Nancollas, G. H. and Purdie, N.** The kinetics of crystal growth. *Quarterly reviews*, 18 (1964).
- National Park Service.** "Preservation brief 2: repointing mortar joints in historic masonry buildings". Web page, [accessed 3 February 2000]. Available at: <http://www.angelfire.com/biz/BuildingPathology/mortar.html>.
- Neagele, E.** Untersuchung historischer baustoffe mit modernen physikalischen methoden. *Bautenschutz + Bausanierung*, 10, no. 3 (1987) pp. 118–119.
- Neumann.** Beiträge zur Geschichte der Mörtelbereitung. *Cement*, 6 (1916) p.32.
- Neumann.** Beiträge zur Geschichte der Mörtelbereitung. *Cement*, 9 (1916) pp. 53–55.
- Neumann.** Beiträge zur Geschichte der Mörtelbereitung. *Cement*, 8 (1916) pp. 46–47.
- Neumann.** Beiträge zur Geschichte der Mörtelbereitung. *Cement*, 7 (1916) pp. 37–38.
- Neumann, Hans-Hermann; Kunze, Niels; Pache, Thadeus; Schlüter, Frank; and Juling, Herbert.** Mikroskopische Untersuchungen an historischen Kalkmörteln von Feldsteinkirchen in Brandenburg. In *Mittelalterliche Putze und Mörtel im Land Brandenburg: vorgest. im Rahmen d. 4. Potsdamer Koll. z. Denkmalpflege v. 12.–13.2.1998 in Potsdam; [Modellprojekt AZ 01109...]*. Arbeitsheft 9 des Brandenburgischen Landesamtes für Denkmalpflege. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1998) pp. 56–87.
- Newton, R. G. and Sharp, J. H.** The chemical composition of lime plasters. *Cement and concrete research*, 17, no. 1 (1987) pp. 77–80.
- Newton, R. G. and Sharp, J. H.** The chemical compostion of lime plasters. Reply. *Cement and concrete research*, 18, no. 1 (1988) pp. 156–158.
- Newton, R. G. and Sharp, J. H.** An investigation of the chemical constituents of some Renaissance plasters. *Studies in conservation*, 32, no. 4 (1987) pp. 163–175.
- Ney, P.** Die Ergiebigkeit von Branntkalken bei der Breilösung und ihre Einflußfaktoren. *Zement-Kalk-Gips*, 15 (1962) pp. 121–135.
- Ney, P.** Die erhärtung von luftkalkmörteln als kristallisationsvorgang. *Zement-Kalk-Gips*, 10 (1967) pp. 429–452.
- Ney, P.** Die Erhärtung von Luftkalkmörteln als Kristallisationsvorgang. *Zement-Kalk-Gips*, 20 (1967) pp. 429–434.
- Niesel, K.** Zum Problem des Nachstellens von Kalkmörteln. *Bautenschutz + Bausanierung*, 17, no. 2 (1994) pp. 65–68.
- Niesel, K. and Schimmelwitz, P.** Zur Kenntnis der Vorgänge bei der Erhärtung und Verwitterung von Dolomitkalkmörteln. *Tonindustrie Zeitung*, 95, no. 6 (1971) pp. 153–161.
- Niesel, Konrad.** Gefügeveränderungen beim Verwittern von kalkgebundenen Putzmörteln. In *Putzinstandsetzung*, 9. Verlag für Bauwesen, Berlin (1988) pp. 19–35.
- Niespodziewanski, L.** Zaprawy tynkarskie wglebnie hydrofobizowane do renowacji budynków zabytkowych. *Rocznik przedsiębiorstwa państwa wego Pracownie Konserwacji Zabytków*, 1 (1986) pp. 121–133.
- Nixon, D.** A simple method for measuring the yield strength of steel in heritage buildings. *Bulletin of the Association for Preservation Technology*, 15, no. 2 (1983) pp. 17–19.

- Noël, G.** Entretien du patrimoine français. La confortation de l'église Saint-Laurent du Puy (XI<sup>e</sup> siècle) et le rôle des mesures extensométriques pendant les travaux. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio, Editors. Presses de l'école nationale des ponts et chaussées, Paris (1983) pp. 153–191.
- Nägele, E.** Untersuchung historischer Baustoffe mit modernen physikalischen Methoden. *Bautenschutz und Bausanierung*, 10 (1987) pp. 118–123.
- Nägele, E. W.** Die Rolle von Salzen bei der Verwitterung von Mineralogischen Baustoffen. *Bautenschutz + Bausanierung*, 15 (1992) pp. 26–29.
- O'Brien, P. F.; Bell, E.; Pavia Santamaria, S.; and Cooper, T. P.** Role of mortars in the decay of granite. *The science of the total environment*, 167 (1995) pp. 103–110.
- O`Farrell, M.; Wild, S.; and Sabir, B. B.** Pore size distribution and compressive strength of waste clay brick mortar. *Cement and concrete composites*, 23, no. 1 (2001) pp. 81–91.
- O'Hare, Graham.** "Lime mortars and renders: The relative merits of adding cement". Web page, 1995 [accessed 16 November, 2000]. Available at: <http://www.buildingconservation.com/articles/lime/cement.html>.
- Oakeson, Wendell G. and Cutler, Ivan B.** Effect of CO<sub>2</sub> pressure on the reaction with CaO. *Journal of the American Ceramic Society*, 62, no. 11–12 (1979) pp. 556–558.
- Oates, J. A. H.** *Lime and limestone: chemistry and technology, production and uses*. Wiley–VCH, Weinheim (1998) xvii + 455p.
- Oates, T.** Lime and limestone. In *Encyclopedia of chemical technology*, 14. John Wiley & Sons, New York (1991) pp. 317–345.
- Obermeier, Christoph.** Datenerfassung und Datenspeicherung in der denkmalpflegerischen Praxis: die Datenbank des DBU-Projektes–Erforschung und Erhaltung historischer Putze und Mörtel im Hinblick auf Umweltschäden. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1988) pp. 131–139.
- Obermeier, Christoph and Arnold, Bärbel.** Katalog der untersuchten Denkmäler – Bestand, Schäden, Analysen. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1998) pp. 141–186.
- Oberti, G.** Le cas du Dôme de Milan: restauration des structures soutenant le "tiburium" et l'emploi des modèles. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio, Editors. Presses de l'école nationale des ponts et chaussées, Paris (1983) pp. 525–543.
- Oberti, G.** Mesures des déformation des structures. Possibilités et limites d'essais sur modèles réduits. Exemple: la reconstruction des colonnes du 'tiburium' du Dôme de Milan. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 181–193.
- Ochs, P.** *Die Mörtel in der Denkmalpflege*. Verlag des Vereins Deutscher Kalkwerke e.V., Berlin (1924) 12p.
- Ochsmann, H.** Kalköfen in Aachen–Walheim. *Denkmalpflege im Rheinland*, 7, no. 1 (1990) pp. 26–30.
- Ohama, Y.; Demura, K.; Kobayashi, K. Satuh Y.; and Morikawa, M.** Pore size distribution and oxygen diffusion resistance of polymer-modified mortars. *Cement and concrete research*, 21 (1991) pp. 309–315.

- Ohama, Y. and Miyake, M.** Accelerated carbonisation of polymer-modified concrete. *Transactions of the Japan Concrete Institute*, 2 (1980) pp. 61–68.
- Ohnemüller, W.** Die Ergiebigkeitsprüfung des Branntkalkes. *ZKG. Zement-Kalk-Gips*, 24 (1971) pp. 527–532.
- Ohnemüller, W.** Die Eigenschaften naßmechanisch aufbereiteter Kalkhydrate. *Tonindustrie-Zeitung*, 89 (1965) pp. 197–202.
- Ontiveros Ortega, E.; Sebastián Pardo, Eduardo M.; and Valverde Espinosa, I.** Deterioration in XI–XIV century arab ramparts (Granada, Spain). *Materials and structures = Matériaux et constructions*, 32, no. 215 (1999) pp. 45–51.
- Oppermann, B. and Rudert, V.** Untersuchungen zur verbessерung des haftverbundes mörtel/stein. *Zement-Kalk-Gips: ZKG*, 36, no. 1 (1983) pp. 43–50.
- Orr, D. M. F.** Single plan of weakness theory applied to masonry. *International journal of masonry construction*, 2, no. 1 (1981) pp. 38–40.
- Paama, Lilli; Pitkänen, Ilkka; Rönkkömäki; and Perämäki, Paavo.** Thermal and infrared spectroscopic characterization of historical mortars. *Thermochimica acta*, 320, no. 1–2 (1998) pp. 127–133.
- Paccolat, O. and Taillard, P.** Die früh- und hochmittelalterlichen Gipsbrennöfen von Gamsen (VS). *Schweizer Beiträge zur Kulturgeschichte und Archäologie des Mittelalters*, 5, no. 4 (2000) pp. 97–117.
- Page, A. W.** A biaxial failure criterion for brick masonry in the tension-tension range. *International journal of masonry construction*, 1, no. 1 (1980) pp. 26–29.
- Page, A. W.** Finite element model for masonry. *Journal of the structural division (ASCE)*, 104 (ST8) (1978) pp. 1267–1285.
- Page, A. W.; Samarasinghe, W.; and Hendry, A. W.** The failure of masonry shear walls. *International journal of masonry construction*, 1, no. 2 (1980) pp. 52–57.
- Page, A. W.; Samarasinghe, W.; and Hendry, A. W.** The inplane failure of masonry: a review. *Proceedings of the British Ceramic Society*, 1982, no. 30 (1982) pp. 90–100.
- Paige-Green, P.** A laboratory investigation into the influence of carbonation on the strength of lime-stabilized materials. In *Regional conference for Africa*. Harare, Zimbabwe, 1984 (1984) pp. 403–406.
- Palladio, Andrea.** *The four books on architecture*. MIT Press, Cambridge (1997) xxxv + 436p.
- Paloma, A.; Puertas, F.; and Blanco, M. T.** Mortars for restauration. Decay due to salt crystallization. In *Proceedings of the 8th international congress on deterioration and conservation of stone*. Berlin, 30 September–4 October 1996 (1996) pp. 1547–1555.
- Papadakis, V. G.; Fardis, M. N.; and Vayenas, C. G.** Effect of composition, environmental factors and cement-lime mortar coating on concrete carbonation. *Materials and structures*, 25, no. 149 (1992) pp. 293–304.
- Papadakis, V. G.; Vayenas, C. G.; and Fardis, M. N.** Fundamental modeling and experimental investigation of concrete carbonation. *ACI materials journal*, 88, no. 4 (1991) pp. 363–373.

- Papayianni, I.** Criteria and methodology for manufacturing compatible repair mortars and bricks. In *Compatible materials for the protection of European cultural heritage*, PACT 56. Biscontin, G., Scientific Editor. Technical Chamber of Greece, Athens (1998) pp. 179–190.
- Papayianni, I. and Karaveziroglou, M.** Aggregate gradation of ancient mortars. Relationship to strength and porosity. In *Conservation of stone and other materials: proceedings of the International RILEM/UNESCO Congress 'Conservation of stone and other materials: research-industry-media'*. Paris, 29 June–01 July 1993 (1993) pp. 493–499.
- Papayianni, I. and Stefanidou, M.** The evolution of porosity in lime-based mortars. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 451–457.
- Papayianni, I. and Theocharidou, K.** Efflorescence tendency of mortars used in interventions on old masonry. In *Conservation of stone and other materials: proceedings of the International RILEM/UNESCO Congress 'Conservation of stone and other materials: research-industry-media'*. Paris, 29 June–1 July 1993 (1993) pp. 621–628.
- Papayianni-Papdopoulou, J. and Karaveziroglou-Weber, M.** Temperature and moisture effects on mortars and grouts used in interventions. In *Structural repair and maintenance of historical buildings*, III. Brebbia, C. A. and Frewer, R. J. B., Editors. (1993) pp. 285–294.
- Parland, H.** Basic principles of the structural mechanics of masonry :a historical review. *International journal of masonry construction*, 2, no. 2 (1982) pp. 48–58.
- Pasley, Charles William.** *Observations on limes, calcareous cements, mortars, stuccos, and concrete: and on puzzolanas, natural and artificial: together with rules deduced from numerous experiments for making an artificial water cement, equal in efficiency to the best natural cements of England, improperly termed Roman cements, and an abstract of the opinions of former authors on the same subject*. 2nd ed. J. Weale, London (1847) 209p.
- Pavía Santamaría, S. and Bolton, J. R.** Laboratory studies of the interaction between bedding and pointing mortars and building stones. *Internationale Zeitschrift für Bauinstandsetzen* , 3, no. 3 (1997) pp. 253–267.
- Payen, Jean.** Les crépis à la chaux grasse. In *Architecture et décors peints: Amiens, Octobre 1989*. Direction du patrimoine, Paris (1990) pp. 176–177.
- Peiou, S. and G. Matrapazis.** *Performance of the raw materials that form the basic constituents of historic mortars*. Aristotle University of Thessaloniki (1998) 15p.
- Pel, L.; Hazrati, K.; Kopinga, K.; and Marchand, J.** Water absorption in mortar determined by NMR. *Magnetic resonance imaging*, 16, no. 5/6 (1998) pp. 525–528.
- Penkala, Barbara and Zazun, H.** Lime mortars in ancient Roman buildings of Alexandria. In *Vlth international congress on deterioration and conservation of stone : proceeding*. Torun, Poland, 12–14 September 1988 (1988) pp. 375–380.
- Perander, Thorborg and Råman, Tuula.** *Ancient and modern mortars in the restauration of historical buildings*. Technical Note, 450. Valtion teknillinen tutkimuskeskus, Espoo (1985) 74p.

- Peroni, Simonetta; Tersigni, C.; Torraca, G.; Cerea, S.; Forti, M.; Guidobaldi, F.; Rossi-Doria, P.; De Rege, A.; Picchi, D.; Pietrafitta, F. J.; and Benedetti, G.** Lime based mortars for the repair of ancient masonry and possible substitutes. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 63–99.
- Perrault, Claude.** *Les dix livres d'architecture de Vitruve, corrigez et traduits novellement en François, avec des Notes & des figures*. Facsimile, Mardaga, Liège (1979) 354p.
- Perry, S. H. and Duffy, A. P.** The short-term effects of mortar joints on salt movement in stone. *Atmospheric environment*, 31, no. 9 (1997) pp. 1297–1305.
- Pescoller, M.** Anstrichsysteme und ihre Ideologie. In *Fassadenmalerei, Restauratorenblätter Band 16, Österreichische Sektion des IIC*. Mayer & Comp, Wien (1996) pp. 57–66.
- Petersen, Richard L. and Freilich, Mark B.** Calcium compounds: survey. In *Encyclopedia of chemical technology*, 4. (1991) pp. 787–796.
- Peterson, Sten.** Lime water consolidation. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 53–61.
- Pfeiffer, M.** A general failure theory for masonry walls subjected to arbitrary loading. In *Proceedings of the fifth North American masonry conference*, II. Urbana-Champaign, Illinois, 3–6 June 1990 (1990) pp. 455–466.
- Philippe, Bromblet.** Utilisation de la methode du calcul normatif (methode F. X. DELOYE) pour la mise au point d'un mortier de rejointement. Application au portail sud de la facade occidentale de la cathedrale d'Amiens. In *La chaux et les mortiers: natures, proprietes, traitements*. Paris, 24 January 1995 (1995) 6p.
- Philippi, P. C. and Souza, H. A.** Modelling moisture distribution and isothermal transfer in a heterogeneous porous material. *International journal of multiphase flow*, 21, no. 4 (1995) pp. 667–691.
- Philippi, P. C.; Yunes, P. Rosendo; Fernandes, C. P.; and Magnani, F. S.** The microstructure of porous building materials: study of a cement and lime mortar. *Transport in porous media*, 14, no. 3 (1994) pp. 219–245.
- Phillips, Morgan.** An actual mortar analysis. *APT bulletin*, XXV, no. 3–4 (1994) pp. 54–55.
- Phillips, Morgan.** A source of confusion about mortar formulas. *APT bulletin*, XXV , no. 3–4 (1994) pp. 50–53.
- Phillips, V. A.; Kolbe, J. L.; and Opperhauser, H.** The growth of magnesium hydroxide crystals from magnesium chloride and calcium hydroxide in a brine environment. *Journal of crystal growth*, 41, no. 2 (1977) pp. 235–244.
- Piepenburg, W.** *Mörtel, Mauerwerk, Putz; die Putzfibel für Baustelle und Bauleitung*. Bauverlag, Wiesbaden (1961) 308p.
- Piepenburg, W. and Alberti, K.** Entstehen und Verhalten ortsüblicher Außenputze. *Berichte aus der Bauforschung*, 29 (1963) pp. 5–98.
- Piepenburg, W. and Alberti, K.** *Entstehen und Verhalten ortsüblicher Aussenputze: Vergleichsuntersuchungen zur Bestimmung des Mischungsverhältnisses von Mörteln: Berichte der Arbeitsgruppe Putz beim Bundesminister für Wohnungswesen, Städtebau und Raumordnung*. Berichte aus der Bauforschung, 29. Wilhelm Ernst & Sohn, Berlin (1963) 118p.

- Pieper, K. and Bruggemann, B.** Von der konstruktiven sicherung historische bauten. *Denkmalpflege in Baden-Württemberg*, 5 , no. 1 (1976) pp. 11–13.
- Pieper, K. and Hempel, R.** Schäden und Sicherungsmaßnahmen an Bauten mit Gipsmörtel. In *Erhalten historisch bedeutsamer Bauwerken: baugefüge, konstruktionen, werkstoffe. Jahrbuch 1987*. (1988) pp. 73–87.
- Pieper, K. and Wenzel, F.** Gedanke von ingenieuren zu fragen der denkmalpflege. *Denkmalpflege in Baden-Württemberg*, 9, no. 4 (1980) pp. 28, 173–178.
- Pihlajavaara, S. E.** Some results of the effects of carbonation on the porosity and pore size distribution of cement paste. *Matériaux et constructions*, 1, no. 6 (1968) pp. 521–526.
- Pike, Kenneth L.** *A Mixtec lime oven*. SIL Museum of Anthropology Publications, 10. SIL Museum of Anthropology, Dallas (1980) 9p.
- Pinsent, B. R. W.; Pearson, L.; and Roughton, F. J. W.** The kinetics of combination of carbon dioxide with hydroxide ions. *Transactions of the Faraday Society*, 12 pp. 1512–1520.
- Pitchett, I.** Limecrete. *The journal of the building limes forum*, 8 (2001) pp. 65–70.
- Pliny; Jones, W. H. S; and Rackham, H.** *Pliny: Natural history*, 10 volumes. Loeb classical library [Latin authors]. Harvard University Press, Cambridge (1938–1963)
- Poggi, D. and Borrelli, E.** *Antica città di Acco-Israele: analisi petrografica di malte e materiali lapidei*. ICCROM, Rome (1997) 48p.
- Pohl, G.** Einige physikalische und chemische Untersuchungen über das Brennen und Löschen von Kalk. *Zement-Kalk-Gips*, 9 (1956) pp. 275–284.
- Pohl, G.** Vergleichende Untersuchungen über das Trockenlöschen von Kalk. *Zement-Kalk-Gips*, 4 (1951) pp. 263–267.
- Postorenko, A. I.; Grizodub, A. P.; Anan'eva, L. A.; Rozhkova, A. L.; Budarina, N. V.; and Pochtareva, L. A.** Study of the production of finely divided chemically precipitated calcium carbonate. *Journal of applied chemistry of the USSR*, 42, no. 11 (1969) pp. 2436–2438.
- Potter, R. J.** The monitoring of crack movement with electronic equipment at St Paul's Cathedral, London. *Monumentum*, 25, no. 3 (1982) pp. 215–227.
- Potter, R. J. and Guant, S. K.** The use of precision electronic monitoring systems for the analysis and control of structures. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 215–229.
- Powers, T. C.** The thermodynamics of volume change and creep. *Matériaux et constructions*, 1, no. 6 (1968) pp. 487–507.
- Powys, A. R. and Wilson, J. S.** The repair of vaulted buildings. *Riba Journal, 3rd series*, 42, no. 20 (1935) pp. 1142–1144.
- Prado, R.; Louis, M.; Spairani, Y.; Garcia, E.; and Benavente, D.** Study of the morphology of the pore in restoration mortars by SEM. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 459–463.

- Prakash, Satya and Rawat, Narendra Singh.** Chemical study of ancient plasters found at Kausambi. *Vijnana Parishad Anusandhan Patrika*, 4 (1961) pp. 23–30.
- Prediger, A.** Die industrielle Kalkproduktion der Gebrüder Bier in Kerprichhemmersdorf (1902–1917). *Universität des Saarlandes. Geographisches Institut. Arbeiten*, 30 (1986) pp. 94–111.
- Preiss, W.** Mörtel aus dem Meer. *VDI Nachrichten Magazin*, 6 (1990) pp. 58–63.
- Price, C.; Ross, K.; and White, G.** A further appraisal of the "lime technique" for limestone consolidation using a radioactive tracer. *Studies in conservation*, 33 (1988) pp. 178–186.
- Price, C. A.** The consolidation of limestone using a lime poultice and limewater. In *Adhesives and consolidants*. IIC, London (1984) pp. 160–162.
- Price, C. A. and Ross, K. D.** The cleaning and treatment of limestone by the "lime method". Part II, a technical appraisal of stone conservation techniques employed at Wells Cathedral. *Monumentum*, 27 (1984) pp. 301–312.
- Protz, Andreas.** Moderne Methoden der Putzuntersuchung. In *Putzinstandsetzung*, 9. Verlag für Bauwesen, Berlin (1998) pp. 35–49.
- Puertas, F.; Blanco-Varela, M. T.; Martinez, S.; Accion, F.; and Alvarez, G.** Methodology of analysis of stones and mortars in monuments. In *Proceedings of the 7th international congress on deterioration and conservation of stone*. Lisbon, Portugal, 15–18 June 1992 (1992) pp. 763–770.
- Puglisi, Cristina Maria.** *Injectable adhesives for the conservation of plaster*. Columbia University, New York (1986) 80p.
- Pume, D.** Effect of brick geometry on masonry strength. *International journal of masonry construction*, 1, no. 1 (1980) pp. 11–17.
- Pursche, J.** Zur Erhaltung historischer Putzfassaden, Teil 1. *Das Bauzentrum*, 2 (1987) pp. 15–21.
- Pursche, J.** Zur Erhaltung historischer Putzfassaden, Teil 2. *Das Bauzentrum*, 3 (1987) pp. 14–20.
- Pursche, Jürgen.** Die Datierung von Putz aus der Sicht des Restaurators. In *Bauforschung und Archäologie*. Lukas-Verlag, Berlin (2000) pp. 257–283.
- Pursche, Jürgen.** Historische Putze-Befund in Bayern, zu ihrer Typologie, Technologie, Konservierung und Dokumentation. *Zeitschrift für Kunsttechnologie und Konservierung*, 2, no. 1 (1988) pp. 7–52.
- Pursche, Jürgen.** Mittelalterliche Putze in Regensburg. In *Farbige Architektur. Regensburger Häuser-Bauforschung und Dokumentation: ausstellung im Museum der Stadt Regensburg, 4. Mai bis 17. Juni 1984*. Petzet, Michael, Editor. Arbeitsheft des Bayerische Landesamt für Denkmalpflege, 21. Bayerisches Landesamt für Denkmalpflege, Munich (1984) pp. 10–38.
- Quayle, N. J. T.** The case against limewater (or, the futility of consolidating stone with calcium hydroxide). *Conservation news*, 59 (1996) pp. 68–71.
- Quietmeyer, Friedrich.** *Zur Geschichte der Erfindung des Portland-Zementes*. Tonindustrie-Zeitung, G.m.b.H., Berlin (1912) xx + 188p.

- Quittkat, W.** Die Phasenumbildungsvorgänge beim Zement–Klinkerbrennen aus Rohmehlen mit Branntkalk–, Kalkhydrat– und Kalksteinkomponente und ihre Bedeutung für den technischen Brennprozess. *Tonindustrie-Zeitung*, 89 (1965) pp. 351–365.
- Radczewski, O. E.; Muller, H. O.; and Eitel, W.** Electron–microscopy study of lime hydration. *Zement*, 28 (1939) pp. 693–697.
- Radonjic, M.; Allen, G.; Livesey, P.; Elton, N.; Farey, M.; Holmes, S.; and Allen, J.** ESEM characterisation of ancient lime mortars. *The journal of the building limes forum*, 8 (2001) pp. 38–49.
- Radonjic, M.; Hallam, K. R.; Allen, G. C.; and Hayward, R.** Mechanism of carbonation in lime–based materials. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 465–475.
- Radonjic, M.; Hallam, K. R.; Allen, G. C.; and Hayward, R. J.** The mechanism of carbonation in lime–based materials. *The journal of the building limes forum*, 8 (2001) pp. 40–64.
- Rai, M.** Hydraulic lime. *Journal of scientific and industrial research*, 23 (1964) pp. 376–378.
- Rama Rao, N. and Prasad, K. Maruthi.** Studies on some lime plasters. *Journal of archaeological chemistry*, 3 (1985) pp. 13–19.
- Ramachandran, V. S.; Feldman, R. F.; and Beaudoin, J. J.** Influence of sea water solution on mortar containing calcium carbonate. *Materiaux et constructions*, 23 (1990) pp. 412–17.
- Ramachandran, V. S. and Polomark, G. M.** Application of DSC–DTA technique for estimating various constituents in white coat plasters. *Thermochimica acta*, 25, no. 2 (1978) pp. 161–169.
- Ramachandran, V. S. and Sereda, P. J.** *Failure of white coat plasters—cause and remedy*. Building research note, 95. National Research Council of Canada. Division of Building Research, Ottawa (1974) 5p.
- Ramachandran, V. S.; Sereda, P. J.; and Feldman, R. F.** Delayed hydration in white–coat plaster. *Materials research and standards*, 4, no. 1 (1964) pp. 663–666.
- Ramirez, J. L.; Barcena, J. M.; and Urreta, J. I.** Sable calcaires a fine calcaires et argileuses: influence et nocivité dans les mortiers de ciment. *Materiaux et constructions*, 20, no. 117 (1987) pp. 202–213.
- Ramirez Vazquez, Pedro.** The cathedral of Mexico and the metropolitan Sacramentum. *Monumentum* (1983) pp. 255–262.
- Rankers, R.** Chemisch–mineralogische Methoden zur Charakterisierung von historischen Mörteln. In *Werkstoffwissenschaften und Bausanierung: Tagungsbericht des Dritten Internationalen Kolloquiums zum Thema Werkstoffwissenschaften und Bausanierung = Materials science and restoration: proceedings of the third international colloquium on materials science and restoration*. Esslingen, Germany, December 1992 (1993) pp. 1170–1177.
- Rathgen, F.** Über einige antike Mörtel. *Tonindustrie-Zeitung*, 35 (1911) pp. 586–588.
- Raue, Jan.** Chorin–Wandmalerei und farbige Dekorationen im Kloster–Untersuchungen zu Fürstensaal und Chor in der Klosterkirche. *Brandenburgische Denkmalpflege*, 3, no. 2 (1994) pp. 66–73.
- Raue, Jan.** Demerthin–Untersuchung der Oberflächen und Konservierung des barocken putzes des Schlosses Demerthin. *Brandenburgische Denkmalpflege*, 9, no. 2 (2000) pp. 43–48.

- Raue, Jan.** Restauratorische und naturwissenschaftliche Untersuchung und Konservierung der mittelalterlichen Putze einer brandenburgischen Feldsteinkirche. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1998) pp. 87–103.
- Rauschenbach, F.** Zur Analyse von Carbonsäuren in Kalk- und Gipsmörteln. *ZKG international*, 49, no. 5 (1996) pp. 274–280.
- Rauschenbach, F.** Zur Wirkung und Bestimmung organischer Zusätze in Kalk- und Gipsmörteln. Verlag Shaker, Aachen (1994) 134p.
- Rauschenbach, Frank.** Gips- und Anhydritputze im Außenbereich—erste Erfahrungen aus dem DBU-Forschungsprojekt BAUKASTEN. In *Putinstandsetzung*. Verlag für Bauwesen, Berlin (1989) pp. 185–193.
- Ray, Kenneth and Mathers, Frank.** The colloidal behaviour of lime. *Industrial and engineering chemistry*, 20 (1928) pp. 475–77.
- Ray, Priyadarajan and Ray, Prabhulla Candra.** *History of chemistry in ancient and medieval India incorporating the history of Hindu chemistry*. Indian Chemical Society, Calcutta (1956) ii + 494p.
- Rayment, D. L. and Pettifer, K.** Examination of durable mortar from Hadrian's Wall. *Material science and technology*, 3 (1987) pp. 997–1004.
- Reedy, Chandra and Goins, Elizabeth.** "A new protocol for the analysis of historic mortar". Web page, n.d. [accessed 28 February 2000]. Available at: [http://www.b72.com/architecture/mortar\\_protocol.html](http://www.b72.com/architecture/mortar_protocol.html) – hard copy on file in LMP.
- Rehhoff Kaliszan, Lea and Makovicky, Emil.** The relationship between technology and society in the PPNB period in Jordan. In *The ceramics cultural heritage: proceedings of the international symposium "The ceramics heritage" of the 8th CIMTEC-World Ceramics Congress and forum on new materials*. Florence, 28 June–2 July 1994 (1995) pp. 13–20.
- Reichensperger, A.** Des Meisters L. Lacher Unterweisung. In *Vermischte Schriften über christliche Kunst*. T.D. Weigel, Leipzig (1856) pp. 133–155.
- Rendchen, K.** Hüttenandreiche Bindemittel für die Sanierung historischer Bauwerke. *Beton-Information*, 37, no. 1 (1997) pp. 11–15.
- Reschke, T. and Gräf, H.** Einfluß des Alkaligehalts im Zement auf die Carbonatisierung von Mörtel und Beton. *Beton*, 11/97 (1997) pp. 664–670.
- Reul, H.** Historische Entwicklung der Putze. In *WTA-Seminar. Schadensfreier Putz*. Munich, 24–25 October 1985 (1985) pp. 2–16.
- Ribar, J. W.** Waterpermeance of masonry: a laboratory study. In *Masonry: materials, properties and performance: a symposium*. Orlando, Florida, 9 December 1980 (1982) pp. 200–220.
- Riccardi, M. P.; Duminuco, P.; Tomasi, C.; and Ferloni, P.** Thermal, microscopic and x-ray diffraction studies on some ancient mortars. *Thermochimica acta*, 321, no. 1–2 (1998) pp. 207–214.
- Richardson, Mark G.** *Carbonation of reinforced concrete. Its causes and management*. Citis Ltd., Dublin (1988) x + 205p.

- Ricken, H.** Erinnerungen an John Smeaton (1724–1792). *Bautechnik*, 69 (1992) pp. 720–721.
- Ridge, M. J. and King, G. A.** A problem with hydrated lime. *Journal of applied chemical biotechnology*, 26, no. 12 (1976) pp. 742–746.
- Riechers, H.-J.** Die europäische Normung von Putzmörteln. *ZKG international*, 50 (1997) pp. 267–271.
- Riechers, H.-J.; Schubert, P.; and Brameshuber, W.** Ein neues Modell zur Beschreibung der Festigkeitsentwicklung von Mörteln im Kontakt mit Steinen. In *IBAUSIL 14: Tagungsbericht*. Weimar, Germany, 20–23 September 2000 (2000) pp. 109–121.
- RILEM.** Recommandations provisoires: methodes d'essai des bétons. *Materiaux et constructions*, 12, no. 69 (1979) pp. 221–242.
- RILEM/CIB Commission .** Mortars and renderings: progress report. *Bulletin RILEM*, 1966, no. 30 (1966) pp. 13–55.
- RILEM Commission 25–PEM (Protection et Erosion des Monuments).** *Recommended tests to measure the deterioration of stone and to assess the effectiveness of treatment methods*. RILEM Commission 25–PEM: Protection et Erosion des Monuments. RILEM (Bordas Dunod) (1980) 175–253p.
- Ritchie, Ian; Giles, Dion; and Xu, Bing-An.** Kinetics and mechanism of lime slaking. In *CHEMICA '90: 18th Australasian chemical engineering conference*. Auckland, NZ, 27–30 August 1990 (1990) pp. 415–422.
- Ritchie, T.** Influence of lime in mortar on the expansion of brick masonry. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials*. Atlantic City, New Jersey, 22–27 June 1969 (1970) pp. 67–80.
- Ritchie, T.** Study of efflorescence produced on ceramic wicks by masonry mortars. *Journal of the American Ceramic Society*, 38 (1965) pp. 362–366.
- Ritchie, Thomas and Davison, J. I.** Factors affecting bond strength and resistance to moisture penetration of brick masonry . In *Symposium on masonry testing*. New York, 28 June 1962 (1963) pp. 16–30.
- Ritchie, Thomas and Davison, J. Ivan.** *Cement-lime mortars*. NRC-8035; BR-TP-183, (1964) 7p.
- Rivera-Villareal, Raymundo and Krayer, Stefan.** Ancient structural concrete in Mesoamerica. *Concrete international*, 18, no. 6 (1996) pp. 67–70.
- Rizzi, Gionata.** Mortars: a problem of archaeology and architectural conservation in Bahrain. *Dilmun*, 14 (1987–1988) pp. 51–60.
- Robakowski, M.** Mortars with elporite aggregate. *Cement-Wapno-Gips*, no. 12 (1988) pp. 257–260.
- Roberts, R.** Lime concrete. *The journal of the building limes forum*, 8 (2001) pp. 21–24.
- Roby, Thomas C.** Site conservation during excavation: treatment of masonry, wall plaster and floor mosaic remains of a Byzantine church in Petra, Jordan. *Conservation and management of archaeological sites*, 1 (1995) pp. 43–57.
- Rochette, J.-C.** Les problèmes de la peau des édifices anciens: mortiers, enduits, badigeons, décors peints. In *Architecture et décors peints: Amiens, octobre 1989*. Amiens, France, October 1989 (1990) 42–47p.
- Rodriguez-Navarro, C. R.; Hansen, E.; and Ginell, W. S.** Calcium hydroxide crystal evolution upon aging of lime putty. *Journal of the American Ceramic Society*, 81, no. 11 (1998) pp. 3032–3034.

- Rohland.** Aus der Geschichte der Mörtelmaterialien. *Archiv für die Geschichte der Mathematik, Naturwissenschaften und der Technik*, Leipzig, 2 (1910) pp. 91–96.
- Ronchetta, D. and Grassi, G.** Uso di intonaco nell'architettura funeraria di Hierapolis di Frigia. In *Superfici dell'architettura: le finiture: atti del convegno di studi*. Bressanone, Italy, 20–29 June 1990 (1990) pp. 301–312.
- Rooney, D. J.; Brown, K. W.; and Thomas, J. C.** The effectiveness of capillary barriers to hydraulically isolate salt contaminated soils. *Water, air, and soil pollution*, 104 (1998) pp. 403–411.
- Roques, H. and Girou, A.** Kinetics of the formation conditions of carbonate tartars. *Water research*, 8 (1974) pp. 907–920.
- Rosenthal, M.** Muschelkalk nach altem Rezept gebrannt. *Bautenschutz + Bausanierung*, 12, no. 3 (1989) pp. 28–30.
- Ross, H and Stahl, F.** *Handbuch Putz: Stoffe–Verarbeitung–Schadensvermeidung*. Müller, Köln (1992) 225p.
- Ross, Hartmut and Stahl, Friedemann.** *Praxishandbuch Putz. Stoffe, Verarbeitung, Schadensvermeidung*. Müller, Köln (1997) 227p.
- Rossi–Doria, P.** Mortars for restoration: basic requirements and quality control. *Matériaux et constructions*, 19, no. 114 (1986) pp. 445–448.
- Rossi–Doria, P. R.** Report on the RILEM workshop "Ancient mortars and mortars for restoration" Ravello, 9–11 November 1988. *Matériaux et constructions*, 23 (1990) pp. 235–238.
- Rossi–Doria, Paola Rota.** Mercury porosimetry applied in the field of conservation of porous constructional materials. In *Wiener Berichte über Naturwissenschaften in der Kunst*, 2–3. Vendl, A.; Pichler, B.; Weber, J.; and Banik, G., Editors. (1985) pp. 298–307.
- Rossi–Maresi, Raffaella.** Intonaci e stucchi in area padana. *Bollettino d'arte*, VI, no. 73 (1992) pp. 133–146.
- Rossi Maresi, Raffaella; Grillini, Gian Carlo; and Tucci, Antonella.** Intonaci e finiture di superfici architettoniche in area Padana. In *L'intonaco: storia, cultura e tecnologia. atti del convegno di studi*. Bressanone, Italy, 24–27 June 1985 (1985) pp. 233–251.
- Rossi–Maresi, Raffaella; Tucci, Antonella; and Grillini, Gian Carlo.** Study of plasters and paints in historical buildings in Parma. In *Scientific methodologies applied to works of art. Proceedings of the symposium*. Florence, Italy, 2–5 May 1984 (1985) pp. 45–49, 230.
- Rossi, P.** Non-destructive methods of analysing the mechanical characteristics of masonry constructions using flat-jacks. In *Stable–unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 115–126.
- Rossi, P. and Acker, P.** A new approach to the basic creep and relaxation of concrete. *Cement and concrete research*, 18 (1988) pp. 799–803.
- Rota Rossi–Doria, P.** Mortars for restoration: basic requirements and quality control. *Matériaux et constructions*, 19 (1986) pp. 445–448.

- Roux, Francois-Xavier.** Analyse des normes et documents explicatifs se rapportant a la chaux aerienne. In *La chaux et les mortiers: natures, proprietes, traitements*, La chaux dans les edifices anciens. Theme 1: definitions, reglementations, mise en oeuvre. Paris, 25 January 1995 (1995) 8p.
- Roy, D. M. and Langton, C. A.** *Characterization of cement-based ancient building materials in support of repository seal materials studies: technical report*. Battelle Project Management Division; Office of Nuclear Waste Isolation, Columbus, OH; Springfield, VA (1983) 147p.
- Roy, D. M. and Langton, C. A.** *Studies of ancient concrete as analogs of cementitious sealing materials for a repository in tuff*. Department of Energy, Los Alamos National Lab, New Mexico (1989) vii +101p.
- Ruddock, E. C.** Three approaches to medieval structures. *The structural engineer*, 52, no. 4 (1974) p.132.
- Ruiz de Anton, M.; Luxan, P.; Sanchez de Rojas, I.; and Dorrego, F.** Original protective renderings in the Cathedral of Leon. In *Conservation of the Iberian and Latin American cultural heritage: preprints of the contributions to the IIC Madrid congress*. Madrid, 9–12 September 1992 (1992) pp. 130–134.
- Saag, Lothar Mindt Karl; Sanderson, George R.; Moyna, Patrick; and Ramos, Gerardo.** Cactaceae mucilage composition. *Journal of the science of food and agriculture*, 26 (1975) pp. 993–1000.
- Sabbioni, C.; Zappia, G.; Riontino, C.; Blanco-Varela, M. T.; Aguilera, J.; Puertas, F.; Van Balen, K.; and Toumbakari, E. E.** Atmospheric deterioration of ancient and modern hydraulic mortars. *Atmospheric environment*, 35, no. 3 (2001) pp. 539–548.
- Sada, E.; Kumazawa, H.; and Butt, M. A.** Simultaneous absorption with reaction in a slurry containing fine particles. *Chemical engineering science*, 32 (1977) pp. 1499–1503.
- Sada, E.; Kumazawa, H.; and Butt, M. A.** Single gas absorption with reaction in a slurry containing fine particles. *Chemical engineering science*, 32 (1977) pp. 1165–1170.
- Sada, E.; Kumazawa, H.; and Lee, C. H.** Chemical absorption in a bubble column loading concentrated slurry. *Chemical engineering science*, 38 (1983) pp. 2047–2051.
- Sahlin, S.** *Structural masonry*. Prentice-Hall, Englewood Cliffs (1971) xiii + 290p.
- Sakaeda, Osao; Fujihara, Masamichi; and Imai, Kiyokata.** Changes of properties of the products obtained by carbonating slaked lime. *Gypsum and lime*, no. 133 (1974) p.229.
- Salzer, R.; Lunkwitz, R.; Braun, T.; and Mühle, M.** Baustoffanalyse mit Infrarotspektroskopie. *Internationale Zeitschrift für Bauinstandsetzen*, 4, no. 3 (1998) pp. 209–232.
- Samtani, M.; Dollimore, D.; Wilburn, F. W.; and Alexander, K.** Isolation and identification of the intermediate and final products in the thermal decomposition of dolomite in an atmosphere of carbon dioxide. *Thermochimica acta*, 367–368 (2001) pp. 285–295.
- Sanabria, S. L.** Structural sizing in the late medieval world. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K. , Editors. University Press, Leuven (1988) pp. 45–64.
- Sanabria, Sergio Luis.** The mechanization of design in the 16th century. The structural formulae of Rodrigo Gil de Montanon. *Journal of the Society of Architectural Historians*, 41 (1982) pp. 281–293.

- Sanchez, Javier A.; Barrios, Jesus; Barrios, Angela; and de Arellano Agudo, Antonio R.** La retraccion en los morteros de cal. *Materiales de construcción*, 47, no. 245 (1997) pp. 17–27.
- Sand, J. and Franken, S.** Die Mörtel der Burgruine Hohenrechberg. In *Erhalten historisch bedeutsamer Bauwerke Jahrbuch 1992: Baugefüge, Konstruktionen, Werkstoffe Sonderforschungsbereich 315*. Ernst & Sohn, Berlin (1994) pp. 265–280.
- Sandin, Kenneth.** *Putskvalitet: inverkan av olika faktorer*. Institute of Technology, Lund (1985) 76p.
- Santiago, Cybèle Celestino and Mendonca de Oliveira, Mário.** Organic additives in Brazilian lime mortars. In *Lime and other alternative cements*. Hill, Neville; Holmes, Stafford; and Mather, David, Editors. Intermediate Technology, London (1992) pp. 203–210.
- Sapin, C.** *Enduits et mortiers: archéologie médiévale et moderne*. Editions du CNRS, Paris (1991) 124p.
- Sarkar, Shondeep L.** Microstructural investigation of Renaissance mortar from Montreal, Québec, Canada. *Cement and concrete research*, 22 (1992) pp. 1011–1018.
- Sass, S.** A case study: mortar analysis at Pigeon Island National Landmark and Morne Fortune, St. Lucia, West Indies. Interim report. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 425–434.
- Satterfield, Charles N. and Feakes, Frank.** Kinetics of the thermal decomposition of calcium carbonate. *American Institute of Chemical Engineers journal*, 5, no. 1 (1959) p.115.
- Sauman, Z.** Effect of CO<sub>2</sub> on porous concrete. *Cement and concrete research*, 2 (1972) pp. 541–549.
- Sauman, Z. and Lach, V.** Long-term carbonization of the phases 3CaO.Al<sub>2</sub>O<sub>3</sub>.6H<sub>2</sub>O and 3CaO.Al<sub>2</sub>O<sub>3</sub>.SiO<sub>2</sub>.4H<sub>2</sub>O. *Cement and concrete research*, 2 (1972) pp. 435–446.
- Save, M.** La théorie de charge limites et son application aux maçonneries. In *Restauration des ouvrages et des structures*. Delbecq, Jean-Michel and Sacchi, Giannantonio, Editors. Presses de l'école nationale des ponts et chaussées , Paris (1983) pp. 249–280.
- Save, M.** La théorie des charges limites et son application aux maçonneries. In *Stable-unstable?: Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 231–248.
- Sayre, Edward V.** Deterioration and restoration of plaster, concrete and mortar. In *Preservation and conservation: principles and practices. Proceedings of the North American international regional conference*. Williamsburg, Virginia, 10–16 September 1972 (1976) pp. 191–201.
- Schäfer, J. and Hilsdorf, H. K.** Ancient and new lime mortars—the correlation between their composition, structure and properties. In *Conservation of stone and other materials: proceedings of the International RILEM/UNESCO Congress 'Conservation of stone and other materials: research-industry-media'*. Paris, 29 June–1 July 1993 (1993) pp. 605–613.
- Schäfer, J. and Hilsdorf, H. K.** Der Mörtel in historischem Mauerwerk. In *Erhalten historisch bedeutsamer Bauwerke Jahrbuch 1989: Baugefüge, Konstruktionen, Werkstoffe Sonderforschungsbereich 315*. Ernst & Sohn, Berlin (1989).

- Schäfer, J. and Hilsdorf, H. K.** Historische Kalkmörtel und ihr Ersatz–Untersuchungen zum Zusammenhang zwischen Zusammensetzung, Struktur und Eigenschaften. In *Werkstoffwissenschaften und Bausanierung: Tagungsbericht des Dritten Internationalen Kolloquiums zum Thema Werkstoffwissenschaften und Bausanierung = Materials science and restoration: proceedings of the third international colloquium on materials science and restoration*. Esslingen, Germany, December 1992 (1992) pp. 1178–1199.
- Schäfer, J. and Hilsdorf, H. K.** Struktur und mechanische Eigenschaften von Kalkmörteln. In *Erhalten historisch bedeutsamer Bauwerke. Baufragen, Konstruktionen, Werkstoffe. Sonderforschungsbericht 315*. Universität Karlsruhe, Karlsruhe, Germany (1993) pp. 65–76.
- Schäfer, J. and Hilsdorf, H. K.** Untersuchung historischer Mörtel. Zwei Bauphasen der Entenburg in Pfohren bei Donaueschingen. In *Erhalten historisch bedeutsamer Bauwerke Jahrbuch 1988: Baugefüge, Konstruktionen, Werkstoffe Sonderforschungsbereich 315*. Ernst & Sohn, Berlin (1989) pp. 183–189.
- Schäfer, R.** Reinkalk–Sanierputz: Einsatz bei historischen Gebäuden. *Bausubstanz*, 5 (1992) pp. 16–18.
- Scheidegger, F.** *Aus der Geschichte der Bautechnik*. Birkhäuser Verlag, Basel (1990) 211p.
- Scherer, G. W.** Theory of drying. *Journal of the American Ceramic Society*, 73, no. 1 (1990) pp. 3–14.
- Schiele, E. and Behrens, L. W.** *Kalk–Herstellung–Eigenschaften–Verwendung*. Verlag Stahleisen GmbH, Düsseldorf (1972) xvi + 627p.
- Schimmel, G.** Elektronenmikroskopische Untersuchungen an Calciumhydroxyd und Calciumcarbonat. *Zement–Kalk–Gips*, 10 (1957) pp. 133–138.
- Schimmel, G.** Kalk im Elektronenmikroskop. *Zement–Kalk–Gips*, 11 (1958) pp. 46–49.
- Schlitt, W. J. and Healy, G. W.** Characterization of lime: a comparison and scaling down of the coarse grain titration test and the ASTM slaking rate test. In *The reaction parameters of lime. A symposium presented at the seventy-second annual meeting, American Society for Testing and Materials*. Atlantic City, 22–25 June 1969 (1970) pp. 143–160.
- Schlüter, F.; Juling, H.; and Hilbert, G.** Mikroskopische Untersuchungsmethoden in der Analytik historischer Putze und Mörtel. In *Historische Fassadenputze*. A. Boué , Editor. Fraunhofer IRB Verlag, Stuttgart (2001) pp. 45–68.
- Schlüter, Frank; Neumann, Hans–Hermann; and Juling, Herbert.** Mikroskopische Untersuchungen zu den Putazfestigungen an der Feldsteinkirche Schönewalde. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1998) pp. 111–131.
- Schmiedmayer, R.** Die Entwicklung eines zerstörungsfreien Prüfverfahrens zur Ermittlung der Mörtelfestigkeit im Mauerwerk vor Ort. *Internationale Zeitschrift für Bauinstandsetzen*, 3, no. 2 (1997) pp. 125–136.
- Schmuckle–Mollard, Christiane.** Recherche sur les badigeons. In *Architecture et décors peints: Amiens, octobre 1989*. Direction du patrimoine, Paris (1990) pp. 222–223.
- Schneider, H.** Einfluß der Feinheit des Mauersandes auf die Mörtelfestigkeit bei Anwendung der Mischungsverhältnisse nach DIN 1053. *Ziegelindustrie*, 30 (1977) pp. 223–238.
- Schofield, Jane.** *Basic limewash*. Society for the Protection of Ancient Buildings, London (1985) 4p.

- Schouenborg, B.; Lindqvist, J. E.; Sandstroem, H.; Sandstroem, M.; and Sandin, K.** *Analysis of old lime plaster and mortar from southern Sweden: a contribution to the Nordic seminar on building limes*. Statens Provningsanstalt, Boras, Sweden (1993) n.p.
- Schriek, F.** Mauerarbeiten. *Bauhandwerk*, 7, no. 10 (1985) pp. 509–510.
- Schubert, P.** Eigenschaftswerte von Mauerwerk, Mauersteinen und Mauermörtel. *Mauerwerk-Kalender* (1996) pp. 1–14.
- Schubert, P.** Influence of lightweight mortars on the loadbearing capacity and deformation characteristics of masonry. *ZI: Ziegelindustrie international*, 6 (1985) pp. 136–144.
- Schubert, P.** The influence of mortar on the strength of masonry. *IBAC Mitteilungen* (1989) pp. 315–327.
- Schubert, P.** Putzmörtel und Putz auf Mauerwerk—Eigenschaftskennwerte, Eigenschaftszusammenhänge, Prüfverfahren. In *Werkstoffwissenschaften und Bausanierung: Tagungsbericht des Dritten Internationalen Kolloquiums zum Thema Werkstoffwissenschaften und Bausanierung = Materials science and restoration: proceedings of the third international colloquium on materials science and restoration*. Esslingen, Germany, December 1992 (1992) pp. 1000–1011.
- Schubert, P. and Backes, H. P.** Karbonatisierungsversuche an polystyrolschaumbeton. *Betonwerke + Fertigteil-technik*, 5 (1983) pp. 129–134.
- Schubert, P. and Dominik, A.** Verfugmörtel – Anforderungen, Eigenschaften, Prüfverfahren, Applikation. In *Werkstoffwissenschaften und Bausanierung: Tagungsbericht des Dritten Internationalen Kolloquiums zum Thema Werkstoffwissenschaften und Bausanierung = Materials science and restoration: proceedings of the third international colloquium on materials science and restoration*. Esslingen, Germany, December 1992 (1992) pp. 1036–1048.
- Schubert, P. and Knöfel, D.** Zur Beurteilung von Putzmörteln für historische Bauwerke . *Bautenschutz + Bausanierung*, 14, no. 5 (1991) pp. 67–74.
- Schueremans, L.; Hayen, R.; Van Gemert, D.; and Van Balen, K.** Triaxial testing of masonry and lime mortars, test setup and first results. In *Werkstoffwissenschaften und bauinstandsetzen – MSR '99 – Internationales kolloquium*. AEDIFICATIO Publishers, Freiburg (1999) pp. 527–536.
- Schwahn, H. J.** Kalkstein-Rohstoffe der DDR – Lagerstätten, Eigenschaften und Verwendung. *Zeitschrift für Geologische Wissenschaften*, 6 (1978) pp. 877–888.
- Schweden, K.** Anforderungen an die Eigenschaften der Zwischenprodukte im Kalkwerk – Hydrat aus Weichbrand. *ZKG. Zement-Kalk-Gips*, 26 (1973) pp. 337–342.
- Schwiete, H. E.; Bohme, H. J.; and Ludwig, U.** Measuring gas diffusion for the evaluation of open porosity on mortars and concretes. *Matériaux et constructions*, 2, no. 7 (1969) pp. 43–48.
- Schwiete, H.-E. and Ludwig, U.** *Der Tuff, seine Entstehung und Konstitution und seine Verwendung im Baugewerbe im Spiegel der Literatur*. Westdeutscher Verlag, Köln (1961) 68p.
- Scottish Lime Centre.** *External lime coatings on traditional buildings*. Historic Scotland, Edinburgh (2001) 80p.
- Scriboonlue, W. and Wallo, E.** The effect of constituent proportions on tensile strength of portland cement-lime mortar. In *Proceedings of the fifth North American masonry conference*, II. University of Illinois at Urbana-Champaign, 3–6 June 1990 (1990) pp. 651–662.

- Searle, Alfred B.** *Limestone and its products, their nature, production and uses*. E. Benn, Ltd., London (1935) x + 709p.
- Sebastian Pardo, E.; Cazalla Vazquez, O.; de la Torre, M. J.; Rodriguez-Navarro, C.; Valverde, I. E.; and Zizza, U.** Normativa para la elaboración de morteros de cal aérea. In *Congreso internacional de rehabilitacion del patrimonio arquitectonico y edificacion*. Havanna, Cuba, 1998 (1998) pp. 491–493.
- Sereda, P. J. and Ramachandran, V. S.** Predictability gap between science and technology of cements I: characterization of hydraulic cements. *Journal of the American Ceramic Society*, 58, no. 3–4 (1975) pp. 94–99.
- Sereda, P. J. and Ramachandran, V. S.** Predictability gap between science and technology of cements II: physical and mechanical behavior of hydrated cements. *Journal of the American Ceramic Society*, 58, no. 5–6 (1975) pp. 249–253.
- Sersale, Riccardo.** Lime, the first in time among the justly named binding materials. *Atti della Accademia pontaniana*, 40 (1991) pp. 257–275.
- Sharp, J. W. and Prokopovich, S. A.** Conservation parameters related to Australia's First Government House. *International ceramic monographs*, 1, no. 1 (1994) pp. 2–9.
- Shepard, Anna O.** Technological notes. In *Technological notes on the pottery, pigments, and stuccos from the excavations at Kaminaljuyu, Guatemala*. Kidder, A. V.; Jennings, J. D.; and Shook, E. M., Editors. Carnegie Institution of Washington, Washington, D. C. (1946) pp. 261–277.
- Shih, Shin-Min; Ho, Ch'un-Sung; Song, Yuen-Sheng; and Lin, J.** Kinetics of the reaction of Ca(OH)<sub>2</sub> at low temperature. *Industrial and engineering chemistry research*, 38 (1999) pp. 1316–1322.
- Short, N. R.; Purnell, P.; and Page, C. L.** Preliminary investigations into the supercritical carbonation of cement pastes. *Journal of materials science*, 36, no. 1 (2001) pp. 35–41.
- Shrive, N. G. and England, G. L.** Elastic, creep and shrinkage behaviour of masonry. *International journal of masonry construction*, 1, no. 3 (1981) pp. 103–109.
- Sickels, Lauren-Brook.** The development of mortars in Scotland. *Transactions of the Association for Studies in the Conservation of Historic Buildings*, 7 (1982) pp. 47–51.
- Sickels, Lauren Brook.** *Mortars in old buildings and in masonry conservation: a historical and practical treatise*. University of Edinburgh, Scotland (1988) 358p.
- Sickels, Lauren-Brook.** Organic additives in mortars. *Edinburgh architecture research*, 8 (1981) pp. 7–20.
- Sickels, Lauren-Brook.** Organics vs. synthetics: their use as additives in mortars. In *Mortars, cements and grouts used in the conservation of historic buildings. Symposium*. Rome, 3–6 November 1981 (1982) pp. 25–52.
- Sickels Taves, Lauren B.** An analysis of creep and shrinkage in mortars. *Journal of testing and evaluation*, 22, no. 6 (1994) pp. 548–55.
- Sickels Taves, Lauren B.** Creep, shrinkage, and mortars in historic preservation. *Journal of testing and evaluation*, 23 (1995) pp. 447–521.
- Sickels Taves, Lauren B.** Elastic stain, creep, and recovery in mortars: additional analysis. *Journal of testing and evaluation*, 23, no. 5 (1995) pp. 377–383.

- Siedel, H.** Dolomitische Kalkmörtel als Quelle für steinschädigende Salze an der Tulpenkanzel im Dom zu Freiberg/Sachsen. In *Jahresberichte Steinzerfall – Steinkonservierung, Band 4 – 1992*. Verlag Ernst & Sohn, Berlin (1994) 173p.
- Siedel, H.; Schlüter, F.; Pfefferkorn, S.; and Juling, H.** Historische Konservierungsmaßnahmen und Steinschäden an der Wappengalerie des Großen Wendelsteins in Schloß Hartenfels zu Torgau. In *Jahresberichte Steinzerfall – Steinkonservierung, Band 5–1993*. Verlag Ernst & Sohn, Berlin (1995) pp. 295–306.
- Siedler, Eduard Jobst.** *Der Putz und seine Verwendung*. Kalkverlag, Berlin (1927) 37p.
- Sigrist, B.** Bericht zu den historischen Putz- und Farbfassungsbefunden an der Fassade der ev. Pfarr- und Marktkirche St. Marien in Lippstadt. *Westfalen Hefte für Geschichte, Kunst und Volkskunde*, 76 (1998) pp. 442–476.
- Silvennoinen, Kari and Pyy, Hannu.** *Ilman happamoittavien epäepuhtauksien vaikutus rappauksiin*, VTT-TUTK-568. Valtion Teknillinen Tutkimuskeskus, Espoo, Finland (1988) 60p.
- Simons, S. J. R. and Fairbrother, R. J.** Direct observation of liquid binder-particle interactions: the role of wetting behaviour in agglomerate growth. *Power technology*, 110, no. 1–2 (2000) pp. 4–58.
- Simpson and Brown.** *Conservation of plasterwork: a guide to the principles of conserving and repairing historic plasterwork*. Historic Scotland, Edinburgh (1994) 43p.
- Singh, J.; Sehgal, R. P.; and Singh, M.** Study of stone crushing dust as pizzolana. In *Proceedings: thirty sixth annual research session*. Srinagar, Kashmir, 12–21 June 1966 (1968) pp. 304–313.
- Singh, M.** Analysis and characterization of Charminar lime plaster. *Current science*, 64, no. 10 (1993) pp. 760–764.
- Singh, M.** Studies on lime plasters of Golconda Fort. In *Role of chemistry in archaeology. 1st international colloquium*. Hyderabad, India, 15–18 November 1991 (1991) pp. 81–86.
- Singh, M.; Jain, Kamal K.; and Singh, Tej.** Some studies on the suitability of lime mortars based on ancient Indian formulations for restoration purposes. In *Superfici dell'architettura: le finiture. Atti del convegno di studi*. Bressanone, Italy, 26–29 June 1990 (1990) pp. 151–158.
- Sinha, B. P. and Hendry, A. W.** The effect of brickwork bond on the load bearing capacity of model brick walls. *Proceedings of the British Ceramic Society*, 11 (1968) pp. 55–67.
- Sinn, Börries H.** *Und machten Staub zu Stein: Die faszinierende Archäologie des Betons von Mesopotanien bis Manhattan*. Beton-Verlag, Düsseldorf (1993) 241p.
- Skeen, J. W.** Experiments on the rain penetration of brickwork: the effect of mortar type. *Transactions of the British Ceramic Society*, 70, no. 1 (1971) pp. 27–30.
- Skibinski, Sławomir.** Badanie składu fazowego i struktury zapraw budowlanych dla potrzeb konserwacji i archeologii na przykładzie romańskich budowli Wielkopolski i Kujaw. In *Naukowe podstawy ochrony i konserwacji dzieł sztuki oraz zabytków kultury materialnej*. Strzelczyk, Alicja and Skibinski, Sławomir, Editors. Uniwersytet Mikołaja Kopernika w Toruniu, Torun (1993) pp. 9–17.
- Smith, B. S. and Carter, C.** Hypothesis for shear failure of brickwork. *Journal of the structural division (ASCE)*, P.A.S.C.Engineers, ST4 (1971) pp. 1055–1062.

- Smith, R. R. R. and Ratte, Christopher.** Archaeological research at Aphrodisias in Caria, 1995. *American journal of archaeology*, 101, no. 1 (1997) pp. 1,22.
- Snethlage, Rolf.** Der Einfluß von Hydrophobierungsmitteln auf die Karbonatisierung von Sumpfkalkmörteln. *Bautenschutz + Bausanierung*, 11, no. 6 (1988) pp. 212–213.
- Sobkowiak, D.** Zastosowanie zapraw wapienno–trasowych do uzupełniania ubytków w kamiennych obiektach zabytkowych. *Ochrona zabytków*, 1 (1998) pp. 43–46.
- Sohn, H. Y.** The law of additive reaction times in fluid solid reactions. *Metallurgical transactions B*, 9B (1978) pp. 89–96.
- Sohn, H. Y. and Szekely, J.** The effect of intragrain diffusion on the reaction between a porous solid and a gas. *Chemical engineering science*, 29 (1974) pp. 630–634.
- Sohn, H. Y. and Szekely, J.** A general dimensionless representation of the irreversible reaction between a porous solid and a reactant gas. *Chemical engineering science*, 27 (1972) pp. 763–778.
- Sohn, H. Y. and Szekely, J.** A structural model for gas–solid reactions with a moving boundary–IV. Langmuir–Hinshelwood kinetics. *Chemical engineering science*, 28 (1973) pp. 1169–1177.
- Soroka, I. and Korin, U.** Grading and fine content of stone sand and cracking of plaster–work. *Materiaux et Constructions*, 2, no. 12 (1969) pp. 461–465.
- Southwest Archaeology Team, Inc.** *Southwest Archaeology Team*. Web page, [accessed 2 March 2000]. Available at: <http://members.aol.com/swarchy/index.htm>.
- Sparacio, R.** Metodi di calcolo per le costruzioni in muratura. In *// consolidamento delle costruzioni*. Del Pietro, G., Editor. CISM International Center for Mechanical Sciences, Udine, Italy (1983) pp. 277–311.
- Speweik, John P.** *The history of masonry mortar in America 1720–1995*. National Lime Association, Arlington (1995) 15p.
- Spiropoulos, John.** *Small scale production of lime for building*. Friedrich Vieweg & Sohn, Braunschweig (1985) 80p.
- St. John, D. A.; Poole, A. B.; and Sims, I.** *Concrete petrography: a handbook of investigative techniques*. John Wiley & Sons, New York (1998) xii + 474p.
- Staley, H.** Curing of masonry mortars. In *1942 book of ASTM standards*. (1942) pp. 762–774.
- Staley, H.** *Micrometrics of lime: research report*. MIT Report to the National Lime Association, Washington, DC (1946) 57p.
- Staley, H. and Greenfield, S.** Surface areas of high-calcium quicklimes and hydrates. *Proceedings of the annual meeting–American Society for Testing Materials*, 48 (1948) pp. 953–966.
- Staniseva, T.** Istrazuvacki raboti na freskozivopisot na crkvite Sv. Gorgi i Sv. Ilije, s. Vranesnica od hemisko-tehnoloski aspekt. *Kulturno Nasledstvo*, no. 14–15 (1987) pp. 81–90.
- Stark, J. and Wicht, B.** Geschichtliche Entwicklung der Zusatzmittel und ihr Beitrag zur Entwicklung der Betonbauweise. *Österreichische Ingenieur- und Architekten-Zeitschrift (ÖIAZ)*, 142 (1997) pp. 670–681.

- Stark, Jochen and Wicht, Bernd.** *Geschichte der Baustoffe*. Schriften der Hochschule für Architektur und Bauwesen Weimar Universität , 99. HAB Weimar, Weimar (1997) 200p.
- Statens rad foer byggnadsforskning. Stockholm.** *Byggforskningens informationsblad, kalkfaerg pa fasad*, 4. Environment Canada. Multilingual Services Division, Ottawa (1979) 89p.
- Stefanidou, Maria.** Estimation of porosity by using different techniques. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 9 2001 (2001) pp. 619–624.
- Stegemann, R.** *Das große Baustofflexikon. Handwörterbuch der gesamten Baustoffkunde*, herausgegeben von Rudolf Stegemann. Deutsche Verlags-Anstalt, Stuttgart (1941) xxiv + 1047p.
- Steinicke, D. B.** Letztes Kalkbrennen in der Eifel. *Eifeljahrbuch* (1982) pp. 81–85.
- Steopoe, A.** Investigations on lime mortars with hydraulic additives. *Zement-Kalk-Gips*, 53, no. 1 (1964) pp. 19–21.
- Steopoe, A.** Über Fettkalke und Fettkalkmörtel. *Zement-Kalk-Gips*, 19 (1966) pp. 77–81.
- Steopoe, A.** Untersuchungen an Kalkmörteln mit hydraulischen Zusätzen. *Zement-Kalk-Gips*, 53, no. 1 (1964) pp. 19–21.
- Steopoe, A.** Über fettkalk und fettkalkmörtel. *Zement-Kalk-Gips*, 2 (1966) pp. 77–81.
- Stepien, P.** Case studies in the use of organo-silanes as consolidants in conjunction with traditional lime technology. In *Vlth international congress on deterioration and conservation of stone*. Torun, Poland, 12–14 September 1988 (1988) pp. 647–652.
- Steward, John; Glover, Richard; Holmes, Stafford; Proudfoot, Trevor; and Seeley, Nigel.** Traditional lime-mortar formulations at the National Trust. *Transactions of the Association for Studies in the Conservation of Historic Buildings*, 19 (1994) pp. 21–38.
- Stewart, J.** New European and national standards for hydraulic limes. *Lime news*, 5 (1997) pp. 59–65.
- Stewart, J. and Moore, J.** Chemical techniques of historic mortar analysis. In *Mortars, cements and grouts used in the conservation of historic buildings*. Rome, 3–6 November 1981 (1982) pp. 297–310.
- Stewart, John and Moore, James.** Chemical techniques of historic mortar analysis. *APT bulletin*, 14, no. 1 (1982) pp. 11–16.
- Stokowski, Jr. Steven J. and Polsky, Matthew B.** *Petrography of 99-year old mortar from the Town Hall, Plaistow NH*. Web page, 1995 [accessed 2 March 2000]. Available at: <http://members.aol.com/CrushStone/plaistow.htm>.
- Stoll, Friedrich.** *Elektrochemische Untersuchungen zur Passivität und Spannungsrissskorrosion von Spannstählen in alkalischen und karbonatisierten Calciumhydroxidlösungen*. Technische Fakultät der Universität Erlangen-Nürnberg, Erlangen (1982) 109p.
- Strange, J. H.; Webber, J. B. W.; and Schmidt, S. D.** Pore size distribution mapping. *Magnetic resonance imaging*, 14, no. 6/7 (1996) pp. 803–805.
- Strötmann, Rochus and Maryniak-Piaszczyński, Ewa.** Dispersed hydrated lime for the preservation and conservation of stone monuments. In *Proceedings of the 9th international congress on deterioration and conservation of stone*, 2. Venice, 19–24 June 2000 (2000) pp. 477–483.

- Strübel, Gerhard.** Putzmörtel mit hydraulischen Kalken im Bereich der Denkmalpflege. In *Putzinstandsetzung*. Verlag für Bauwesen, Berlin (1998) pp. 5–19.
- Strübel, Gerhard.** Untersuchungen zur Restaurierung der Yungang-Grotten in der Provinz Shanxi/China. In *Putzinstandsetzung*. Verlag für Bauwesen, Berlin (1998) pp. 137–151.
- Strübel, G. and Dai, S.** Putzmörtel mit hydraulischen Kalken im Bereich der Denkmalpflege. Erhärtungsverhalten, Carbonatisierung und Schadensvermeidung. Hanseatische Sanierungstage, Putzinstandsetzung, Kühlungsborn, FAS Schriftenreihe , 9. Verlag für Bauwesen, Berlin (1998) pp. 5–18.
- Sugden, W. and Wymer, C.** Conservation and structure—the roof to the Great Hall, Bedford School. *Structural engineer*, 64A, no. 2 (1986) pp. 45–49.
- Sumanov, L.; Staniseva, T.; Trajkoska, V.; and Danilovski, D.** Lime mortar and lime based mixtures for conservation, restoration, repair and strengthening of Byzantine churches (9th–14th century) in Republic of Macedonia. In *Methods of evaluating products for the conservation of porous building materials in monuments. International colloquium, preprints*. Rome, 19–21 June 1995 (1995) pp. 49–66.
- Suter, G. T.; Vandenberg, J.; and Fontaine, L.** Bond capacity of mortars for historic structures. *APT bulletin*, 27 (1996) pp. 27–35.
- Suter, Gary T.; Thomson, Margaret L.; and Fontaine, Lyne.** Mortar study of mechanical properties for the repointing of the Canadian Parliament buildings. *APT bulletin* , 29, no. 2 (1998) pp. 51–58.
- Sutherland, R. J. M.** Brick and block masonry in engineering. *Proceedings of the Institution of Civil Engineering, part 1*, 70 (1981) pp. 31–63.
- Swallow, Peter and Carrington, David.** Limes and lime mortars: part one. *Journal of architectural conservation*, 1, no. 3 (1995) pp. 7–25.
- Swann, S.** Roman Cement 1796–1996. *Lime news*, 5 (1997) pp. 38–50.
- Swenson, E. G. and Sereda, P. J.** Mechanism of the carbonation shrinkage of lime and hydrated cement. *Journal of applied chemistry*, 17 (1967) pp. 198–202.
- Swenson, E. G. and Sereda, P. J.** Mechanism of the carbonation shrinkage of lime and hydrated cement. *Journal of applied chemistry*, 18, no. 4 (1968) pp. 111–117.
- Szczerba, Z. and Jedrzejewska, H.** Standardized tests for lime plasters used in conservation. In *Vith international congress on deterioration and conservation of stone* . Torun, Poland, 12–14 September 1988 (1988) pp. 303–312.
- Sölter, W.** Eine römische Kalkbrennerei. *Bild der Wissenschaft*, 9 (1970) pp. 882–889.
- Sölter, Walter.** *Römische Kalkbrenner im Rheinland*. Kunst und Altertum am Rhein, 31. Rheinland–Verlag, Düsseldorf (1970) 46p.
- Tadros, Maher E.; Skalny, Jan; and Kalyoncu, Rustu. S.** Kinetics of calcium hydroxide crystal growth from solution. *Journal of colloid and interface science*, 55, no. 1 (1976) pp. 20–24.
- Tanner, F. and Christen, H.–U.** Hydraulischer Kalk für Fassadenrenovation. *Cement bulletin* , 54, no. 9 (1986) pp. 1–6.

- Tasong, W. A.; Cripps, J. C.; and Lynsdale, C. J.** Aggregate-cement chemical interactions. *Cement and concrete research*, 28, no. 7 (1998) pp. 1037–1048.
- Taylor, N. and Mallinder, P. A.** On the limit state properties of masonry. *Proceedings of the Institution of Civil Engineers*, 83, part 2 (1987) pp. 33–41.
- Taylor-Firth, A. and Laycock, E. A.** Weathering simulation for durability assessment of the in-service performance of construction materials. *Quarterly journal of engineering geology*, 32 (1999) pp. 291–301.
- Taylor, Thomas H. Jr. and Sowick, Christopher A.** *Publications of the National Bureau of Standards related to building technology. Part 1: 1901–June 30, 1960.* Association for Preservation Technology, Ottawa (1980) V + 120p.
- Teles, M. and Begonha, A.** Scanning electron microscopy (SEM) as an auxiliary tool for the determination of the present composition of old mortars. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 399–404.
- Teutonico, J. M. (Editor).** *The English Heritage directory of building limes: manufacturers and suppliers of building limes in the United Kingdom and the Republic of Ireland.* Donhead Publishing Ltd., Dorset (1997) 61p.
- Teutonico, J. M.** Recent research on hydraulic lime: A report on the final phases of the Smeaton Project. *Lime news*, 5 (1997) p.70.
- Teutonico, J. M.; Ashall, G.; Garrod, E.; and Yates, T.** A comparative study of hydraulic lime-based mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 339–350.
- Teutonico, J. M.; McCraig, I.; Burns, C.; and Ashurst, J.** The Smeaton project: factors affecting the properties of lime-based mortar. *Lime news*, 2 (1994) pp. 7–13.
- Teutonico, J. M.; McCraig, I.; Burns, C.; and Ashurst, J.** The Smeaton project: factors affecting the properties of lime-based mortar. *Eurolime newsletter*, 2 (1994) pp. 71–77.
- Teutonico, J. M.; McCraig, I.; Burns, C.; and Ashurst, J.** *The Smeaton Project: factors affecting the properties of lime-based mortars for use in repair and conservation of historic buildings. Research project ACI: phase I report.* (1994) 48p.
- Teutonico, Jeanne Marie.** *A laboratory manual for architectural conservators.* ICCROM, Rome (1998) vii + 168p.
- Teutonico, Jeanne Marie; McCaig, Iain; Burns, Colin; and Ashurst, John.** The Smeaton Project. In *A future for the past.* Teutonico, Jeanne Marie, Editor. James and James, London (1996) pp. 13–29.
- Teutonico, Jeanne-Marie; McCaig, Iain; Burns, Colin; and Ashurst, John.** The Smeaton project: factors affecting the properties of lime-based mortars. *APT bulletin*, 25, no. 3–4 (1994) pp. 32–49.
- Theocharis, Charis R. and Yeates, David.** Changes in the surface properties of calcium hydroxide upon ageing. A spectroscopic and gas sorption study. *Colloids and surfaces*, 58 (1991) pp. 353–361.
- Thiersch, K.** Die Verwendung von Kalkmörteln in der Denkmalpflege—Beispiele aus Nordhessen. In *Contribution of the 3rd eurolime meeting*. Mainz, 1–2 May 1998 (1999) pp. 50–55.
- Thomassin, J. H. and Rassineux, F.** Ancient analogues of cement-based materials: stability of calcium silicate hydrates. *Applied geochemistry* (1992) pp. 137–142.

- Thomson, M. and Groot, C.** RILEM TC characterization of old mortars with respect to their repair. In *The use of and need for preservation standards in architectural conservation*. Atlanta, 18–19 April 1998 (1999) pp. 152–157 .
- Thomson, M. L.** Plasticity, water retention, soundness and sand carrying capacity: what a mortar needs. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 163–172.
- Thomson, M. L. and Basten, S. J.** Durability of 16th century mortar: arctic Canada versus inland Ireland. In *Proceedings of the 7th Canadian masonry symposium*. Hamilton, Ontario, 1995 (1995) pp. 678–688.
- Thomson, M. L.; Suter, G. T.; and Fontaine, L.** Frost durability testing of stone masonry mortars: restoring the Canadian Parliament Buildings. *APT bulletin*, 29, no. 2 (1998) pp. 42–49.
- Thomson, Margaret.** Lime: some new twists. In *APT97 Chicago Conference: less is more. Abstracts*. Chicago, 1997 (1997) p.80.
- Thornton, J. C.** Relation between bond and the surface physics of masonry units. *Journal of the American Ceramic Society*, 36, no. 4 (1953) pp. 105–120.
- Tiano, P.** Stone reinforcement by calcite crystal precipitation induced by organic matrix macromolecules. *Studies in conservation*, 40 (1995) pp. 171–176.
- Ticova, E. and Heidingsfeld, Viktor.** Modifikace vapennych malt disperzemi. In *Sbornik Vysoké školy chemicko technologické Praha a Statnických restaurátorovských ateliérů Praha*. Prague Institute of Chemical Technology; State Restoration Studios, Prague (1993) pp. 65–78.
- Tomazic, B.; Mohanty, R.; Tadros, M.; and Estrin, J.** Crystallization of calcium hydroxide from aqueous solution, I. Preliminary study. *Journal of crystal growth*, 75, no. 2 (1986) pp. 339–347.
- Toniolo, Lucia; Bugini, Roberto; and Alessandrini, Giovanna.** I rapporti composizionali di una malta antica. *Arkos*, no. 15 (1991) pp. 8–10.
- Torraca, Giorgio.** Definizione delle proprietà richieste per le materie prime (leganti e inerti) e i prodotti finali (malte e intonaci). In *Intonaci colore e coloriture nell'edilizia storica: atti del Convegno di Studi*, Parte I, Supplemento al N. 35–36. Rome, 25–27 October 1984 (1986) pp. 107–108.
- Torraca, Giorgio.** I materiali e il restauro: il ritorno della calce. *Le dimore storiche*, 14, no. 3 (1998) pp. 9–10.
- Torraca, Giorgio.** Materiali cementizi e tecnologie: scelta dei materiali in funzione del tipo d'intervento. In *Restoration and cement in architecture*, 2. Carbonara, Giovanni, Editor. Associazione italiana tecnico economica del cemento, Rome (1984) pp. 174–180.
- Torraca, Giorgio.** *Porous building materials: materials science for architectural conservation*. ICCROM, Roma (1988) iii + 141p.
- Torsello, P.** Tradizione e restauro. In *Le ricette del restauro. Malte, intonaci, stucchi dal XV al XIX secolo*. Arcolao, C., Editor. Marsilio, Venice (1998) pp. 9–18.
- Tourtay, M.** L'influence des joints dans la résistance à l'écrasement des maçonneries de pierre de taille. *Annales des Ponts et Chausées* (1885) pp. 582–592.

- Trachtenberg, Shlomo and Mayer, Alfred M.** Biophysical properties of *Opuntia Ficus-Indica* mucilage. *Phytochemistry*, 21, no. 12 (1982) pp. 2835–2843.
- Treussart, C. L.; Petot, M.; and Courtois, M.** *Essays on hydraulic and common mortars and on lime-burning. Translated from the French and with brief observations on common mortars, hydraulic mortars, and concretes.* Franklin Institute, Philadelphia (1838) 256p.
- Trojer, F. and Blümel, O.** Beitrag zur Alkali-Dolomit-Reaktion im Beton. *ZKG. Zement-Kalk-Gips* (1969) pp. 175–178.
- Tsuge, Hideki and Matsuo, Hitoshi.** Reactive crystallization of magnesium hydroxide. *ACS symposium series*, 438, Crystal Separation Process (1990) pp. 344–354.
- Tubb, K. W.** Conservation of the lime plaster statues of 'Ain Ghazal. In *Recent advances in the conservation and analysis of artifacts. Jubilee conservation conference*. London, 6–10 July 1987 (1987) pp. 387–392.
- Tubb, Kathryn Walker and Grissom, Carol A.** 'Ayn Ghazal: a comparative study of the 1983 and 1985 satuary caches. *Studies in the history and archaeology of Jordan*, 5 (1995) pp. 437–447.
- Tubbs, Laura Ellen and Kinder, Terry N.** The use of AMS for the dating of lime mortars. *Nuclear instruments and methods in physics research*, B52 (1990) pp. 438–441.
- Tuncoku, S. S.; Caner-Saltik, E. N.; and Boke, H.** Definition of the materials and related problems of a XIIIth century Anatolian seljuk 'mescid': a case study in Konya City. In *Conservation of stone and other materials: research-industry-media. Proceedings of the international RILEM/UNESCO congress*. Paris, 29 June–1 July 1993 (1993) pp. 368–375.
- Turba, E.** Ricerca della provenienza dei mattoni nel restauro. In *La conservazione de costruito: i materiali e le tecniche*. Dezzi Bardeschi, M. and Sorlini, Claudia, Editors. Clup, Italia (1981) pp. 155–159.
- U.S. Heritage Group.** *U.S. Heritage Group: historic mortar and masonry restoration products and services*. Web page, 1998 [accessed 28 February 2000]. Available at: <http://www.usheritage.com/>.
- United Kingdom Institute for Conservation of Historic and Artistic Works.** *The analysis of pigments and plasters—its relevance to current wall painting and stone conservation practice. Post-prints of a day conference of the wall paintings section of the United Kingdom Institute for Conservation of Historic and Artistic Works*. London, 22 February 1997 (1998) 28p.
- United States Bureau of Standards.** *Recommended specification for quicklime and hydrated lime for use in the absorption of carbon dioxide*. Circular of the Bureau of Standards, 189. U.S. Government Printing Office, Washington, D. C. (1924) 5p.
- United States Bureau of Standards.** *Recommended specification for quicklime and hydrated lime for use in the manufacture of calcium arsenate*. Circular of the Bureau of Standards, 203. U.S. Government Printing Office, Washington, D.C. (1924) 4p.
- United States Bureau of Standards.** *United States government master specification for hydrated lime for structural purposes*. Circular of the Bureau of Standards, 204. U.S. Government Printing Office, Washington, D.C. (1924) 7p.
- United States Bureau of Standards.** *United States government master specification for quicklime for structural purposes*. Circular of the Bureau of Standards, 201. U.S. Government Printing Office, Washington, D.C. (1924) 5p.

- Urbach, Hans.** *Der Kalk in Kulturgeschichte und Sprache*. Verlag des Vereins deutscher kalkwerke, Berlin (1923) vii + 160p.
- Van Aardt, J. H. P. and Visser, S.** Thaumasite formation: a cause of deterioration of portland cement and related substances in the presence of sulphates. *Cement and concrete research*, 5 (1975) pp. 225–232.
- Van Balen, K.** Karbonatatie van kalkmortel en haar invloed op het gedrag van historisch metselwerk. *Infrastructuur in het Leefmilieu*, no. 3 (1992) pp. 155–167.
- Van Balen, K.** *Karbonatatie van kalkmortel en haar invloed op historische structuren*. Université Catholique de Louvain, Louvain-la-Neuve (1991) 281p.
- Van Balen, K.** Stabiliteitsherstel in monumentenzorg. In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 15–27.
- Van Balen, K. and Smars, P.** Modele considerant la maçonnerie comme matériau non-resistant à la traction. In *IABSE symposium: structural preservation of the architectural heritage*. Rome, 1993 (1993) pp. 337–344.
- Van Balen, K and Van Gemert, D.** Interaction between drying and lime mortar carbonation. In *Werkstoffwissenschaften und Bausanierung: Tagungsbericht des Dritten Internationalen Kolloquiums zum Thema Werkstoffwissenschaften und Bausanierung = Materials science and restoration: proceedings of the third international colloquium on materials science and restoration*. Esslingen, Germany, December 1992 (1992) pp. 1440–1452.
- Van Balen, K. and Van Gemert, D.** Lime–cement mortars compared to the commonly used mortars in Belgium. (1990) 16p.
- Van Balen, K. and Van Gemert, D.** Modelling lime mortar carbonation. *Materials and structures*, 27 (1994) pp. 393–398.
- Van den Borre, Ann and Phillippe Van Tendeloo.** *Bepalen van de carbonatatiereactiesnelheid voor verschillende kalksoorten*. Katholieke Universiteit, Leuven (1999) 77p.
- Van der Kloes, J. A.** Die Folgen des Gebrauchs unrichtig zusammengesetzter Mörtel. *Zentralblatt der Bauverwaltung*, 82, no. 1909 (1909) pp. 537–539.
- Van Gemert, D.** The use of grouting for the use of consolidation of historic masonry constructions. Advantages and limitations of the method. In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 265–276.
- Van Gemert, D and Van Gemert, K.** Interaction between mortar and brick at frost degradation of masonry. In *VI international congress on the deterioration and conservation of stone*. Torún, Poland, 12–14 September 1988 (1988) pp. 66–72.
- Van Hees, R. P. J.; Pel, L.; and Lubelli, B.** Damage diagnosis and compatible repair mortars. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 27–36.
- Van Hees, R. P. J.; Pel, L.; and Lubelli, B.** Towards compatible repair mortars for masonry in monuments. In *Protection and conservation of the cultural heritage of the Mediterranean cities. Proceedings of the 5th international symposium on the conservation of monuments in the Mediterranean Basin*. Seville, 5–8 April 2000 (2002) pp. 371–375.

- Vanecek, Ivan and Hoftichova, Petra.** Hodnoceni granulometrie kameniva historickyh omitek a malt shlukovou analyzou. *Sbornik Vysoké skoly chemicko-technologické v Praze. Polymery: chemie, vlastnosti a zpracovani*, S20 (1991) pp. 125–134.
- Varma, K. M.** *Stucco in India: from pre-Mohenjodaro times to the beginning of the Christian era*. K. M. Varma, Calcutta (1983) xvi + 116 p.
- Vasari, Giorgio; Maclehone, Louisa S; Brown, Gerard Baldwin; and Vasari, Giorgio.** *Vasari on technique being the introduction to the three arts of design, architecture, sculpture and painting, prefixed to the Lives of the most excellent painters, sculptors, and architects*. Dover Publications, New York (1960) xxiv + 328p.
- Vasiliu, Dan.** Lime replacement by specific plasticizers in masonry mortars and plasters. *Materiale de Constructii*, 20, no. 2–3 (1990) pp. 86–8.
- Vazquez del Mercado Yañez, Ximena and Alejandra Mercedes Villegas y Duñate.** *Los estucos modelados del palacio y del Tiempo de las Inscripciones de Palenque: una metodología de análisis para la técnica de manufactura*. Escuela Nacional de Conservacion, Restauracion y Museografia, Mexico (1993) 126p.
- Vecchio, S.; La Ginestra, A.; Frezza, A.; and Ferragina, C.** The use of thermoanalytical techniques on the characterization of ancient mortars. *Thermochimica acta*, 227 (1993) pp. 215–223.
- Veiga, Rosario and Carvalho, Fernanda.** Some performance characteristics of lime mortars for rendering and repointing ancient buildings. *Proceedings of the British Masonry Society*, 8 (1998) pp. 353–356.
- Vendrell-Saz, M.; Alarcon, S.; Molera, J.; and Garcia-Valles, M.** Dating ancient lime mortars by geochemical and mineralogical analysis. *Archaeometry*, 38 (1996) pp. 143–149.
- Venstermans, J. and Pien, A.** Strukturele versterking van metselwerk door kunsthars-iniekties. *WTCB tijdschrift*, 2, April–June (1985) pp. 4–43.
- Vénuat, Michel.** *Le traitement des sols à la chaux et au ciment*. 1 ed. Vénuat, Châtillon-sur-Bagneux (1980) 459p.
- Venzmer, Helmut and Kühl, Jochen.** Mörtelleinsatz bei der Mauerkrone-Sicherung am Wirtschaftsgebäude des Klosters Bad Doberan. In *Putinstandsetzung*. Verlag für Bauwesen, Berlin (1998) pp. 61–71.
- Venzmer, Helmut and Lesnich, Natalia.** Modellversuche zum Trocknungsverhalten sanierputzbeschichteter Ziegel. In *Putinstandsetzung*. Verlag für Bauwesen, Berlin (1998) pp. 193–205.
- Verite, J.** *Le matériau TERRE : réalités et utopies*. Institut d'urbanisme de l'académie de Paris, University of Paris, Paris (1984) .
- Vernon, J.** The use of lime in mortars. *Cement, lime and gravel*, December (1970) pp. 308–309.
- Vester Jacobsen, L.** Udvendig bygningsvedligeholdelse i Kobstadmuseet "Den gamle By". *Meddelelser om konservering*, Raekke 4, no. 5–6 (1990) pp. 230–237.
- Vicat, L. J.** *Mortars and cements*. Donhead Publishing Ltd., Doncaster (1997) xii + xiv + 302 p.
- Vicat, L.-J.** *Traité pratique et théorique de la composition des mortiers, ciments et gangues à Pouzzolanes et de leur emploi dans toutes sortes de travaux suivi des moyens d'en apprécier la durée dans les constructions à la mer / par L.-J. Vicat*. Imp. Maisonneuve, Grenoble xvi + 103p.

- Vicat, Louis-Joseph.** *A practical and scientific treatise on calcareous mortars and cements, artificial and natural.* John Weale, London (1837) xii + xiv + 302p.
- Vierl, P.** Mauerwerk, Putz und Anstrich in der Baudenkmalflege. *Maltechnik Restauro*, 4 (1975) pp. 199–216.
- Vierl, P.** *Putz und Stuck.* Callwey Verlag, München (1987) 227p.
- Villegas, M.; Magaloni, D.; Vazquez, X.; Banos, L; and Rios, D.** Relative dating of the stucco relieves at Palenque, Chiapas, based on variation in material preparation. *Materials Research Society symposium proceedings*, 352 (1995) pp. 469–481.
- Vilnay, O.** Buckling of masonry arches. *Proceedings–Institution of Civil Engineers. Part 2–research and theory*, 77, March (1977) pp. 33–41.
- Vilnay, O.** Dynamical behaviour of three-voussoir arch. *Journal of structural engineering*, 114, no. 5 (1988) pp. 1173–1186.
- Vilnay, O. and Cheung, Sun-Sum.** Stability of masonry arches. *Journal of structural engineering*, 112, no. 10 (1986) pp. 2185–2199.
- Vinken, Gerhard.** Bautechnik mittelalterlicher Dorfkirchen im Blick kunsthistorischer Forschung: Erste Ergebnisse zu Prignitz, Uckermark und Landkreis Elbe-Elster. In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1998) pp. 31–44.
- Vitruvius, Pollio.** *Vitruvius: the ten books on architecture.* Dover Publications, New York (1960) 331p.
- Vlad, Ana-Maria and Niculescu, Gheorghe.** Repairing stages at the Church St. Nicholas–Popauti, identified by microscopy. In *Proceedings of the 8th Euroseminar on microscopy applied to buildings materials*. Athens, 4–7 September 2001 (2001) pp. 483–486.
- Von Konow, T.** Die Größe macht's–Korngrößenverteilung des Zuschlagstoffes für Mörtel. *Bautenschutz und Bausanierung*, 5 (1998) pp. 45–46.
- Von Konow, Thorborg.** *Restaurering och reparation med puts–och murbruk.* Åbo Akademi University Press, Åbo (1997) 155p.
- von Landsberg, D.** The history of lime production and use from early times to the Industrial Revolution. *Zement–Kalk–Gips: ZKG*, 45, no. 8 (1992) pp. 199–203.
- von Landsberg, D.** Zur Geschichte der Kalkherstellung und–verwendung von der Frühzeit bis zur industriellen Revolution. *Zement–Kalk–Gips: ZKG*, 45 (1992) pp. 269–273.
- Von Wölfel, W.** Römische Bauweisen an der Mosel. *Bautechnik*, 73 (1996) pp. 253–256.
- Voss, W.** *Exterior masonry construction.* Bulletin, 324. National Lime Association, Washington D.C. (1960) 70p.
- Voss, W.** Lime characteristics and their effect on construction. In *Symposium on lime*. Columbus, OH, 8 March 1939 (1939) pp. 103–116.
- Voss, W.** *Why masonry walls leak.* National Lime Association, Washington, D.C. (1938) 39p.
- Voyiadgis, A.** *Compatible mortars for Arsana tower of Zografou monastery, Mount Athos.* Aristotle University of Thessaloniki, Thessaloniki, Greece (1998) 20p.

- Waldum, A. M.** Mortars for restoration of old masonry structures. Guidelines for the preparation and curing of hydrated lime mortars. In *Evaluation and strengthening of existing masonry structures. Proceedings of the joint international workshop*. Padua, 28–29 June 1995 (1997) pp. 195–206.
- Waldum, A. M. and Anda, O.** Durability of lime-based mortars in a severe climate. Results from field and artificial aging tests. In *International RILEM workshop on historic mortars: characteristics and tests*. Paisley, Scotland, 12–14 May 1999 (2000) pp. 297–306.
- Walker, D.** Accelerated curing of lime–cement mortars. In *Masonry, past and present: a symposium presented at the seventy-seventh annual meeting*. Washington, D.C., 23–28 June 1974 (1975) pp. 96–106.
- Walker, D. and Gutschick, K. A.** Why use lime–cement mortar? For better workability, greater bond, and less water penetration. *Magazine of masonry construction*, 1, no. 4 (1988) pp. 169–171.
- Walker, D. D.** The microscope and lime. In *Proceedings of the fourth international conference on cement microscopy*. Las Vegas, Nevada, 28 March–1 April 1982 (1982) pp. 21–48.
- Wang, S. and Althaus, E.** Mineralogische und chemische Untersuchungen römischer Kalkmörtel aus der CUT. In *Xantener Berichte, Grabung–Forschung–Präsentation, Sammelband*. (1994) pp. 33–40.
- Wang, Sitong.** *Römische Kalkmörtel aus der Colonia Ulpia Traiana bei Xanten: Mineralogische und chemische Eigenschaften*. Universität Karlsruhe (1995) 107p.
- Wang, Yuting and Diamond, Sidney.** An approach to quantitative image analysis for cement pastes. *Materials Research Society symposium proceedings*, 370 (1995) pp. 23–32.
- Warren, D. and Lenczner, D.** A creep-time function for single-leaf brickwork walls. *International journal of masonry construction*, 2, no. 1 (1981) pp. 13–20.
- Wäscher, Hermann.** Beantwortung einiger technischer Fragen. Darin Aussagen zu Mörteln. In *Feudalburgen in den Bezirken Halle und Magdeburg*. Henschelverlag Kunst und Gesellschaft, Berlin (1962) pp. 31–32.
- Watkins, Kenneth W.** Lime (chemical of the month). *Journal of chemical education*, 60, no. 1 (1983) pp. 60–63.
- Watt, D. and Colston, B.** Investigating the effects of humidity and salt crystallisation on medieval masonry. *Building and environment*, 35, no. 8 (2000) pp. 737–749.
- Weaver, M. E.** Cementitious materials. In *Conserving buildings*. Weaver, M. E., Editor. John Wiley & Sons, New York (1993) pp. 133–160.
- Webb, T. L.** Chemical aspects of unsoundness and plasticity in building limes. *South African industrial chemist*, 6 (1952) pp. 290–294.
- Weber, H.** Besondere Lösungen mit Putzsystemen. *Bausubstanz*, 9 (1995) pp. 48–50.
- Weber, H.** Bindemittel für mineralische Fassadenputze. *Bausubstanz*, 2 (1995) pp. 54–58.
- Weber, Helmut.** Besondere Lösungen mit Wärmedämmputzen. In *Putzinstandsetzung*. Verlag für Bauwesen, Berlin (1998) pp. 193–205.
- Wei, S. H.; Mahuli, S. K.; Agnihotri, R.; and Fan, L. S.** High surface area calcium carbonate: pore structural properties and sulfation characteristics. *Industrial and engineering chemistry research*, 36, no. 6 (1997) pp. 2141–2148.

- Weise, G.** Die Entwicklung der Zementherstellung in Thüringen bis zum Beginn des 20. Jahrhunderts. *Hochschule für Architektur und Bauen Weimar. Wissenschaftliche Zeitschrift*, 42 (1996) pp. 173–181.
- Wendler, E.** Hinterfüllung und Festigung mit KSE-Modulsystem. In *Historische Fassadenputze*. A. Boué, Editor. Fraunhofer IRB Verlag, Stuttgart (2001) pp. 75–78.
- Wens, Rolf.** Naturwissenschaftliche Untersuchungen an historischen Mörteln und Putzen (Analytik und Porosität). In *Mittelalterliche Putze und Mörtel im Land Brandenburg*. Potsdamer VerlagsBuchhandlung GmbH, Potsdam (1998) pp. 44–56.
- Wenzel, F.** Examples of methodical approach to structural consolidation of ancient buildings. In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 93–104.
- Wenzel, F.** How to ensure that the next step in the conservation of a building will be an appropriate one? In *Stable-unstable? Structural consolidation of ancient buildings*. Lemaire, R. M. and Van Balen, K., Editors. University Press, Leuven (1988) pp. 327–338.
- Werner, A.** Sanierung von Kirchenbauten an der Elbe. Schädliche Folgen von Zement-Injektionen bei gipshaltigem Mauerwerk. *Bausubstanz*, no. 5 (1986) pp. 36–40.
- Werner, W. and Schlegel, E.** Über die Hydratation von Branntkalk. *Freiberger Forschungshefte A*, 563 (1976) pp. 37–85.
- Wesche, K. and Schubert, P.** Properties of mortar and concrete made with fly ash. In *Jahrbuch 1982*. Institut für Bauforschung der Rheinisch-Westfälischen technischen Hochschule Aachen, Aachen (1982) pp. 225–232.
- Wetenschappelijk Centrum voor het Bouwbedrijf.** *Durabilité des maçonneries en briques de terre cuite*. unpublished report (1987) 4p.
- Wetzel, G.** Welchen Mauermörtel wann verwenden? *Baugewerbe*, 8 (1983) pp. 8–16.
- Whitman, W. and Davis, G.** The hydration of lime. *Industrial and engineering chemistry*, 18, no. 2 (1926) p.118–120.
- Wieden, P.** Der carbonatisierungsvorgang bei kalk-sand mörtel. *Zement-Kalk-Gips*, 1 (1966) pp. 14–16.
- Wiersma, D. J.** Kalk in metselmortels. *Bouwhandel*, 11, no. November (1982) pp. 2–8.
- Wild, S.; Arabi, M.; and Rowlands, G. O.** Relation between pore size distribution, permeability, and cementitious gel formation in cured clay-lime systems. *Materials science and technology*, 3, no. 12 (1987) pp. 1005–1011.
- Wild, S.; Khatib, J. M.; and O'Farrell, M.** Sulphate resistance of mortar, containing ground brick clay calcined at different temperatures. *Cement and concrete research*, 27, no. 5 (1997) pp. 697–709.
- Williams, Richard.** *Limekilns and limeburning*. Shire Publications Ltd, Princes Risborough, England (1989) 32p.
- Willis, Kelly L.; Abell, Anne B.; and Lange, David A.** Image-based characterization of cement pore structure using Wood's metal intrusion. *Cement and concrete research*, 28, no. 12 (1998) pp. 1695–1705.
- Wilms, D.** Onthardingsverloop in een korrelreactor; kwantificering van de invloed van procesvariabelen. *H2O: Tijdschrift voor Watervoorziening*, 22, no. 20 (1989) pp. 628–632.

- Wingate, Michael.** *Small-scale lime-burning: a practical introduction*. Intermediate Technology Publications, London (1985) ix + 185 p.
- Winnefeld, F.; Boettger, K. G.; and Knoefel, D.** Eigenschaften von Baukalken mit unterschiedlich hohen Hydraulischen Anteilen: Eine kritische Betrachtung hinsichtlich des Einsatzes für die Denkmalpflege. In *Werkstoffwissenschaften und Bauinstandsetzen*. Esslingen, 17–19 December 1996 (1996) pp. 801–815.
- Winnefeld, F.; Boettger, K. G.; and Knoefel, D.** Historic lime mortars—mortars for the restoration of the Lorsch Entrance Hall. *Restauro*, no. 1 (2001) pp. 40–45.
- Winnefeld, F; Böttger, K. G.; and Knöfel, D.** Eigenschaften von Baukalken mit unterschiedlich hohen hydraulischen Anteilen – eine kritische Betrachtung hinsichtlich des Einsatzes für die Denkmalpflege. In *Werkstoffwissenschaften und Bauinstandsetzen = Materials science and restoration*. AEDIFICATIO Publishers, Freiburg (1996) pp. 801–815.
- Winnefeld, F.; Böttger, K. G.; and Knöfel, D.** Einfluß der abschlämmbaren Bestandteile des Zuschlages auf die Eigenschaften von Kalkmörteln. In *Historische Fassadenputze*. A. Boué, Editor. Fraunhofer IRB Verlag, Stuttgart (2001) pp. 109–124.
- Winnefeld, F. and D. Knöfel.** Entwicklung eines Kalkputzmörtels für Ziegelmauerwerk am Beispiel der Orangeriesäle im Schloß Schwerin. Jahresberichte Steinzerfall–Steinkonservierung, Band 6–1994–1996. Ernst & Sohn, Berlin (1998) pp. 261–268.
- Winnefeld, F. and Knöfel, D.** Modifizierung von Kalkmörteln zur Fugenreparatur von Ziegelmauerwerk. Jahresberichte Steinzerfall–Steinkonservierung, Band 6–1994–1996. Ernst & Sohn, Berlin (1998) pp. 227–236.
- Winnefeld, F. and Knöfel, D.** Chemische Analysentechniken historischer Mörtel. In *Historische Fassadenputze*, Fraunhofer. A. Boué, Editor. IRB Verlag, Stuttgart (2001) pp. 27–44.
- Winnefeld, Frank.** *Mauer- und Putzmörtel zur Restaurierung historischer Ziegelbauwerke*. Shaker Verlag, Aachen (1998) 213p.
- Wisser, S.** *Historische und moderne mörtel im verbund mit naturstein: chemisch-mineralogische und mörteltechnische eigenschaften*. Hochschul Verlag, Freiburg (Breisgau) (1988) 169p.
- Wisser, S. and Knöfel, D.** Untersuchungen an historischen putz- und mauermörteln. Teil 1: analysengang. *Bautenschutz + Bausanierung*, 10 (1987) pp. 124–126.
- Wisser, S. and Knöfel, D.** Untersuchungen an historischen putz- und mauermörteln. Teil 2: untersuchungen und ergebnisse. *Bautenschutz + Bausanierung*, 11, no. 5 (1988) pp. 163–171.
- Wisser, S; Kraus, K.; and Knöfel, D.** Composition and properties of historic lime mortars. In *Proceedings of the VIth international congress on deterioration and conservation of stone*. Torun, Poland, 12–14 September 1988 (1988) pp. 484–491.
- Wisser, Stefan.** *Historische und moderne Mörtel im Verbund mit Naturstein: chemisch-mineralogische un mörteltechnisch Eigenschaften*. Hochschulsammlung Naturwissenschaft: Mineralogie, 1. Hochschul Verlag, Freiburg (1989) 178p.
- Wisser, Stefan; Kraus, Karin; and Knöfel, Dietbert.** Composition and properties of historic lime mortars. In *Proceedings of the VIth international congress on deterioration and conservation of stone*. Torun, Poland, 12–14 September 1988 (1988) pp. 484–491.

- Wittneben, U.** Untersuchungen der Partikeleigenschaften suspendierter Kalkhydrate. *Zement-Kalk-Gips: ZKG*, 10 (1980) pp. 526–534.
- Wöhnl, U. and Riechers, H. J.** Die druckfestigkeit von mauermörtel in der lagerfuge-einflüsse und prüfverfahren. *Bautenschutz + Bausanierung*, no. 4 (1990) pp. 56–61.
- Wollenberg, H.-D.** Mörtel: auf den spuren eines alten baumeisters. Wiederaufbau der Dresden Frauenkirche. *Bautenschutz + Bausanierung*, 21, no. 1 (1998).
- Wu, Jeffrey C. S.; Sheen, Jenn-Der; Chen, Shyan-Yeh; and Fan, Ya-Chun.** Feasibility of CO<sub>2</sub> fixation via artificial rock weathering. *Industrial and engineering chemistry research*, 40 (2001) pp. 3902–3905.
- Wührer, J.; Radermacher, R.; and Zagar, L.** Hydratationsmechanismus des Calciumoxyds und plastische Eigenschaften der Kalkhydratbreie. *Zement-Kalk-Gips*, 10 (1959) pp. 456–466.
- Yagi, Hiderharu; Iwazawa, Akira; Sonobe, Rikio; Matsubara, Toshinao; and Hikita, Haruo.** Crystallisation of calcium carbonate accompanying chemical absorption. *Industrial and engineering chemistry fundamentals*, 23, no. 2 (1984) pp. 153–158.
- Yamada, Hideo.** Carbonation of lime. *Sekkai*, no. 396 (1988) pp. 5–14.
- Yamada, Hideo.** Control of the morphology of precipitated calcium carbonate. *Kamipa Gikyoshi*, 44, no. 1 (1990) pp. 62–69.
- Yamada, Hideo and Tsunematsu, Shuji.** Hydration and carbonation behavior of air-slaked quicklime in a dilute saccharose solution. *Kyushu Kogyo Gijutsu Shikenjo Hokoku*, no. 50 (1993) pp. 3117–3122.
- Yanfang, Gu; Song, Wang; Liming, Hu; and Aizhong, Zhang.** Morphology control in preparing CaCO<sub>3</sub> ultrafine particles. *Hua Dong Li Gong Da Xue*, 19, no. 5 (1993) pp. 550–556.
- Yilmaz, V. T. and Glasser, F. P.** Crystallization of calcium hydroxide in the presence of sulfonated melamine-formaldehyde superplasticizer. *Journal of materials science letters*, 10, no. 12 (1991) pp. 712–715.
- Yorkdale, A. H.** Initial rate absorption and mortar bond. In *Masonry, materials, properties and performance: a symposium*. Orlando, FL, 9 December 1980 (1982) pp. 91–98.
- Yu, Qijun; Sawayama, K.; Sugita, S.; Shoya, M.; and Isojima, Y.** The reaction between rice husk ash and Ca(OH)<sub>2</sub> solution and the nature of its product. *Cement concrete research*, 29 (1999) pp. 37–43.
- Zacharopoulou, G.** Appraisal of scientific papers concerning the use of lime based mortars in building conservation. *Lime news: the journal of the building limes forum*, 2, no. 2 (1994) pp. 16–32.
- Zacharopoulou, G.** Bibliography of lime research. *Lime news: the journal of the building limes forum*, 2, no. 2 (1994) pp. 42–60.
- Zacharopoulou, G.** *A review of recent research on lime based mortars for conservation*. University of York, United Kingdom (1993) 165p.
- Zacharopoulou, Georgia.** The renascence of lime based mortar technology: an appraisal of a bibliographic study. In *Compatible materials for the protection of European cultural heritage*, PACT 55. Biscontini, G.; Moropoulou, A.; Erdik, M.; and Delgado Rodrigues, J., Scientific Editors. Technical Chamber of Greece, Athens (1998) pp. 89–114.

- Zalmanoff, Nissan.** Carbonation of lime putties to produce high grade building units. *Rock products*, September (1956) pp. 84–90.
- Zalmonoff, N.** Carbonation of lime putties to produce high grade building units, part 1. *Rock products*, August (1956) pp. 182–186.
- Zander, H. v.** Kornform und Korngröße trocken und naß gelöschter Kalkhydrate. *Zement-Kalk-Gips*, 11 (1958) pp. 41–45.
- Zendri, E.; Ingoglia, R.; Biscontin, G.; and Moggi, G.** Impiego di polimeri fluorurati per la conservazione di intonaci tradizionali. In *Superfici dell'architettura: le finiture. Atti del convegno di studi*. Bressanone, 26–29 June 1990 (1990) pp. 647–657.
- Zeskoski, Srebrenka and Monica Smith.** *The consolidation of friable frescoes*. Queen's University, Kingston, Ontario (1984) 96p.
- Zhang, X.; Wang, A.; Khang, S. J.; and Keener, T. C.** The effect of carbonation reaction on the utilization of calcium hydroxide sorbent. In *Coal-energy and the environment: proceedings: Eighth Annual International Pittsburgh Coal Conference*. Pittsburgh, 14–18 October 1991 (1991) pp. 114–119.
- Zielinska, Elzbieta and Szczerba, Zbigniew.** Badania porównawcze właściwości zapraw przygotowanych z różnych spojów wapiennych. *Rocznik przedsiębiorstwa państwowego Pracownie Konserwacji Zabytków*, 1986, no. 1 (1990) pp. 110–120.
- Zier, H.-W. and Weise, G.** Untersuchungen zur Ermittlung von Zusammenhängen zwischen Mischungsverhältnissen, Zuschlagsparametern und Druckfestigkeit bei Putzmörteln. *Betontechnik*, 1 (1989) pp. 27–30.
- Ziesemann, G; Krampfer, M.; and Knieriemen, H.** *Natürliche Farben-Anstriche und Verputze selber herstellen*. AT-Verlag, Aarau, Germany (1996) 142p.
- Znaczko-Jaworski, I. L.** Badania doswiadczałne nad starożytnymi zaprawami budowlanymi i materiałami wiązaczymi. *Kwartalnik Historii Nauki i Techniki. PAN*, 3 (1958) pp. 377–407.
- Znaczko Jaworski, I. L.** Experimental research on ancient mortars and binding materials. *Kwartalnik Historii Nauki i Techniki. PAN*, 3 (1958) pp. 377–407.
- Zouridakis, N. M.; Economou, I. G.; Tzevelekos, K. P.; and Kikkinides, E. S.** Investigation of the physicochemical characteristics of ancient mortars by static and dynamic studies. *Cement and concrete research*, 30, no. 7 (2000) pp. 1151–1155.
- Zvorikine, N.** Consolidation des monuments d'architecture par injection dans les maçonneries. *Monumentum*, II (1968) pp. 74–81.
- Zwick, Hermann.** *Hydraulischer Kalk und Portlandzement; ihre Rohstoffe, physikalischen und chemischen Eigenschaften. Untersuchung und Fabrikation, mit besonderer Rücksicht auf den gegenwärtigen Stand der Zementindustrie*. 3rd ed. A. Hartleben, Wien und Leipzig (1909) 238p.