

AAT XML Data Dictionary

schema location: C:\Work Documents\VCS\Export Project\Schemas\Prod\Getty_Vocab_Export_AAT.xsd
 attribute form default: **unqualified**
 element form default: **qualified**
 targetNamespace: **http://localhost/namespace**

Elements	Complex types	Simple types
Vocabulary	ParentType	Geog_Date
	RevisionType	Historic_Flag_Value
	SourceType	Historical_Date
	TermType	Merged_Status_Value
		VP_Subject_ID
		VP_Term_ID

element Vocabulary

namespace	http://localhost/namespace					
properties	content complex					
children	vp:Subject					
attributes	Name	Type	Use	Default	Fixed	annotation
	Title	xs:string	required			
	Part	xs:string	optional			
	Date	xs:date	required			

attribute Vocabulary/@Title

type	xs:string
properties	isRef 0 use required

attribute Vocabulary/@Part

type	xs:string
properties	isRef 0 use optional

attribute Vocabulary/@Date

type	xs:date
properties	isRef 0 use required

element Vocabulary/Subject

namespace	http://localhost/namespace
-----------	----------------------------

properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Associative_Relationships vp:Descriptive_Notes vp:Facet_Code vp:Hierarchy vp:Image vp:Legacy_ID vp:Merged_Status vp:Parent_Relationships vp:Record_Type vp:Revision_History vp:Sort_Order vp:Special_Project vp:Subject_Contributors vp:Subject_Sources vp:Terms
attributes	Name <u>Subject_ID</u> Type <u>vp:VP_Subject_ID</u> Use required Default Fixed annotation

attribute **Vocabulary/Subject/@Subject_ID**

type	vp:VP_Subject_ID
properties	isRef 0 use required
facets	Kind Value annotation minInclusive 1000000 maxInclusive 699999999

element **Vocabulary/Subject/Associative_Relationships**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Associative_Relationship

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	vp:AR_Date vp:Description vp:Historic_Flag vp:Relationship_Type vp:Related_Subject_ID

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/AR_Date**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Display_Date vp:Start_Date vp:End_Date

element

Vocabulary/Subject/Associative_Relationships/Associative_Relationship/AR_Date/Display_Date

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0

	content simple
--	----------------

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/AR_Date/Start_Date**

namespace	http://localhost/namespace
type	vp:Geog_Date
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/AR_Date/End_Date**

namespace	http://localhost/namespace
type	vp:Geog_Date
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Description**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Historic_Flag**

namespace	http://localhost/namespace
type	vp:Historic_Flag_Value
properties	isRef 0 minOcc 0 maxOcc 1 content simple default Current
facets	Kind Value annotation enumeration Both enumeration Current enumeration Historical enumeration N/A enumeration Undetermined

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Relationship_Type**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element **Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Related_Subject_ID**

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	vp:VP_Subject_ID vp:Contrib_Subject_ID

element

Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Related_Subject_ID/VP_Subject_ID

namespace	http://localhost/namespace									
type	vp:VP_Subject_ID									
properties	isRef 0 content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1000000</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>699999999</td> <td></td> </tr> </tbody> </table>	Kind	Value	annotation	minInclusive	1000000		maxInclusive	699999999	
Kind	Value	annotation								
minInclusive	1000000									
maxInclusive	699999999									

element

Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Related_Subject_ID/Contrib_Subject_ID

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element **Vocabulary/Subject/Descriptive_Notes**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Descriptive_Note

element **Vocabulary/Subject/Descriptive_Notes/Descriptive_Note**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	vp>Note_Text vp>Note_Language vp>Note_Contributors vp>Note_Sources

element **Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Text**

namespace	http://localhost/namespace
-----------	----------------------------

type	xs:string
properties	isRef 0 content simple
annotation	documentation Subject descriptive note

element **Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Language**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element **Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Contributors**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Note_Contributor

element **Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Contributors/Note_Contributor**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	vp:Contributor_id

element

Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Contributors/Note_Contributor/Contributor_or_id

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple
annotation	documentation A combination of the unique identifier and brief description separated by a forward slash ('/') for a particular contributor to the AAT

element **Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Sources**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Note_Source

element Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Sources/Note_Source

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	yp:Source yp:Page

element Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Sources/Note_Source/Source

namespace	http://localhost/namespace
type	yp:SourceType
properties	isRef 0 content complex
children	yp:Source_ID

element Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Sources/Note_Source/Page

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
annotation	documentation Free text entry field for information relating to Source-to-note relationship

element Vocabulary/Subject/Facet_Code

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element Vocabulary/Subject/Hierarchy

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element Vocabulary/Subject/Image

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1

	content simple
--	----------------

element Vocabulary/Subject/Legacy_ID

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element Vocabulary/Subject/Merged_Status

namespace	http://localhost/namespace
type	vp:Merged_Status_Value
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Merged enumeration Not Merged

element Vocabulary/Subject/Parent_Relationships

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	vp:Preferred_Parent vp:Non-Preferred_Parent

element Vocabulary/Subject/Parent_Relationships/Preferred_Parent

namespace	http://localhost/namespace
type	vp:ParentType
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Parent_Subject_ID vp:Relationship_Type vp:Historic_Flag vp:Hier_Rel_Type vp:Parent_Date

element Vocabulary/Subject/Parent_Relationships/Non-Preferred_Parent

namespace	http://localhost/namespace
type	vp:ParentType
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	vp:Parent_Subject_ID vp:Relationship_Type vp:Historic_Flag vp:Hier_Rel_Type vp:Parent_Date

element Vocabulary/Subject/Record_Type

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 content simple default Concept
facets	Kind Value annotation enumeration Concept enumeration Facet enumeration Guide Term enumeration Hierarchy Name

element Vocabulary/Subject/Revision_History

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	vp:Revision

element Vocabulary/Subject/Revision_History/Revision

namespace	http://localhost/namespace
type	vp:RevisionType
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Revision_ID vp:Aspect vp:Action vp:User_Name vp:Date vp>Note

element Vocabulary/Subject/Sort_Order

namespace	http://localhost/namespace
type	xs:int
properties	isRef 0 content simple

element Vocabulary/Subject/Special_Project

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element Vocabulary/Subject/Subject_Contributors

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0

	maxOcc 1 content complex
children	vp:Subject Contributor

element Vocabulary/Subject/Subject_Contributors/Subject_Contributor

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Contributor_id

element Vocabulary/Subject/Subject_Contributors/Subject_Contributor/Contributor_id

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element Vocabulary/Subject/Subject_Sources

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Subject Source

element Vocabulary/Subject/Subject_Sources/Subject_Source

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Source vp:Page

element Vocabulary/Subject/Subject_Sources/Subject_Source/Source

namespace	http://localhost/namespace
type	vp:SourceType
properties	isRef 0 content complex
children	vp:Source_ID

element Vocabulary/Subject/Subject_Sources/Subject_Source/Page

namespace	http://localhost/namespace
type	xs:string

properties	isRef 0 minOcc 0 maxOcc 1 content simple
------------	---

element Vocabulary/Subject/Terms

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	vp:Preferred_Term vp:Non-Preferred_Term
annotation	documentation There can be one and only one preferred term, but zero to many non-preferred terms.

element Vocabulary/Subject/Terms/Preferred_Term

namespace	http://localhost/namespace
type	vp:TermType
properties	isRef 0 content complex
children	vp:AACR2_Flag vp:Display_Name vp:Display_Order vp:Historic_Flag vp:Term_Languages vp:Other_Flags vp:Term_Contributors vp:Term_Date vp:Term_ID vp:Term_Sources vp:Term_Text vp:Vernacular

element Vocabulary/Subject/Terms/Non-Preferred_Term

namespace	http://localhost/namespace
type	vp:TermType
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	vp:AACR2_Flag vp:Display_Name vp:Display_Order vp:Historic_Flag vp:Term_Languages vp:Other_Flags vp:Term_Contributors vp:Term_Date vp:Term_ID vp:Term_Sources vp:Term_Text vp:Vernacular

complexType ParentType

namespace	http://localhost/namespace
children	vp:Parent_Subject_ID vp:Relationship_Type vp:Historic_Flag vp:Hier_Rel_Type vp:Parent_Date
used by	elements Vocabulary/Subject/Parent_Relationships/Non-Preferred_Parent Vocabulary/Subject/Parent_Relationships/Preferred_Parent

element ParentType/Parent_Subject_ID

namespace	http://localhost/namespace
type	xs:integer
properties	isRef 0 content simple
annotation	documentation Unique ID number of parent record

element ParentType/Relationship_Type

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Parent/Child
annotation	documentation Relationship type (only parent/child currently available)

element ParentType/Historic_Flag

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Current enumeration Historical enumeration Both enumeration N/A enumeration Undetermined
annotation	documentation Flag indicating the historical status of the parent/child relationship

element ParentType/Hier_Rel_Type

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Whole/Part-BTP enumeration Genus/Species-BTG enumeration Instance-BTI
annotation	documentation Hierarchical Relationship Type

element ParentType/Parent_Date

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Display_Date vp:Start_Date vp:End_Date

element ParentType/Parent_Date/Display_Date

namespace	http://localhost/namespace
-----------	----------------------------

type	xs:string
properties	isRef 0 content simple
annotation	documentation Label for relationship date information

element **ParentType/Parent_Date/Start_Date**

namespace	http://localhost/namespace
type	vp:Geog_Date
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical start date of parent/child relationship

element **ParentType/Parent_Date/End_Date**

namespace	http://localhost/namespace
type	vp:Geog_Date
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical end date of parent/child relationship

complexType **RevisionType**

namespace	http://localhost/namespace
children	vp:Revision_ID vp:Aspect vp:Action vp:User Name vp>Date vp>Note
used by	element Vocabulary/Subject/Revision_History/Revision
annotation	documentation Set of values to identify a revision event

element **RevisionType/Revision_ID**

namespace	http://localhost/namespace
type	xs:unsignedLong
properties	isRef 0 content simple

element **RevisionType/Aspect**

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation enumeration subject

	enumeration scope note
	enumeration Term
	enumeration Associative Relationships

element RevisionType/Action

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element RevisionType/User_Name

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element RevisionType/Date

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element RevisionType/Note

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

complexType SourceType

namespace	http://localhost/namespace
children	vp:Source_ID
used by	elements Vocabulary/Subject/Descriptive Notes/Descriptive Note/Note Sources/Note Source/Source Vocabulary/Subject/Subject Sources/Subject Source/Source TermType/Term Sources/Term Source/Source
annotation	documentation Set of values to reference a bibliographic source

element SourceType/Source_ID

namespace	http://localhost/namespace
type	xs:string

properties	isRef 0 content simple
------------	---------------------------

complexType TermType

namespace	http://localhost/namespace
children	vp:ACR2_Flag vp:Display_Name vp:Display_Order vp:Historic_Flag vp:Term_Languages vp:Other_Flags vp:Term_Contributors vp:Term_Date vp:Term_ID vp:Term_Sources vp:Term_Text vp:Vernacular
used by	elements Vocabulary/Subject/Terms/Non-Preferred_Term Vocabulary/Subject/Terms/Preferred_Term
annotation	documentation Term block for the Terms element

element TermType/AACR2_Flag

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple default N/A
facets	Kind Value annotation enumeration N/A enumeration Yes
annotation	documentation Flag to indicate when a ULAN record is a AACR2 record

element TermType/Display_Name

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Yes enumeration No enumeration N/A enumeration Index
annotation	documentation Label for term date information

element TermType/Display_Order

namespace	http://localhost/namespace
type	xs:unsignedShort
properties	isRef 0 minOcc 0 maxOcc 1 content simple default 0

annotation	documentation Order number of the term in relation to the other terms of a subject record
------------	--

element **TermType/Historic_Flag**

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple default Current
facets	Kind Value annotation enumeration Both enumeration Current enumeration Historical enumeration N/A enumeration Undetermined
annotation	documentation Flag indicating the historical status of the term

element **TermType/Term_Languages**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Term_Language

element **TermType/Term_Languages/Term_Language**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Language vp:Preferred vp:Term_Type vp:Qualifier vp:Part_of_Speech vp:Lang_Stat

element **TermType/Term_Languages/Term_Language/Language**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple

element **TermType/Term_Languages/Term_Language/Preferred**

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 content simple

facets	Kind enumeration	Value Preferred	annotation
	enumeration	Non Preferred	
	enumeration	Undetermined	
annotation	documentation	Flag indicating whether or not a term is preferred for a particular language	

element **TermType/Term_Languages/Term_Language/Term_Type**

namespace	http://localhost/namespace		
type	restriction of xs:string		
properties	isRef	0	
	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind enumeration	Value Alternate Descriptor	annotation
	enumeration	Used For Term	
	enumeration	Descriptor	

element **TermType/Term_Languages/Term_Language/Qualifier**

namespace	http://localhost/namespace		
type	xs:string		
properties	isRef	0	
	minOcc	0	
	maxOcc	1	
	content	simple	
annotation	documentation	Label to disambiguate homophones in AAT	

element **TermType/Term_Languages/Term_Language/Part_of_Speech**

namespace	http://localhost/namespace		
type	restriction of xs:string		
properties	isRef	0	
	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind enumeration	Value N/A	annotation
	enumeration	Undetermined	
	enumeration	Plural Noun	
	enumeration	Singular Noun	
	enumeration	Singular and Plural Gerund	
	enumeration	Past Participle	
	enumeration	Verbal Noun	
	enumeration	Noun	
	enumeration	Adjectival	

element TermType/Term_Languages/Term_Language/Lang_Stat

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Undetermined enumeration N/A enumeration Loan Term

element TermType/Other_Flags

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple default N/A
facets	Kind Value annotation enumeration N/A enumeration Full term enumeration Abbreviation enumeration Neologism enumeration Jargon Slang enumeration Scientific term enumeration Common term
annotation	documentation Extra field for holding any flags not already represented in the term table (not used in AAT)

element TermType/Term_Contributors

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Term Contributor

element TermType/Term_Contributors/Term_Contributor

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Contributor_id vp:Preferred

element **TermType/Term_Contributors/Term_Contributor/Contributor_id**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple
annotation	documentation A combination of the unique identifier and brief description separated by a forward slash (/) for a particular contributor to the AAT

element **TermType/Term_Contributors/Term_Contributor/Preferred**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple
annotation	documentation Indicates whether or not a term is preferred by a particular contributor

element **TermType/Term_Date**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Display_Date vp:Start_Date vp:End_Date

element **TermType/Term_Date/Display_Date**

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple
annotation	documentation Label for term date information

element **TermType/Term_Date/Start_Date**

namespace	http://localhost/namespace
type	vp:Historical_Date
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical start date of term use

element **TermType/Term_Date/End_Date**

namespace	http://localhost/namespace
type	vp:Historical_Date

properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical end date of term use

element TermType/Term_ID

namespace	http://localhost/namespace
type	xs:integer
properties	isRef 0 content simple
annotation	documentation Integer value identifying a unique term record

element TermType/Term_Sources

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	vp:Term_Source

element TermType/Term_Sources/Term_Source

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	vp:Source vp:Page vp:Preferred

element TermType/Term_Sources/Term_Source/Source

namespace	http://localhost/namespace
type	vp:SourceType
properties	isRef 0 content complex
children	vp:Source_ID

element TermType/Term_Sources/Term_Source/Page

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element TermType/Term_Sources/Term_Source/Preferred

namespace	http://localhost/namespace		
type	restriction of xs:string		
properties	isRef	0	
	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	annotation
	enumeration	Preferred	
	enumeration	Non Preferred	
	enumeration	Unknown	
	enumeration	Alternate Preferred	

element TermType/Term_Text

namespace	http://localhost/namespace		
type	xs:string		
properties	isRef	0	
	content	simple	
annotation	documentation	The term	

element TermType/Vernacular

namespace	http://localhost/namespace		
type	restriction of xs:string		
properties	isRef	0	
	content	simple	
	default	Undetermined	
facets	Kind	Value	annotation
	enumeration	Vernacular	
	enumeration	Other	
	enumeration	Undetermined	
annotation	documentation	Flag indicating whether or not the term is the vernacular for a certain place	

simpleType Geog_Date

namespace	http://localhost/namespace		
type	restriction of xs:integer		
used by	elements	Vocabulary/Subject/Associative Relationships/Associative Relationship/AR Date/End Date ParentType/Parent Date/End Date Vocabulary/Subject/Associative Relationships/Associative Relationship/AR Date/Start Date ParentType/Parent Date/Start Date	
facets	Kind	Value	annotation
	maxInclusive	9999	
annotation	documentation	Years of geographic or geologic events	

simpleType Historic_Flag_Value

namespace	http://localhost/namespace		
-----------	----------------------------	--	--

type	restriction of xs:string																		
used by	element Vocabulary/Subject/Associative Relationships/Associative Relationship/Historic Flag																		
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Current</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Historical</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N/A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Undetermined</td> <td></td> </tr> </table>	Kind	Value	annotation	enumeration	Both		enumeration	Current		enumeration	Historical		enumeration	N/A		enumeration	Undetermined	
Kind	Value	annotation																	
enumeration	Both																		
enumeration	Current																		
enumeration	Historical																		
enumeration	N/A																		
enumeration	Undetermined																		
annotation	documentation Valid historical flag values																		

simpleType **Historical_Date**

namespace	http://localhost/namespace						
type	restriction of xs:integer						
used by	elements TermType/Term Date/End Date TermType/Term Date/Start Date						
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>maxInclusive</td> <td>9999</td> <td></td> </tr> </table>	Kind	Value	annotation	maxInclusive	9999	
Kind	Value	annotation					
maxInclusive	9999						
annotation	documentation Years recording historical events						

simpleType **Merged_Status_Value**

namespace	http://localhost/namespace									
type	restriction of xs:string									
used by	element Vocabulary/Subject/Merged Status									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>enumeration</td> <td>Merged</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Not Merged</td> <td></td> </tr> </table>	Kind	Value	annotation	enumeration	Merged		enumeration	Not Merged	
Kind	Value	annotation								
enumeration	Merged									
enumeration	Not Merged									
annotation	documentation Valid merged status values									

simpleType **VP_Subject_ID**

namespace	http://localhost/namespace									
type	restriction of xs:long									
used by	<table border="0"> <tr> <td>element</td> <td>Vocabulary/Subject/Associative Relationships/Associative Relationship/Related Subject ID/VP Subject ID</td> </tr> <tr> <td>attribute</td> <td>Vocabulary/Subject/@Subject ID</td> </tr> </table>	element	Vocabulary/Subject/Associative Relationships/Associative Relationship/Related Subject ID/VP Subject ID	attribute	Vocabulary/Subject/@Subject ID					
element	Vocabulary/Subject/Associative Relationships/Associative Relationship/Related Subject ID/VP Subject ID									
attribute	Vocabulary/Subject/@Subject ID									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>minInclusive</td> <td>1000000</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>699999999</td> <td></td> </tr> </table>	Kind	Value	annotation	minInclusive	1000000		maxInclusive	699999999	
Kind	Value	annotation								
minInclusive	1000000									
maxInclusive	699999999									
annotation	documentation The VCS unique identifier for a subject									

simpleType **VP_Term_ID**

namespace	http://localhost/namespace
-----------	----------------------------

type	restriction of xs:long		
facets	Kind	Value	annotation
	minInclusive	1000000000	
	maxInclusive	1999999999	
annotation	documentation The VCS unique identifier for a term		

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>